INDEX OF AUTHORS' NAMES.

TRANSACTIONS, PROCEEDINGS, AND ABSTRACTS. 1908.

(Marked T., P., and A., i and A., ii respectively.)

COMPILED BY MARGARET D. DOUGAL.

Α

Abbott, James Francis, and Andrew Creamore Life, galvanotropism in bacteria, A., ii, 614.

Abderhalden, Emil, protesoes in blood, A., ii, 305.

monoamino-acids of byssus, A., ii,

517.
the degradation of 2:5-diketopiperazines in the organism of the rabbit,

A., ii, 521. albumose in the blood, A., ii, 605. the nutritive value of protein cleavage

products. VIII., A., ii, 1051.

Abderhalden, Emil, and Lowis Baumann, tryptophan, A., i, 488.
polypeptides containing tryptophan,

A., i, 932.

Abderhalden, Emil, and Bruno Bloch, metabolism in alcaptonuria, A., ii, 54.

Abderhalden, Emil, and Dammhahn, peptolytic ferments in germinating and ungerminated seeds of various plants, A., ii, 1065.

Abderhalden, Emil, and Dénes Fuchs, glutamic acid in various keratins, A., i, 1029.

Abderhalden, Emil, and Markus Guggenheim, the action of tyrosinase from Russula delica on tyrosine, tyrosine-containing polypeptides, and other compounds, A., i, 237.

synthesis of polypeptides; derivatives of 2:5-di-iodo-l-tyrosine, A., i, 420,

886.

synthesis of polypeptides, A., i, 535. the action of tyrosinase from Russula delica on polypeptides which contain tyrosine and on suprarenine, A., i, 1030.

Abderhalden, Emil, and Alfred Hirszowski, synthesis of polypeptides. XXVIII. Derivatives of glycine, dalanine, l-leucine, and l-tyrosine, A., i, 887.

XCIV. ii.

Abderhalden, Emil, and Karl Kautzsch, comparative investigations on the elimination of iodine after administration of potassium iodide and saiodin, A., ii, 611.

Abderhalden, Emil, and Arthur H. Koelker, the course of the fermentative degradation of polypeptides, A.,

i, 238, 488.

Abderhalden, Emil, and E. S. London, value of ultimate protein cleavage products in the organism; experiments on a dog with Eck's fistula, A., ii, 51.

Abderhalden, Emil, E. S. London, and Berthold Oppler, digestion of proteins in the alimentary canal of the dog. IV., A., ii, 514.

Abderhalden, Emil, and Filippo Lussana, action of the juices expressed from cells on polypeptides, A., i, 489.

Abderhalden, Emil, and James S.

McLester, the behaviour of certain polypeptides towards the plasma of ox-blood, A, ii, 511.

Abderhalden, Emil, and Wilfred H.

Manwaring, the behaviour of certain polypeptides towards the red corpuscles and platelets of ox-blood, A., ii, 510.

Abderhalden, Emil, and Florentin Medigreceanu, peptolytic ferments in the stomach contents, A., ii, 1049.

Abderhalden, Emil, and Josef Olinger, the value of protein cleavage products in the animal organism. VII., A., ii, 961.

Abderhalden, Emil, and Auguste Rilliet, action of the juice of Psalliota campestris on polypeptides, A., i, 489.

Abderhalden, Emil, and Leonhard Wacker, the cleavage of 2:5-diketopiperazines in the organism of the rabbit. II., A., ii, 1052.

Abegg, Richard [Wilhelm Heinrich], an apparent exception to the theory of heterogeneous dissociation equilibria, A., ii, 157.

73

Abegg, Richard [Wilhelm Heinrich], [vapour pressure of dry and of ordinary sal ammoniac], A., ii, 466, 812.

Abegg, Richard, and J. Neustadt, attempt to measure the rate of neutralisation at low temperatures, A., ii,

Abegg, Richard, and Paul von Schroeder, tanning of gelatin, A., i, 233.

Abel, *Emil*, kinetics and catalysis of the hydrogen peroxide-thiosulphate reaction, A., ii, 26.

lecture experiment to demonstrate the law of mass action, A., ii, 934.

catalysis of hydrogen peroxide by iodine and iodine ions, A., ii, 939.

Abel, John Jacob, and William W. Ford, poisons of Amanita Phalloides, A., ii, 1061.

Abelmann, Paul, action of magnesium organic compounds on tiglic aldehyde, A., i, 2.

Acheson, E. G., colloidal graphite, A., ii, 375.

Ackermann, D., putrescine, A., i, 10. chemistry of putrefaction, A., i, 10. experiments on the decomposition of arginine, A., i, 774.

a new base from putrefying pancreas, A., i, 1007.

Ackermann, D., and Friedrich Kutscher. constitution of neosine, A., i, 675. crab extract. IV., A., ii, 53.

Edwin, See Ackermann, HermannMatthes.

Acree, Salomon Furby, theory of indicators and the reactions of phthaleins and their salts, A., i, 423

theory of indicators, A., i, 652. catalysis, A., ii, 169.

catalysis. VII. Reaction of carbonyl compounds with hydroxylamine and hydroxylamine hydrochloride, A., ii, 169.

VIII. Theories of catalysis, catalysis. A., ii, 472.

catalysis. IX. Catalytic reactions induced by enzymes, A., ii, 1022.

Acree, Salomon Farby, J. M. Johnson, R. F. Brunel, G. H. Shadinger, and XIV. Sidney Nirdlinger, urazoles. Reactions between tautomeric acids and salts with diazomethane and alkyl haloids, A., i, 919.

Acree, Salomon Farby, J.M. Johnson, and Sidney Nirdlinger, bromination, A.,

i, 413; ii, 29.

Acree, Salomon Farby, and G. H. Shadinger, urazoles. XI. Affinity coninger, urazoles. XI. Affinity constants and constitutions of several urazoles, A., i, 224.

Acree, Salomon Farby, and G. H. Shadinger, urazoles. XII. Velocity constants and mechanism of the reactions of alkyl halides with urazoles and urazole salts, A., ii, 163.

Acree, Salomon Farby, and E. A. Slagle, theory of indicators and the reactions of phthaleins and their salts. II.,

A., i, 653.

Adamson, L., and Herbert Eldon Roaf, effect of acid and alkali on the osmotic pressure of the serum proteins, A., i, 1026.

Adan, R., assay of turpentine and estimation of mineral oil in rosin spirit, A., ii, 1075.

Adeney, Walter Ernest, simple form of apparatus for observing the rate of absorption of oxygen by polluted waters and by other fermenting liquids, A., ii, 781.

Adler, J. See Reginald Oliver Herzog. Adler, Oscar, action of benzidine on the animal body, A., ii, 312.

Adler, Oscar, and Rudolf Adler, primary aromatic arsinic acids, A., i, 492.

Adler, Rudolf. See Oscar Adler. Ahlqvist, Alfr. See Thor Ekecrantz.

Ahrens, Felix Benjamin, and Leo von occurrence of Moźdźeński, naphthene in coal tar, A., i, 618.

Aktien-Gesellschaft für Anilin-Fabrikation, preparation of sulphonic acids of the safranine series, A., i, 225.

preparation of hexamethylenetetramine borate, A., i, 322.

preparation of the urethane of m-aminop-ethoxybenzoic acid, A., i, 339.

preparation of arylsulphonyl derivatives of 1:2- and 2:1-aminonaphtholsulphonic acids, A., i, 416.

preparation of aminohydroxy-derivatives of phenylnaphthiminazole, A., i, 469.

preparation of sulphonic esters of cellulose, A., i, 955.

preparation of phenoxazines, A., i, 1010. azo-derivatives of 2-chloro-p-anisidine-2-chloro-p-phenetidine-sulphonic acids, A., i, 1023.

Albahary, Jacques M., method for the complete analysis of vegetable substances, A., ii, 327.

ripening of tomatoes (Lycopersicum esculentum), A., ii, 774.

Albanese, Manfredi, influence of electrolytes on the viscosity of colloidal liquids, A., ii, 1018.

Alberda van Ekenstein, William, and Jan Johannes Blanksma, sugars, A., i, 9. transformation of l-gulose and of l-idose into l-sorbose, A., i, 136.

Alberda van Ekenstein, William. See also Jan Johannes Blanksma.

Alcock, Nathaniel Henry, and Jordan Roche Lynch, physical and chemical properties of nerves. I., A., ii, 51.

Aldrich, Thomas B., chemistry of the infundibular portion of the pituitary body, A., ii, 313.

Alexandroff, D. K., salts and ethers of hexanitrodiphenylamine, A., i, 83.

Alilaire, E., phosphorus in the fat of micro-organisms, A., ii, 123.

Allard, Eduard, acidosis in pancreas diabetes, A., ii, 1058.

Allard, Eduard. See also Oscar Gross. Allemandet, H. See Paul Thiébaud Muller.

Allmand, Arthur John. See HenryGeorge Denham.

Aloy, Jules [François], and Charles Rabaut, tyrosine, A., i, 341.

Alsberg, Carl Luca, the guaiacum reaction, A., ii, 999.

Alsberg, Carl Luca, and E. D. Clark, a globulin from the egg-yolk of Squalus acanthias, A., ii, 963.

Altgelt, H. See Richard Stoermer. Altmayer, V. See M. Mayer.

Alves, A. See Alfred Koch.

Alvisi, Uyo, and Domenico Venditori, leucite and its application as a manure, A., ii, 61.

Alway, Frederick Jacob, and Robert S. Trumbull, studies on the soils of the northern portion of the Great Plains region; nitrogen and humus, A., ii, 1067.

Amberg, Richard, preparation of electrolytic iron, A., ii, 593.

Amberg, Samuel, and Arthur Solomon Loevenhart, the inhibiting action of fluorides on lipase, A., i, 235.

Ampola, Gaspare, ten years' experiments on denitrification in arable soil, A., ii, 525.

Andersen, A. C., volumetric estimation of sodium hydroxide in the presence of sodium carbonate, A., ii, 985.

Andersen, A. C. See also Sören Peter Lauritz Sörensen.

Andersen, N. See Louis Pelet-Jolivet. Andersson, Nils, the behaviour of the sugar of the blood after bleeding, A., ii, 767.

André, Gustave, constant composition of vegetable juices obtained by successive extractions, A., ii, 217.

Andreasch, Rudolf, substituted rhodanic acids and their aldehyde condensation products. VII., A., i, 683.

Andréeff, Iwan Iw., rate of growth and solution of crystals, A., ii, 475.

Andréeff, N. N., application of optical properties of liquids to the study of polymerisation and analogous phenomena, A., ii, 547.

Andrews, Launcelot Winchester, refractive indices of alcohol-water mixtures, A., ii, 333.

Andriewsky, W., action of a mixture of ethyl bromoacetate and p-tolualdehyde on zinc; synthesis of β -hydroxy- β -p-

tolylpropionic acid, A., i, 799.

Andrifk, Karl, and Josef Urban, importance of sodium for sugar-beet,

A., ii, 219.

amount of nutrients utilised by sugarbeet in the first year and its relation to the amount of sugar in the roots, A., ii, 1066.

Andrlik, Karl, and K. Velich, importance of glutamic and aspartic acids as

food-stuffs, A., ii, 307. **Anema,** P., and Charles Marius van Deventer, a problem of gas analysis, A., ii, 221.

Angeli, Angelo, action of diphenylhydroxyacetic acid on dimethylcarbamide,

Angeli, Angelo, and Guerriero Marchetti. new reactions of indoles and pyrroles, A., i, 207.

a transformation of dimethylpyrrole, A., i, 564.

decomposition of certain salts of silver, A., ii, 841.

Angeli, Angelo, and Luigi Marino, santoninie acid, A., i, 543. Angeli, Angelo, and Eugenio Morelli,

indoles, A., i, 828.

Anilinfarben-Extrakt-Fabriken æ vorm. J. R. Geigy in Basel, [preparation of triphenylmethane colouring matters from diortho-substituted benzaldehydes], A., i, 986.

[preparation of disazo-derivatives of 2-amino-p-cresol], A., i, 1022.

Anschütz, Richard, action of the chlorides of phosphorus on phenolsulphonic acids. I., A., i, 83.

a new method of forming isocyanates [carbimides]. I., A., i, 326.

attempt to prepare hexaphenylethane, A., i, 331.

Anschütz, Richard, and Paul Walter, amide acids of phenylsuccinic acid, A., i, 542.

Anselmino, Otto, reduction products of Schiff's bases, A., i, 259. picrates, A., i, 879.

Antoni, Wm., estimation of alcohol in fermented liquids, A., ii, 902.

Antropoff, Andreas von, mercury salts of hydrogen peroxide and the preparation of a compound HgO., A.,

pulsating catalysis of hydrogen per-oxide by mercury. I.-III., A., ii,

argon in radioactive zirconium minerals, A., ii, 943.

Aphanassieff, B. P. See Eugen von

Appenzeller, Ernst. See Franz Sachs. Applebey, Malcolm Percival. See Harold Hartley.

Arbusoff, Alexander E., preparation of acetals by Claisen's method, A., i, 555. Archbutt, Sydney Leonard. See William

Gemmell.

Archibald, Ebenezer Henry, W. G. Wilcox, and B. G. Buckley, study of the solubility of potassium platinichloride, A., ii, 492.

Ardan, A. See Aladar Skita.

Arena, M. See Ezio Comanducci. Arend, J. P. See Camille Aschman.

Argiris, Alfred, neurokeratin, A., i, 70. chemistry of the brains of birds and

fishes, A., ii, 965. Armstrong, Edward Frankland. Henry Edward Armstrong.

Armstrong, Henry Edward, studies of the processes operative in solutions. VI. Hydrolysis, hydrolation, and hydronation as determinants of the properties of aqueous solutions, A., ii, 814.

Armstrong, Henry Edward, Edward Frankland Armstrong, and Edward Horton, enzyme action. XII. The enzymes of emulsin, A., i, 745.

Armstrong, Henry Edward, and D. Crothers, studies of the processes operative in solutions. VIII. The influence of salts on hydrolysis and the determination of hydration values, A., ii, 816.

Armstrong, Henry Edward, and Walter Hamis Glover, studies on enzyme action. XI. Hydrolysis of raffinose by acids and enzymes, A., i, 712.

Armstrong, Henry Edward, and Edward Wheeler, studies of the processes operative in solutions. VII. Relative efficiencies of acids as deduced from their conductivities and hydrolytic activities, A., ii, 815.

Arndt, Kurt, viscosity and conductivity, A., ii, 87.

Arndt, Kurt, and Albert Gessler, conductivity of fused salts, A., ii, 923. density and equivalent conductivity of some fused salts, A., ii, 923.

Arndt, Kurt, and Kurt Willner, the decomposition tension of fused calcium chloride, A., ii, 457. Arnold, H. See E. Schürmann. Arnold, H. D. See Walter Guyton Cady.

Arnold, Hans R. See Josef Houben.

Aron, Hans, calcium metabolism in relation to rickets, A., ii, 771.

Aron, Hans, and Karl Frese, calcium

foods in growing animals, A., ii,

Aron, Hans, and Robert Sebauer, importance of calcium salts for the growing organism, A., ii, 208.

Aronstamm, B. See Josef Tambor.

Arrhenius, Svante [August], Schutz's rule for reaction velocities, A., ii,

hæmolysis, A., ii, 708.

agglutination and coagulation, A., ii,

Arrivaut, G., alloys of silicon and silver, A., ii, 1035.

Arthur, Walter. See Edward DeMille Campbell.

Arzalier, L., acid sulphates of potassium, A., ii, 763.

Arzalier, L. See also William Oechsner de Coninck.

Asahina, Y., sakuranin, a new glucoside from the bark of Prunus Pseudocerasus var. Sieboldi, A., i, 559.

the fruit of $Styrax\ Obassia$, Λ ., ii, 59. Aschan, [Adolf] Ossian, santene, A., i,

humus substances soluble in water from Scandinavian fresh waters, A., i, 250.

new borneol, A., i, 428.

Aschkinass, E., range of activity and absorption of α-rays; secondary radiation produced by α -rays, Λ ., ii, 920.

Aschkinasy, Gabriel. See Alfred Werner. Aschman, Camille, and J. P. Arend,

calcium cyanamide, A., ii, 220.

Ascoli, M., and G. Izar, influence of inorganic colloids on autolysis. Part III. Action of poisons, A., ii, 121.

influence of inorganic colloids on autolysis. IV., A., ii, 713.

Ashman, George C., quantitative estimation of radium emanation in the atmosphere, Λ., ii, 918.

Asō, Keijirō. See Oscar Loew.

Astre, Charles, detection and estimation of free mineral acids in red wines, A., ii, 892.

Astruc, A., and R. Brenta, piperazine phosphates and arsenates, A., i, 919. Astruc, H., citric acid and natural wines,

A., ii, 640.

Astruc, H., and J. Mahoux, natural and added free tartaric acid in natural wines, A., ii, 992.

Atkin, E. E. See William Bulloch.

Atkins, W. R. Gelston, the freezing point of milk; a method of detecting adulteration, A., ii, 641.

Aubouy, P., antipyrine phosphate and

arsenate, A., i, 370.

Auclair, Jules, and Louis Paris, chemical constitution and biological properties of the protoplasm of Koch's bacillus, A., ii, 315.

Auer, John, the purgative inefficiency of saline cathartics when injected subcutaneously or intravenously, A., ii, 213.

Auer, John. See also Samuel J. Meltzer. Auer von Welsbach. See Welsbach.

Auerbach, Friedrich, and Hermann Barschall, formaldehyde. II. Solid polymerides of formaldehyde, A., i, 131.

Auger, Victor, action of amorphous arsenic on alkyl-halide derivatives, A., i, 13.

preparation of methyl and ethyl cyanides, A., i, 81.

a new type of combination of sulphur with certain iodides, A., i, 241.

mixed trihalogen derivatives of meth-

ane, A., i, 494. action of alkalis on mono- and dimethylarsonic acids and their iododerivatives, A., i, 516.

the hydrates of arsenic acid, A., ii, 489.

Auger, Victor, and P. Dupuis, guaiacylphosphoric acids, A., i, 529.

Auld, Samuel James Manson, the hydrolysis of amygdalin by emulsin. Parts I. and II., T., 1251, 1276; P., 97, 181

Auld, Samuel James Manson. See also Thomas Anderson Henry.

Aumer, Joseph. See Helen Isham.

Austerweil, Geza, and Paul Pacottet, estimation of esters in wine, A., ii, 232.

Austin, Arthur Everett, and Mabel D. Ordway, extra-intestinal origin of hydrobilirubin, A., ii, 408.

Austin, Percy Corlett, the synthesis of complex acridines, T., 1760; P., 200.

Austin, Percy Corlett. See also Alfred Senier.

Autenrieth, Wilhelm [Ludwig], estimation of potassium in silicates, A., ii, 897.

Autenrieth, Wilhelm, and Alfred Geyer, reaction between phenols and phosphorus pentachloride, A., i, 156. Auwers, Karl [Friedrich], so-called mesohydry, A., i, 228.

constitution of hydroxyazo-compounds, A., i, 477.

the optical behaviour of cyclohexadiene derivatives, A., i, 520.

Auwers, Karl, and Hugo Dannehl, capacity of acyl groups for migration in the molecules of organic compounds, A., i, 458.

Auwers, Karl, and Alfred Dombrowski, condensation products of dibromo-phydroxybenzyl bromide with aromatic bases, A., i, 333.

Auwers, Karl, and Moritz Eckardt, acyl derivatives of benzeneazo-p-cresol and β-benzeneazo-α-naphthol and their transformation products, A., i, 480.

Auwers, Karl, and Fritz Eisenlohr, hydroxyazo-compounds, A., i, 229.

Auwers, Karl, and Max Hessenland, synthesis of pulenone derivatives from o-cresol, A., i, 550.

conversion of dichloro-αβ-pulenenone into Δ^{1:3}-dihydro-p-xylene, Λ., i, 551.

Auwers, Karl, and Th. von Markovits, m-2-xylenol, A., i, 629.

Averkieff, N. D., dissolution of metallic gold in hydrochloric acid in presence of various organic substances, A., ii, 859.

Avery, David, reduction of gold chloride by charcoal, A., ii, 391.

Avery, Samuel, and Guy R. McDole, action of sodium benzyl cyanide with cinnamic ester, A., i, 343.

oxidation and reduction of γ-cyanoβγ-diphenylbutyric acid, Λ., i, 796. Avery, Samuel, and Fred W. Upson,

Avery, Samuel, and Fred W. Upson, synthesis of certain aromatic succinic acids, A., i, 343.

nitration of β -p-tolylglutaric acid, A., i, 796.

В.

Baat, W. C. dc. See Frans Antoon Hubert Schreinemakers.

Baborovský, Jiri, and Bohumil Kuzma, so-called silver peroxide, A., ii, 378.

Bach, Alexis, peroxydase active in tyrosinase, A., i, 237.

mode of action of tyrosinase, A., i, 237.

behaviour of peroxydase towards light, A., i, 238.

amount of nitrogen in the oxidising ferments, A., i. 238.

ferments, A., i, 238.

Bach, Alexis, and Robert Chodat, oxidation processes in the living cell, A., i, 490.

Bach, Alexis, and Jacob Tscherniack, purification of peroxydase, 746.

Bachmann, Hermann, experiments with basic slag-ammonia, A., ii, 624.

field experiments with ammonium sulphate, A., ii, 980.

Backman, E. Louis, action of lactic acid on the isolated and surviving heart of mammals, A., ii, 612.

Bacon, Raymond Foss, Philippine terpenes and essential oils. I., A., i, 814.

Philippine terpenes and essential oils. II. Ylang-ylang oil, A., i, 815.

Bacovescu, A., oxidation by means of picric acid; indulines from aniline, A., i, 825.

Baddiley, James. See Arthur George Green.

Bader, Walter. See Fritz Ullmann.

Badische Anilin- & Soda-Fabrik, dinitrodiphenylaminesulphonic acids and their transformation into triphenylmethane colouring matters, A., i, 154.

[direct production of alizarin from anthraquinone], A., i, 191.

preparation of hydroxybenzanthrones, A., i, 193.

[ehlorination of dianthraquinonyl derivatives], A., i, 193.

preparation of salts of 1-diazo-β-naphtholsulphonic acids, A., i, 231.

preparation of diphenylamine derivatives, A., i, 259. preparation of indoxyl and its homo-

logues and derivatives, A., i, 371. [oxidation of 2-methyl-1:2'-dianthra-

quinonylamine], A., i, 456. preparation of formaldehyde-sulphoxylate, A., i, 605.

preparation of halogen derivatives of

benzanthrone, A., i, 661. preparation of barium cyanide from barium cyanamides, A., i, 770. preparation of complex dianthra-

quinonyldiaminoanthraquinones, A., i, 807.

preparation of the cyanides and cyanamides of the alkali and alkaline

earth metals, A., i, 964. preparation of derivatives of benz-

anthrone, A., i, 993. preparation of chloroacylaminoauthra-

quinones, A., i, 994. [preparation of complex anthracene derivatives], A., i, 999.

preparation of pure nitrites from nitrous fumes, A., ii, 175.

Bädeker, Karl, a peculiar type of electrical conductivity, A., ii, 654.

Bädeker, Karl, and E. Pauli, electrical conductivity of solid cuprous iodide, A., ii, 654.

Baer, Julius, and Leon Blum, the action of various chemical substances on sugar excretion and acidosis. II., A., ii, 122.

the degradation of fatty acids in

Diabetes mellitus, A., ii, 1057.

Baessler, Paul, sodium nitrate compared with ammonium sulphate, A., ii, 127.

Baglioni, Silvestro, effects of feeding with maize; certain properties of zein. I., A., ii, 619.

Bailey, Herbert S., automatic syphon pipette, A., ii, 827.

[with Barney Bailey, James R.Brooks], hydantointetrazones, A., i, 842.

Bailey, James R., and C. P. Randolph, ofdesulphurisation thiohydantoins, A., i, 741.

thiohydantoins and bases derived from these, A., i, 742.

Bain, James Watson. See Ernest P. Moore.

Bainbridge, Francis Arthur, prosecretin in relation to Diabetes mellitus, A., ii, 213.

Baisch, E. See Max Trautz.

Baker, Herbert Brereton, atomic weight of tellurium, A., ii, 483.

Bakowski, Arthur, the arc spectrum of cerium, A., ii, 243.

Balavoine, Pierre, volumetric estimation of bismuth, A., ii, 990.

Balbiano, Luigi, \$\beta\$-p-methoxyphenylpropaldehyde obtained from the isoα-p-methoxyphenylpropylene αβ-glycols [α-p-methoxyphenylprop-

ane $\alpha\beta$ diols], A., i, 901. Balcom, R. W. See Georg Bredig.

Baldoni, Alessandro, behaviour of sodium salicylate in the organism, A., ii, 1060.

Baldwin, Helen, changes in the bile occurring in some infectious diseases, A., ii, 212.

Balke, Clarence W.and EdgarSmith, columbium, A., ii, Fahs

Ball, Walter Craven, the slow decomposition of ammonium chromate, dichromate, and trichromate by heat, P.,

Baly, Edward Charles Cyril, John Norman Collie, and Herbert Edmeston Watson, the relation between absorption spectra and chemical constitution. Part XIII. Some pyrones and allied compounds, P., 268.

Baly, Edward Charles Cyril, and Cecil Henry Desch, the relation between absorption spectra and chemical constitution. Part IX. The nitrosoand nitro-groups, T., 1747; P., 173.

Baly, Edward Charles Cyril, and (Miss)
Effic Gwendoline Marsden, the relation between absorption spectra and chemical constitution. Part XII.
Some amino-aldehydes and -ketones of the aromatic series, T., 2108; P., 235; discussion, P., 236.

Baly, Edward Charles Cyril, and Konrad Schaefer, the relation between absorption spectra and chemical constitution. Part X. Unsaturated acids of the benzene series, T., 1806; P., 207.

Baly, Edward Charles Cyril, and William Bradshaw Tuck, the relation between absorption spectra and chemical constitution. Part XI. Some aromatic hydrocarbons, T., 1902; P., 223.

Bamberger, Eugen, and Leo Rudolf, amino-oxides of leuco-bases of the diand tri-phenylmethane series, A., i, 1011.

Bamberger, Max, radioactivity of mineral springs in the Tyrol, A., ii, 649.

Bancels. See Larguier des Bancels.

Bancroft, James Austen. See Nevil
Norton Evans.

Bancroft, Wilder Dwight, non-miscibility and the mass law, A., ii, 161. electrochemistry of light. 1. and II., A., ii, 448, 549.

electrochemistry of light. III. Halogen carriers, A., ii, 788.

Bang, Ivar, guanylic acid, A., i, 70. pepsin and rennet, A., i, 236. estimation of sugar in blood, A., ii, 235.

cobra poisoning and hæmolysis, A., ii, 721.

estimation of sugar, A., ii, 739.

Banzhaf, Edwin J., antitoxic globulin, I., A., ii. 412.

Banzhaf, Edwin J., and Robert Banks Gibson, antitoxic globulin, II., A., ii, 412.

Baranowski, St. See Josef Tambor.
Barberio, Michele, successive preparation of mono- and di-nitrosoresorcinols and of resorubrin, A., i, 161.

the Leo process for the estimation of the acidity of the monometallic phosphates in gastric juice, A., ii, 532.

Barbier, [François Antoine] Philippe, potassium ammonium oxalate, A., i, 601.

Barbier, [François Antoine] Philippe, a new variety of paragonite mica, A., ii, 604.

a chemical difference between orthoclase and microcline, A., ii, 704. chlorophyllite from Vizézy, A., ii, 705. analysis of the microcline from the pegmatites of Mesvres, A., ii, 955. analysis of the christiauite of Simiouse, A., ii, 956.

Barbier, Philippe, and Victor Grignard, new method for the hydration of pinene, A., i, 94.

active pinonic and pinic acids, A., i, 852.

Barbier, *Philippe*, and *A.* Prost, existence of a monoclinic soda felspar, isomorphous with orthoclase, A., ii, 863.

Barbier, Philippe, and Paul Sisley, synthesis of phenylated s-anilinophenosafranine, A., i, 64.

the safranines, A., i, 225.

Barbieri, Giuseppe A., complex molybdates of the rare earths, A., ii, 595.

Barcroft, Joseph, differential method of blood-gas analysis, A., ii, 319, 529.

Barcroft, Joseph, and George Ralph Mines, effect of hirudin on bloodgases, A., ii, 117.

Barcroft, Joseph, and P. Morawitz, estimation of gases in human blood by the chemical method, A., ii, 319.

Bardach, Bruno, a new reaction of proteins, A., ii, 332.

Bardt, A. A. See Antony G. Doroschewsky.

Bargellini, Guido, and V. Daconto, [with A. Mannino], action of nitric acid on desmotroposantonin, A., i, 819.

Bargellini, Guido, and Cesare Gialdini, action of ozone on santonin, A., i, 345.

Bargellini, Guido, and M. Marantonio, 2':4'-dihydroxyhydrochalkone, A., i, 801

Bargellini, Guido, and G. Melacini, certain homologues of naphthalene, A., i, 775.

Barger, George, the action of thionyl chloride and of phosphorus pentachloride on the methylene ethers of catechol derivatives, T., 563; P., 50.

the action of phosphorus pentachloride on the methylene ethers of catechol derivatives. Part III. The cyclic carbonates of dichloro-ethyl- and -propyl-catechol, T., 2081; P., 237.

Barger, George, and Henry Hallett Dale, ergotoxine and other constituents of

ergot, A., i, 204.

Barger, George, and Arthur James Ewins. the action of thionyl chloride on the methylene ethers of catechol deriva-Part II. Piperonyloin, piperil, and hydropiperoin, T., 735; P., 60.

the synthesis of thionaphthen derivatives from styrenes and thionyl chloride, T., 2086; P., 237.

Barillé, A., action of ammonium citrate on calcium phosphate; diverse reactions, A., ii, 496.

Barker, Bertha L. See Eugene L. Opie. Barker, J. T., physico-chemical study of the complex copper-glycine sulphates, A., i, 323.

Barker, Thomas Vipond, note on the iodates and periodates of the alkali metals and the ammonium radicle, T., 15.

parallel growths of crystals and isomorphous miscibility, A., ii, 366.

Barlow, William, and William Jackson Pope, on polymorphism, with especial reference to sodium nitrate and calcium carbonate, T., 1528; P., 193.

Barnes, Howard Turner, and G. IV. Shearer, hydrogen peroxide cell, A., ii, 344.

production of hydrogen peroxide from aluminium and zinc, A., ii, 829.

Barnett, Edward de Barry, and Samuel Smiles, note on phenolic thetines and their action with benzoyl chloride, P., 123.

Barosi, C. See Ettore Molinari.

Barr, Guy. See Henry John Horstman Fenton.

Barr, William M., spectrum and the bromides of columbium, A., ii, 1045.

Barrett, Ernest, and Arthur Lapworth, the influence of acids and alkalis on the velocity of formation of acetoxime, T., 85.

Barrowcliff, Marmaduke, Frank Lee Pyman, and Frederic George Percy Remfry, aromatic arsonic acids, T., 1893; P., 229.

Barschall, Hermann, the molecular weight of dextrin from honey from coniferous plants, A., i, 767.

Barschall, Hermann. See also Friedrich Auerbach.

Bartal, Aurel von, Lancien's radioactive molybdenum compound, A., ii, 10. arrangement for liquefying and distilling easily condensible gases and

low-boiling liquids, A., ii, 929. See Azariah T. Bartells, G. C., jun. Lincoln.

Bartelt, Konrad. See Friedrich Wilhelm Semmler.

Barthe, [Joseph Paul] Léonce, action of sulphosalicylic acid on sodium diborate, A., i, 271.

Bartholdy. See Mendelssohn-Bartholdy. Basch, Georg, behaviour of sajodin [calcium iodobehenate] in the organism, A., ii, 521.

Baskoff, A., jecorin and other lecithinlike substances in the liver of the horse, A., i, 1029.

Basler & Co., J., preparation of isobornyl oxalate, A., i, 429.

Basler Chemische Fabrik, preparation of carbamates of 2:6-dialkyloxyphenols, A., i, 635.

Bassett, Henry, jun., calcium phosphates. III. The system, CaO—P₂O₅—H₂O, A., ii, 675.

Batik, J. See Ferdinand Ulzer.

Battaglia, A., action of formaldehyde on the ammonium derivative of ethyl nitromalonate, A., i, 396.

Battelli, Fr., and (Mlle.) Lina Stern, the occurrence of anticatalase in the animal organism, A., i, 589.

the peroxydases of animal tissues, A., ii, 964.

Baubigny, Henri, separation of silver chloride from silver iodide, A., ii, 321.

estimation of halogen elements in chloro-bromo-compounds, organic A., ii, 530.

study of the oxidation phenomena produced by iodic and bromic acids, A., ii, 577.

the solubility of silver iodide in ammonia, A., ii, 691.

Baudisch, Oskar, state of combination of sulphur in the keratin molecule, A., i, 710.

Bauer, Ed. See Albin Haller.

Bauer, Hugo, dialkylphthalides. I. 5-Amino- and 5-hydroxy-diethylphthalide, A., i, 274.

Bauer, Koloman, the chemical test for diseases due to nerve degeneration; the formation of alkylamines, A., ii, 717.

See E. Heyn. Bauer, O.

See Berthold Rassow. Bauer, R.

Bauer, Rudolph, [4-methylisatin], A., i, 208.

preparation of isatin and its methyl derivative, A., i, 695.

[Karl] Fritz, preparation of derivatives of cyanogen bromide and of cyanamide, A., i, 252.

carbamide organic salts of and acylcarbamides, A., i, 252.

Traube's pyrimidine synthesis, A., i, 292.

Baum, Fritz. See also Paul Hoering. See Emil Abder-Baumann, Louis.

Baume, Georges, the gases sulphur dioxide, dimethyl ether, and methyl chloride, A., ii, 372.

Baume, Georges, and François Louis Perrot, absolute density of hydrogen

sulphide, A., ii, 940.

Baumgarth, Robert. See Theodor Posner. Baumhauer, Heinrich, and Charles Otto Trechmann, barytes from th Binnenthal, Switzerland, A., ii, 508. barytes

Baumhauer, Heinrich. See also Emil

Fromm.

Baur, Emil, [deduction of the stoicheiometric laws], A., ii, 573.

method of carbon dioxide assimilation, A., ii, 790.

Baxter, Gregory Paul, modified spectroscopic apparatus, A., ii, 337.

apparatus for the centrifugal draining of small quantities of crystals, A., ii, 369.

Baxter, Gregory Paul, and Francis Newton Brink, specific gravities of the iodides of sodium, potassium, rubidium, casium, calcium, strontium, and barium, A., ii, 377.

Baxter, Gregory Paul, and Herbert Wilkens Daudt, the carrying down of soluble oxalates by oxalates of the

rare earths, A., i, 312.

Baxter, Gregory Paul, and John Hunt Wilson, atomic weight of lead. I. Analysis of lead chloride, A., ii, 281.

Isidore, estimation of carbon disulphide in benzene, A., ii, 226. new process for the estimation of

sulphur in organic substances, A.,

a new method of estimating phosphorus in organic compounds, A., ii, 531.

Bayer, Gustav, the circulation of the bile, A., ii, 969.

bile hæmolysis. III. The reasons of the increased rate of bile hæmolysis in concentrated salt solutions, A., ii, 969.

Bayliss, William Maddock, causes of rise in electrical conductivity under the influence of trypsin, A., ii, 118. the permeability of the frog's skin,

A., ii, 712.

Bazett, H. C., refractory period of the

frog's sartorius, A., ii, 308. eans, Hal Truman. See Floyd Jay Beans, Hal Truman. Metzger.

Beattie, Frederick S., abnormal biochemical products of the rue anemone, A., ii, 1065.

Beauchamp, P. de. See Yves Delage. **Bechhold**, [Jacob] Heinrich, investigation of colloids by the filtration method, A., ii, 24.

permeability of ultra-filters, A., ii, 823.

Becht, F. C. See Anton J. Carlson.

Beck, Erich, preparation of alloys of metals which form nitrides, A., ii, 837.

Beck, Erich.See alsoWilhelmBorchers.

Beck, P., evaluation of [commercial] red lead, A., ii, 777.

Beck, Paul N. See Pierre Weiss. Beck, Richard, and Theodor Döring, a remarkable iron ore from Bohemia, A., ii, 397.

Beckenkamp, Jakob, monoxides and monosulphides of the elements of the second group of the periodic system, A., ii, 280.

Becker, August, internal friction and density of the Bunsen flame, A., ii,

Becker, W. See Lothar Wöhler.
Beckmann, Ernst [Otto], electrical heating in ebullioscopic determinations and in fractional distillation, A., ii, 1014.

Beckmann, Ernst, [with Otto Liesche and Theodor Klopfer], sources of error in the ebullioscopic method and attempts to remove them, A., ii, 663.

Beckmann, Ernst. See also Johannes Scheiber.

Becquerel, [Antoine] Henri, spectra of non-dissociated compounds, A., ii,

some phosphorescent spectra, A., ii, 243.

Becquerel, Jean, use of very low temperatures for spectrum analysis, and for the study of the magnetooptical phenomena of solutions, A.,

the variations of the absorption bands of didymium and erbium salts in a magnetic field, A., ii,

influence of temperature changes on the absorption in solid substances, A., ii, 78.

a phenomenon attributable to positive electrons in the spark spectra of yttrium, A., ii, 334.

dispersion of magnetic rotatory power in the neighbourhood of bands of absorption in the case of rare earths, A., ii, 647.

positive electrons, A., ii, 751.

Becquerel, Jean, and Heike Kamerlingh Onnes, absorption spectra of crystals of the rare earths and the changes which they undergo in a magnetic field at the temperatures of liquefaction and solidification of hydrogen, A., ii, 338.

Beddard, Arthur Philip, Marcus Sey-mour Pembrey, and Edmund Ivens Spriggs, carbon dioxide in venous blood and alveolar air in cases of

diabetes, A., ii, 718.

Bedson, Peter Phillips, paraffin wax from the Ladysmith Pit, Whitehaven Collieries, A., ii, 115.

proximate constituents of coal, A., ii,

See Robert Behrend. Beer, Karl.

Béhal, Auguste, and Marc Tiffeneau, synthesis of phenols and phenyl ethers containing the isoallyl (propenyl) group, A., i, 260.

phenolic ethers containing the Ψ-allyl side-chain CMe:CH₂. I. Preparation, properties, and nomenclature. II. Anisic and homoanisic series, A., i, 261.

phenolic ethers containing the Ψ-allyl side-chain CMe:CH2. III. Hydroxytoluic series; synthesis of IV. Vanillie, veratrie, thymol. and piperonylic series, A., i,

Behn, Ulrich [Andreas Richard], and Hans Geiger, modification of Kundt's method of producing dust-figures by stationary waves, and a new determination of C_p/C_v for helium, A., ii,

Behre, Alfred, detection of arsenic [in fabrics], A., ii, 533.

Behrend, [Anton Friedrich] Robert, and Karl Beer, trihydroxymethyldihydrouracil, A., i, 840.

Behrend, Robert, and Friedrich Lohr. phenylhydrazones of dextrose, A., i, 765.

Beintker, action of reducing agents on compounds of hamoglobin, A., i, 709.

Beketoff, Nikolai N., energy of the elements, A., ii, 478.

Belasio. See Wilhelm Körner. Bell, James M., and Walter C. Taber, action of lime in excess on copper sulphate solutions, A., ii, 107.

solubility of gypsum in copper sulphate solutions, A., ii, 107.

 $_{
m the}$ three-component system- ${
m CuO,SO_3,H_2O}$ at 25°, A., ii, 382. **Bellazzi**, Luigi, action of certain gases

on autolysis, A., ii, 1055.

Belloc, G., gases occluded in steels, A., ii, 108. gases occluded in a special nickel steel,

A., ii, 852.

Belloni, E. See Oreste Carrasco.

Bellucci, Italo, and Lilio Bellucci, sulphide compounds of nickel and cobalt, A., ii, 196.

Bellucci, Italo, and P. de Cesaris, Roussin's salts. V., A., ii, 111. ferronitrosulphides. VI., A., ii, 499.

probable constitutional formulæ of the ferronitrosulphides, A., ii, 593.

Bellucci, Lilio. See Italo Bellucci. Belynsky, S. W. See S. F. Schemt-

schuschny.
Bemberg, J. P., preparation of formyl esters of cellulose, A., i, 321.

Bemmelen, Jakob Maarten van, silicic acids obtained by Tschermak, A., ii,

Benary, Erich, ethyl chlorocyanoacetoacetate and its derivatives, A., i, 600.

Benda, Ludwig, secondary aromatic arsinic acids, A., i, 747.Benda, Ludwig, and Robert Kahn, some

homologues and derivatives of arsanilie acid. I., A., i, 591.

Bender, Oskar, preparation of sulphuric acid, A., ii, 684.

Benedek, Czeslau. See Wilhelm Steinkopf.

Benedicenti, Alberico, urinary pigments derived from indole, A., ii, 1057.

Benedicks, Carl [Axel Fredrik], solubility of graphite in iron, A., ii, 275.

Benedict, Stanley R., influence of salts and non-electrolytes on the heart, A., ii, 608.

Bengough, Guy Dunstan, a method for the measurement of rate of change in solid alloys; preliminary note, P.,

Bengough, Guy Dunstan, and O. F. Hudson, heat treatment of copperzinc alloys, A., ii, 186.

Benner, Raymond C. See Victor Lenher. Bennett, Charles Thomas, melting point of resorcinol, A., i, 529.

Benrath, Alfred, influence of temperature on complex formation in solution, A., ii, 567.

Bentley, William Henry, and Charles Weizmann, researches on the anthraquinones, T., 435; P., 52.

Benz, Max. See Richard Willstätter. Berchem, O. See Gustav Müller.

Berg, Paul. See Wilhelm Wislicenus.

Berg, Ragnar, beeswax, A., ii, 878.

Berg, William N., hydrolysis of different proteins in pepsin-acid solutions, A., i, 374.

Bergell, Peter, preparation of a double compound of caffeine and lithium benzoate, A., i, 1004.

Bergell, Peter, and Johann Feigl, new compounds of amino-acids and ammonia, A., i, 140, 396.

Berger, Ernest, phosphoryl bromide, A., ii, 274.

Berger, Heinrich. See Adolf Ernest.

Berghaus, production of ammonia by bacteria, A., ii, 413.

Bergmann, A., ultra-red emission spectra of the alkali [metals], A., ii, 242, 336.
Bergtheil, Cyril, and Richard Victor

Bergtheil, Cyril, and Richard Victor Briggs, estimation of indigotin in indigo-yielding plants, A., ii, 75.

Berkheiser, Elvin J. See Ralph Harper McKee.

Berkhold, O. See Otto Kühling.

Berl, Ernst, and R. Klaye, highly nitrated cellulose, hydrocellulose, and oxycellulose, A., i, 504.

oxycellulose, A., i, 504. gradual nitration of cellulose and denitrification of cellulose nitrate by means of acid mixtures, A., i, 504.

Berl, Ernst, and Watson Smith, jun., cellulose nitrates and cellulose acetonitrates, A., i, 505.

Berndt, G., chemical reactions in a magnetic field, A., ii, 756.

hysteresis of certain iron compounds, A., ii, 1013.

Bernhart, Karl. See Wilhelm Koenigs. Bernini, Arciero, thermo-electric power of lithium and sodium, A., ii, 255.

Bernoulli, August L., atomic decomposition and spectral series, A., ii, 1001.

Berntrop, Johan Conrad, estimation of fat, &c., in animal tissues, A., ii, 544.

Berry, Leslie Hamilton, the products of reduction of azoxybenzene; preliminary note, P., 211.

Bertheaume, Jean, separation of ammonia and amines by means of boiling absolute alcohol, A., ii, 742.

Bertheim, Alfred, an isomeric aminophenylarsinic acid, A., i, 590.

diazophenylarsinic acid and its products of decomposition, A, i, 591.

Berthelot, [Paul Alfred] Daniel, coloration of certain precious stones under radioactive influences, A., ii, 8.

Bertolo, Pasquale, new reduction products of artemisin, A., i, 560.

Bertrand, Gabriel [Emile], action of tyrosinase on some substances related to tyrosine, A., i, 236.

perseulose, a new crystalline sugar with seven carbon atoms, A., i, 715. Bertrand, Gabriel, and P. Bruneau, preparation and properties of crystallised d-talitol, A., i, 249.

Bertrand, Gabriel, and Maurice Javillier, a method of estimating very small quantities of zinc, A., ii, 67.

Bertrand, Gabriel, and M. Rosenblatt, tyrosinase and racemic tyrosine, A., i, 370

Bertrand, Gabriel, and Gustave Weisweiller, constitution of vicianin. I., A., i, 817.

Besson, Adolphe, and Georges Rosset, action of ammonia on phosphorus chloronitride, A., ii, 583.

ammoniacal arsenic trichloride, A., ii, 686.

Besson, Paul, radioactivity of the waters of Uriage-les-Bains (Isère), A., ii, 1005.

Best, Stanley Robert, and Jocelyn Field Thorpe, the formation and reactions of imino-compounds. Part VII. The formation of 1:3-naphthylenediamine from β-imino-α-cyano-γ-phenylpropane, P., 283.

Bestelmeyer, Adolf, positive electrons, A., ii, 799.

Besthorn, Emil, quinoline-2-carboxyl chloride, A., i, 681.

2-quinolyl phenyl ketone, A., i, 681.

Bethe, Albrecht, the action of electrolytes on the rhythmic movements of Medusæ. I. Action of the salts of sea-water, A., ii, 969.

action of certain narcotics on nerve, A., ii, 1059.

Bettel, William, new colour test for molybdenum, A., ii, 230.

"tellurium"; is it a mixture of two elements? A., ii, 372.

purification of mercury, A., ii, 382. **Betti**, *Mario*, and *Mario* **Mayer**, optical resolution of aminophenylacetic acid, A., i, 639.

Beutner, R. See Fritz Haber.

Bevan, Edward John. See Charles Frederick Cross.

Beyer, F. B. See Frank Austin Gooch. Beyerinck, Martinus Willem, fixation of atmospheric nitrogen by pure cultures of azotobacter; distribution of the organism, A., ii, 975.

Beythien, Adolf, and R. Hennicke, refractometric analysis of organic

mixtures, A., ii, 72.

Bezdzik, A., and Paul Friedländer, indigoid dyes. II., A., i, 673.
Bezdzik, A., and Paul Friedländer, and

P. Koeniger, derivatives of thionaphthen, A., i, 200.

Bezold, Heinrich von. See AlfredStock.

Bial, Manfred, the elimination of conjugated glycuronic acid in the bile, A., ii, 611.

Bianchi, Alberto, and Ettore di Nola, detection of "saccharin" (o-benzoicsulphinide) in fatty oils, A., ii,

detection of "saccharin" (o-benzoicsulphinide) and other artificial sweetening materials in beverages and foods, Λ ., ii, 1079.

Biberfeld, Joh., diuresis. XV. Excretion of sodium chloride in phloridzin

diabetes, A., ii, 972.

Bidot. See A. Richaud.
Bieber, Arthur. See Arthur Kötz.
Bielecki, Jean, mesitylenetrialdehyde (1:3:5-trimethylalbenzene), A., i, 424.

Bielecki, Jean, and Alexandre Koleniew, influence of methyl groups on the tinctorial properties of the basic dyes derived from triphenylmethane, Λ ., i,

Bienenfeld, Bianca, behaviour of human milk to rennet and acids, A., ii, 121.

Bierry, H., action of the amylase of pancreatic juice and its activation by

gastric juice, A., ii, 305.

Bierry H., and J. Giaja, the seission by diastase of lactose, maltose, and their

derivatives, A., i, 1031.

Bigelow, Samuel Lawrence, permeabilities of collodion, gold-beaters' skin, parchment paper, and porcelain membranes, A., ii, 88.

Biginelli, Pietro, tannie acid in toxicological investigations, A., i, 40. true tannates of quinine. II., A., i,

direct application of Kerner's and of Liebig-Hesse's process to quinine disulphate, A., ii, 783.

Bilmann, Einar, constitution of thioamides, A., i, 142.

Biltz, [Johann] Heinrich, bromination of diphenylglyoxalone. II., A., i, 575.

so-called crystalline boron, A., ii, 762. Biltz, Heinrich, and Ludwig Gonder,

columbium sulphide. I., A., ii, 114.

Biltz, Heinrich, [with P. Horrmann],
glyoxalones; iminazolones, A., i, 56. diureines, A., i, 62.

experiments to obtain aliphatic substituted oxytriazines and oxydi-

hydrotriazines, A., i, 516.
Biltz, Heinrich, [with P. Horrmann and Chaim Rimpel], action of methylcarbamides on benzil, A., i, 218.

Biltz, Heinrich, and Chaim Rimpel, the constitution of the products obtained by the action of substituted carbamides on benzil, and new methods for the preparation of 5:5-diphenylhydantoins, A., i, 462. bromination of diphenylglyoxalone.

I., A., i, 573.
z, Wilhelm, colloids and their adsorption compounds, A., ii, 476. coagulation of colloidal solutions in galvanic cells, A., ii, 822.

liquefaction and sublimation of certain

sulphides, A., ii, 845. sulphides of the rare earths. Cerium sulphides and their limits of existence, A., ii, 1037.

Biltz, Wilhelm, and Friedrich Zimmermann, action of silver nitrate and of mercurie nitrate on some inorganic hydroxides, Λ ., ii, 104.

Binder, O., spontaneous combustion of

manganese sulphide, Λ ., ii, 192. Bindschedler, Emil. See Werner.

Bingel, Adolf, glycine in normal blood, A., ii, 1048.

Bingham, Eugene C., viscosity and fluidity, A., ii, 1017.

Arthur, and Eduard Isaac, V. Rongalitic acid, hyposulphites. bases, and formaldehyde, A., i, 940.

Biquard, Robert. See Charles Moureu. Birckenbach, Lothar. See Alexander

Biron, Eugen von, concentration cells. I. Cadmium chloride cells, A., ii, 145. specific gravity of aqueous solutions of cadmium chloride, A., ii, 185.

concentration cells. II., A., ii, 250. stannichlorides of the type M2'SnCl6, M"SnCl₆. III. Hydrolysis of stannic chloride, A., ii, 295.

stannichlorides of the type M'SnCl₆, M"SnCl6. IV. Dissociation of stannichlorides in aqueous solutions, A., ii, 296.

stannichlorides of the type M'2SnCl6, $M''SnCl_6$. V. Partition of stannic chloride between two metallic chlorides, A., ii, 297.

specific heat and osmotic pressure of solutions, A., ii, 459.

Biron, Eugen von, and B. P. Aphanassieff, alkali double salts of cadmium chloride, A., ii, 249.

Birschel, Edmund. See Theodor Zincke. Birstein, Gustav. See Fritz Haber. Bistrzycki, [Carl Anton] Augustin, and

August Landtwing, liberation of carbon monoxide by heating acyl chlorides, A., i, 270.

Bistrzycki, Augustin, and B. von Siemiradzki, liberation of carbon monoxide from secondary and primary carboxylic acids, A., i, 535.

Bittó, Béla von. See Simon Zeisel.

Blacher, Carl Johann, and J. Jacoby, estimation of the alkaline earths [in waters] by means of potassium stearate and phenolphthalein, A., ii, 897.

Black, Otis Fisher, detection and estimation of β-hydroxybutyric acid in urine, A., ii, 992.

Black, Otis Fisher. See also Lawrence Joseph Henderson and Charles Robert Sanger.

Blackman, Philip, new method for determining vapour densities, P., 8; A., ii, 157, 564.

Blair, Andrew Alexander, estimation of vanadium, molybdenum, chromium, and nickel in steel, A., ii, 900.

Blaise, Edmond Emile, synthesis by means of mixed organo-metallic compounds of zinc; constitution of the B-acetoxy-ketones, A., i, 78.

Blaise, Edmond Émile, and Henri Gault, ketonic dibasic acids, A., i,

Blaise, Edmond Émile, and I. Herman, syntheses by means of the mixed organo-metallic derivatives of zinc; ketone-alcohols, A., i, 248.

β-hydroxy-αα-dialkyl ketones; migration under the influence of alkalis,

A., i, 318.

αα-dialkyl-β-keto-alcohols; transformation by dehydration, A., i, 596.

Blaise, Edmond Emile, and M. Maire, syntheses by means of β-chloroethyl and vinyl ketones, A., i, 390.

fixation of amin on the ethylenic linking of alkyl vinyl ketones, A., i, 398.

fixation of aromatic amines on vinyl ketones; 4-alkylquinolines, A., i, 565.

4-alkylquinolines; mechanism of the reactions of Skraup and of Doebner and Miller, A., i, 566.

Blanc, A., ionised gases, A., ii, 753.

Blanc, Giun Alberto, presence of thorium in the soil at Rome, A., ii, 248.

relative quantities of ions produced in the atmosphere at Rome by the solid transformation products of radium and of thorium, and the quantity of thorium in the earth in that neighbourhood, A., ii, 452. Blanc, Gustave [Louis], synthesis of β-campholenolactone; the lactone of 2:4-dimethylcyclopentane-2-olacetic acid, Λ., i, 20.

syntheses in the camphor series; complete synthesis of β -campholeno-lactone, A., i, 171.

synthesis of dibasic acids. III. and IV., A., i, 244, 245.

new cyclic ketones, A., i, 654.

Blanc, Gustave. See also Louis Bouveault.

Blanck, Fred C. See John Bishop Tingle.

Blanksma, Jan Johannes, nitration of s-m-dichloro-and s-m-dibromo-nitrobenzene, A., i, 147.

2:3:4-trinitrophenetole and some of its derivatives, A., i, 157.

intramolecular rearrangement effected by fusion with potassium hydroxide; the action of fused potassium hydroxide on quinol and catechol, A., i, 262.

constitution of van Geuns' dinitromethoxybenzonitrile, A., i, 271.

reduction of aromatic nitro-compounds by sodium sulphide, A., i, 875.

preparation of 3-nitro-2-cyano-1-methoxybenzene, 3-nitro-2-cyano-1-ethoxybenzene, and 4-nitro-2-cyano-1-ethoxybenzene, Λ ., i, 978. nitration of 5-nitro-1:3-dimethoxybenzene, Λ ., i, 979.

Blanksma, Jan Johannes, and William Alberda van Ekenstein, sugars, A., i,

051

951.

Blanksma, Jan Johannes. See also William Alberda van Ekenstein.

Bloch, Armand, estimation of citral in lemon-grass oil, A., ii, 782.

Bloch, Bruno. See Emil Abderhalden. Bloch, Eugène. See Léon Bloch.

Bloch, Ignaz, hydrogen persulphides. IV. Constitution of hydrogen disulphide and trisulphide, and the chemistry of sulphur compounds, A., ii, 580.

Bloch, Ignaz, and Fritz Höhn, hydrogen persulphides. I. Historical; crude hydrogen persulphide, A., ii, 579.

hydrogen persulphides. II. Hydrogen trisulphide, A., ii, 579.

hydrogen persulphides. III. Hydrogen disulphide, A., ii, 579.

Bloch, Léon, and Eugène Bloch, ionisation by phosphorus and phosphorescence, A., ii, 1032.

Blondeau, A., tables for converting percentages of alcohol by volume into percentages by weight, A., ii, 738. gravimetric alcoholometry, A., ii, 990

Bloor, W. R., clay analysis; residue left after volatilisation of the silica with hydrofluoric and sulphuric acids, A., ii, 71.

Bloxam, William Popplewell. See R. Gaunt.

Blum, Leon, the degradation of aromatic substances in the human organism, A., ii, 1052.

Blum, Lcon. See also Julius Baer.

Blumberg, Paul. See Otto Diels.

Blume, G. See Max Busch.

Blumenthal, Ferdinand, and Friedrich Herschmann, atoxyl and aniline poisoning, A., ii, 613.

biochemical investigation of p-iodo-phenylarsinic acid, A., ii, 878.

Blumenthal, Ferdinand, and Jacoby, cresol poisoning, A., ii, 55.

Blyth, Mcredith Wynter, commercial carbolic acid and disinfecting powders, A., ii, 328.

Bobertag, O., Karl Feist, and H. W. Fischer, freezing of hydrosols, A., ii,

Bobertag, O. See also H. W. Fischer. Bocchi, Ottorino, urochrome, A., i, 69.

Bockisch, F. See Adolf Grün. Bockmühl, August. See Theodor Curtius. Bodenstein, [Ernst August] Max, de-composition of hydrogen iodide in

light, A., ii, 172. Bodenstein, Max, and Georges Dunant, dissociation of carbonyl chloride, A., ii, 178.

Bodenstein, Max, and Karl Wolgast, reaction velocity in gases which are in a state of motion, A., ii, 162.

Bodmer, Ernst. See Eugène Grandmougin.

Bodroux, F., and Felix Taboury, action of calcium carbide on some ketones, A., i, 854.

Bödtker, Eyvind, new catalytic effect of aluminium chloride, A., i, 621.

Boeggild, O. B., reverite from Greenland, A., ii, 399.

Böhme, A., nitrite poisoning after the internal administration of bismuth subnitrate, A., ii, 55.

Boehringer & Söhne, C. F., electrolytic production of saturated acids and esters from the corresponding un-

saturated compounds, A., i, 122. [preparation of barbituric acid and its 5-mono- and di-alkyl derivatives],

A., i, 464.

Boeke, H. E., physicochemical and mineralogical investigations of the occurrence of bromine and iodine in the potassium salt deposits, A., ii, 505.

Boeke, H. E. See also Fritz Rinne.

Bökman, G. See Julius Sand. Böninger, M., the substitution of bromine by chlorine in the animal body, A., ii, 208.

Boes, Johannes, preparation of pure indene, A., i, 410.

coumaroneglycol, A., i, 444.

Böeseken, Jacob, Friedel and Crafts' reaction. VIII. Successive substitution of the atoms of chlorine in carbon tetrachloride by aromatic groups, A., i, 189. Friedel and Crafts' reaction. IX.

Condensation of the dihalogen derivatives of benzene with acetyl and benzoyl chlorides under the influence of aluminium chloride, A.,

i, 189.

Böters, O. See Richard Wolffenstein. Bogajewsky, G. See W. Ustjanzeff. Bogdanoff, Elly A., production of fat

from proteins; estimation of fat, A., ii, 206.

Bogert, Marston Taylor, and William Klaber, quinazolones. XX. Certain 7-nitro-2-methyl-4-quinazolones from 4-nitroacetanthranil, A., i, 466.

Bogert, Marston Taylor, and Roemer Rex Renshaw, 4-amino-o-phthalic acid

and some of its derivatives, A., i, 651. Bogojawlensky, Alex., and N. Winogradoff, specific heats and heats of fusion of isomorphous substances and their mixtures, A., ii, 806.

character of melting-point and clearing-point curves for fluid-crystalline substances and their mixtures. II., A., ii, 809.

Bohrmann, Ludwig. Wilhelm See Steinkopf.

Bois, $H. \ \bar{E}. \ J. \ G. \ du$. See Du Bois. Boizard, G., electrical conductivity in mixtures of acid or base and water,

A., ii, 251, 346. Bolaffio, Carlo, lipoids. Part I. Neottine, a triaminophosphatide, A., i, 377.

Bolin, Ivan. See Hans von Euler. Bolin, Pehr, Swedish manurial trials, A., ii, 422.

Bolland, A., the aloin test for hemoglobin, Λ., ii, 240.

microchemical studies, A., ii, 1080. Bollenbach, Hermann, volumetric esti-mation of lead, A., ii, 68. application of sodium hyposulphite

in volumetric analysis, A., ii, 229.

separation of the metals which are precipitated by hydrogen sulphide, A., ii, 985.

volumetric estimation of potassium ferrocyanide, A., ii, 996.

Bollenbach, Hermann, and E. Luchmann, estimation of manganese by means of potassium ferricyanide, A., ii, 1074.

Bolton, Werner von, burseracin and its effects, A., i, 436.

Boltwood, Bertram Borden, radioactivity of uranium minerals, A., ii, 454. ionium, a new radioactive element, A., ii, 455.

life of radium, A., ii, 551.

Bonanni, Attilio, the behaviour of calcium formate and acetate in the organism, A., ii, 213.

Bone, William Arthur, and Hubert Frank Coward, the thermal decomposition of hydrocarbons. Part I. [Methane, ethane, ethylene, and acetylene], T., 1197; P., 167; discussion, P., 168.

the direct union of carbon and hydrogen; synthesis of methane, T., 1975; P., 222; discussion, P., 222. Bone, William Arthur, and Richard

Vernon Wheeler, an accurate form of gas analysis apparatus for commercial and other purposes, A., ii, 221.

Bongé, Waldemar von. See Berthold Rassow.

Bongiovanni, C., oxidations effected by ferric salts, A., i, 770.

action of certain oxidising agents on thiocyanic acid, A., i, 859.

Bonyssy. See H. Henriet.

Borchardt, L., lævulose in diabetic urine, A., ii, 518.

the occurrence of proteose in blood and urine, A., ii, 957.

Borchers, [Johannes Albert] Wilhelm, and Erich Beck, preparation of nitrides from metallic oxides or salts with the aid of atmospheric nitrogen, A., ii, 836.

Bordas, Fréd., action of radium bromide on precious stones of the family of aluminides, A., ii, 8.

action of Röntgen rays on corundum, A., ii, 9.

formation of certain precious stones of the family of the aluminides, A., ii,

detection of small quantities of helium in minerals, A., ii, 430.

helium in minerals containing uranium, A., ii, 505.

Bordas, Fréd., and Touplain, analysis of the atmospheric gases non-liquefiable in liquid air, A., ii, 943.

Borelli, Vincenzo, constitution of certain mercuric compounds with complex cations. I. and II., A., i, 515; ii, 1039.

Borgmann, I. See Alexei E. Faworsky.

Borgo, Alessandro. See Giuseppe Bruni. Bornemann, Ernst, balances with non-

metallic pans, A., ii, 171.

Bornemann, Karl, freezing-point curve of the nickel sulphides, A., ii, 292.

the constitution of nickel matte, A., ii, 292.

Bornwater, J. Th., mercuric heptoate. A., i, 74.

derivatives of undecenoic acid, A., i,

Borodowsky, W. A., energy of radium, A., ii, 448.

Borrowman, George, assay of telluride ores, A., ii, 777.

Borsche, Walther [Georg Rudolf], the relation between quinonehydrazones and p-hydroxyazo-compounds. IV. Condensation of nitro-derivatives of phenylhydrazine with quinones and quinoneoximes of the benzene series, A., i, 66.

Borsche, Walther, and W. Bothe, derivatives of diphenylene oxide, A., i, 528.

Borsche, Walther, and W. Menz, [and, in part, Albert Fels], the phenylcyclo-

pentane group, A., i, 147.

Borsche, Walther, [with H. Tiedtke, and W. Rottsieper], tetrahydroacridine and a new synthesis of acridine, A., i, 682.

orsche, Walther, and J. Campher Titsingh, synthesis of pyrrole and Borsche, piperazine derivatives from the three nitroanilines, A., i, 103.

Borsche, Walther, [with A. Witte and W. Bothe, derivatives of tetra- and hexa-hydrocarbazoles and a. synthesis of carbazole, A., i, 365.

Bort. See Teisserenc de Bort.

Bose, Emil [Hermann], new vapour pressure interpolation formula, A., ii, 84.

equilibrium 2Au (metal) +Au · · ·̄-≈³3Au ·, A., ii, 264.

equilibrium between metals solutions of metallic salts, A., ii, 569.

condition of steam, A., ii, 577.

anomalies in the viscosity of emulsions and of anisotropic liquids, A., ii, 1017.

Bose, Emil, [with (Miss) B. May Clark], thermodynamics of non-homogeneous mixtures. II., A., ii, 84.

Bose, Emil, and F. Conrat, a silver

micro-voltameter, A., ii, 250.

anomalous viscosity at the clearing point of so-called crystalline liquids, A., ii, 258.

Bosler, J., number of corpuscles in the atom, A., ii, 367.

Bossuet, Robert. See Paul Lebeau.

Bothe, W. See Walther Borsche.

Filippo, chemico-physical Bottazzi, investigations of animal fluids. Ia. and 1b. Viscosity of blood-serum of different marine and terrestrial animals, A., ii, 869.

chemico-physical investigations animal liquids. II. Content of protein nitrogen in the blood-scra of various animals, A., ii, 869.

Bottazzi, Filippo, Giuseppe Buglia, and Jappelli, chemico-physical investigations on animal liquids. Variations of electrical conductivity, viscosity, and surface tension of blood-serum during dialysis, A., ii,

Bottazzi, Filippo, and Noè Scalinci, chemico-physical investigation of the crystalline lens, A., ii, 966, 1054.

Boudouard, Octave, extraction of gases contained in metals, Λ ., ii, 109.

Bougault, J., action of nascent hypoiodous acid (iodine and sodium carbonate) on some acids of the general formula CHR: CH CH2 CO2H (R being phenyl more or less substituted), A., i, 179, 269.

comparative study of the dehydration of atrolactic and p-methoxyatrolactic acids; p-methoxyatropic and $\operatorname{di-}p\text{-}\operatorname{methoxyatropic}$ acids, Λ ., i,

 $34\bar{0}$.

fixation of hydrogen cyanide by benz-oylacrylic acid, A., i, 422. action of nascent hypoiodous acid on

unsaturated acids; iodo-lactones, A., i, 537.

new method of preparing mixed organic acid anhydrides, A., i, 791.

fixation of acetophenone by benzoyl-

acrylic acid, A., i, 796. action of nascent hypoiodous acid on unsaturated acids, A., i, 983.

Messinger and Vortmann's method of estimating phenols; separation of salicylic acid, A., ii, 738.

Boulud, Raymond. See Raphael Lépine. Léon, verbenalin, a new Bourdier, glucoside from Verbena officinalis, A., i, 197.

Bourdier, Léon. See also Henri Hérissey. Bourguignon, A., hydrogenation of

furan, A., i, 280.

Bourion, François, estimation of tungstic acid and its separation from other substances by means of a mixture of chlorine and sulphur chloride, A., ii, 737.

Bourquelot, Émile [Élie], and Henri Hérissey, arbutin and some of its derivatives considered with regard to their rotatory power and their hydrolysis by emulsin, A., i, 356. bakankosin, A., i, 1001.

Bourquelot, Emile, and J. Vintilesco, oleocuropein; a new glucoside obtained from the olive, Olca Europa, Λ ., i, 904.

Bousfield, William Robert, a new form of pyknometer, T., 679; P., 69.

Bouveault, Louis, preparation of ethylenic hydrocarbons; transformation of primary alcohols into aldehydes and hydrogen, A., i, 117.

preparation and purification of tetrachlorobenzoquinone (chloroanil) and tetrachloroquinol (hydrochloroanil),

A., i, 190.

Bouveault, Louis, and Gustave Blanc, new derivatives of camphenilone; its constitution, A., i, 134.

Bouveault, Louis, and Levallois, establishment of the constitutional formula of fenchone, A., i, 193.

Bouveault, Louis, and Roné Locquin, synthesis of racemic dihvdrocamphoric acid, A., i, 172.

syntheses by means of methyl and ethyl adipates, A., i, 172.

preparation of adipic acid and of ethyl cyclopentanonecarboxylate, A., i, 393.

Bouzat, Albert, ammonio-cuprous sulphate, A., ii, 187.

Bowles, P. E. See Robert Stollé.

Boycott, Arthur Edwin, and G. C. C. Damant, gases produced in the alimentary canal of goats, A., ii, 122.

Boyd, David Runciman, and Ernest Robert Marle, the condensation of epichlorohydrin with phenols, T.,

838; P., 92. Boyle, R. W., absorption of the radioactive emanations by charcoal, A., ii, 1005.

Braasch, Fritz. See Paul Rabe.

Bradley, Harold C., digestive gland of the crawfish, A., ii, 405.

Bradley, Walter Parke, and C. F. Hale, pure carbon dioxide, A., ii, 688.

Bradshaw, Henry A. See Charles H. LaWall.

William Henry, and John Bragg, Percival Vissing Madsen, experimental investigation of the nature of γ -rays, A., ii, 556. quality of the secondary ionisation

due to β -rays, A., ii, 921.

Brahn, B. See Carl Neuberg.

Brand, J., detection of arsenic in sulphur, A., ii, 532.

Brandl, Josef, sapotoxin and sapogenin from Agrostemma Githago. II., A., i, 818.

Brandt, Leopold, pure ferric oxide as a standard substance for the estimation of iron in hydrochloric acid solution, A., ii, 899.

Brandt, Paul. See Johannes Scheiber.

Brasch, Ludwig. See Fritz Fichter.
Brasch, Walther, and Ernst Friedmann

Brasch, Walther, and Ernst Friedmann, a new synthesis of isoleucine, A., i, 607.

Brasch, Walther, and Carl Neuberg, the biochemical conversion of glutamic into n-butyric acid, A., i, 860.

Brassert, Walter. See Josef Houben. Braude, B., and Anton J. Carlson, action of lymphagogues on the concentration of agglutinins in serum and lymph, A., ii, 310.

Braun, Georg. See Hartwig Franzen.
Braun, Julius von, betainecarboxylic acids and betainecarboxyamides, A., i, 607.

action of cyanogen bromide and of bromine on aromatic derivatives of aminoacetonitrile, A., i, 625.

double dissociation of quaternary ammonium compounds and a convenient synthesis of iodoacetonitrile, A., i, 627.

new method of preparing bromoacetonitrile and its addition to tertiary bases, A., i, 675.

characterisation of primary, secondary, and tertiary bases by the aid of αεdibromo-n-pentane, A., i, 677.

action of formaldehyde on secondary aromatic amines, A., i, 684.

aromatic amines, Å., i, 684. synthesis of s-diphenylcadaverine, [s-diphenylpentamethylenediamine], A., i, 685.

dihydrazines. I. 4:4'-Bismethylhydrazinodiphenylmethane, a reagent for the characterisation of aldehydes, A., i, 700.

dihydrazines. II. Diphenylmethanedimethylhydrazine and cyclic ketones, A., i, 737.

Brauns, D. H., a crystallised lævulose tetra-acetate, A., i, 320.

Bravo, José J., vanadium [sulphide] from Minasragra, A., ii, 703.

Bray, William C. See Arthur Amos Noyes.

Brdlik, V. See Julius Stoklasa.

Bredig, Georg, and R. W. Balcom, kinetics of the elimination of carbon dioxide from camphorearboxylic acid, A., ii, 268.

Bredig, Georg, and K. Fajans, stereochemistry of catalysis, A., ii, 268.
XCIV. ii. Bredig, Georg, and Ernst Wilke, the excitation and regulation of catalytic pulsations by means of an electric current, A., ii, 679.

Brenta, R. See A. Astruc.

Breteau, Pierry, the quantity of arsenic contained in wines obtained from vines which have been treated with arsenical washes, A., ii, 887.

Brewer, Robert K. See Louis Kahlenberg.

Brewster, C. M. See Henry Augustus

Bridel, Marc, pectins from the fruits of Lonicera Xylosteum, Symphoricarpus Racemosa, and Tamus Communis, A., ii, 125.

Briggs, John Frederick. See Charles Frederick Cross.

Briggs, Richard Victor. See Cyril Bergtheil.

Briggs, Samuel Henry Clifford, the constitution of co-ordinated compounds, T., 1564; P., 94. chromates, A., ii, 113.

Brill, Otto, and (Miss) Clare de Brereton Evans, the use of the micro-balance for the determination of electrochemical equivalents and for the measurements of densities of solids, T., 1442; P., 185.

measurements of densities of solids, T., 1442; P., 185. Briner, E., and E. Durand, formation of ozone by the action of the electric discharge at low temperatures, A., ii, 101.

tures, A., ii, 101.
non-existence of a polymeride of chlorine, A., ii, 940.

Bringhenti, Aldo. See Giacomo Carrara. Brink, Francis Newton. See Gregory Paul Baxter.

Brion, Georg, experimental investigation of the high tension arc, A., ii, 10.

is the fixation of atmospheric nitrogen in the electric discharge to be regarded as a purely thermal effect? A., ii, 561.

Brislee, Francis Joseph, the velocity of reduction of the oxides of lead, cadmium, and bismuth by carbon monoxide, and the existence of the suboxides of these metals, T., 154.

Brissemoret, A., and J. Chevalier, pharmacological action of cyclohexane and some of its derivatives, A., ii, 771.

Brochet, André [Victor], radioactivity of the waters of Plombières, A., ii, 143.

electrolysis of chlorides, A., ii, 491. electrolytic soda industry; theory of the Bell-chamber process, A., ii, 1034. Brodie, Thomas Griyor, and Winifred C. Cullis, estimation of small quantities of oxygen and carbon dioxide in small volumes of saline solutions, A., ii, 319.

heart perfusion apparatus, A., ii, 865. Brönsted, J. N., inverse melting points,

A., ii, 809.

Broglie, M. de, [condition of air which has been passed between sparking electrodes], A., ii, 344.

Bron, Antoine. See Charles Eugène

Guye.

Broniewski, Witold, electrical resistance and expansion of the metals, A., ii, 147. Bronneck, Marianne von. See Josef

Herzig.
Bronson, Howard L., relative activity of emanation and active deposit from thorium and from actinium, A., ii, 792.

Brooks, Barney. See James R. Bail y. Brooks, Benjamin T. See William Lloyd Evans.

Brooks, E. E., spectrum of magnesium and of the so-called magnesium hydride, as obtained by spark discharges under reduced pressure, A., ii, 242.

Browinski, J., proteic acids in blood, A., ii, 205.

Browiński, J., and Stephane Dabrowski, estimation of the fundamental colouring matter of urines, A., ii, 443.

Brown, Alexander Crum, and Thomas F. Cowie, action of sodium ethoxide on trichloromethylsulphonyl chloride, A., i, 3.

Brown, Charles W. See Walter G. Sackett.

Brown, Edward J., bismuth subnitrate, A., ii, 391.

Brown, F. C. See C. S. Hudson.

Brown, Horace T., the translocation of nitrogen compounds into the embryo of barley from the endosperm and from artificial culture solutions, A., ii, 882.

the soluble and non-coagulable nitrogen compounds in malt, A., ii, 883.

water-soluble polysaccharides of barley and malt, A., ii, 978.

Brown, Percy E. See Jacob G. Lipman and Edward Burnett Voorhees.

Brown, Thomas Graham, and Edward Provan Catheart, creatine and creatinine in frog's muscle, A., ii, 516.

Browne, Arthur Wesley, and F. F. Shetterly, oxidation of hydrazine. II., A., ii, 373.

Browne, Frank, the estimation of graphite, A., ii, 896.

Browning, Carl Hamilton. See Robert Muir.

Browning, Philip Embury, and Howard E. Palmer, estimation of cerium in the presence of other rare earths by the action of potassium ferricyanide, A., ii, 736.

Bruce, James. See Richard Willstätter. Brügelmann, Gottfried, crystallisation of the alkaline-earth oxides, especially of calcium oxide, from their nitrates, A., ii, 842.

Brühl, Julius Wilhelm, spectroscopic behaviour of hydrocarbons with conjugate ethylene linkings, A., ii, 1002.

Brugsch, Theodor, and Rahel Hirsch, the elimination of alanine by the urine, A., ii, 611.

Brugsch, Theodor, and Alfred Schittenhelm, origin of uric acid and its relation to digestion, A., ii, 611.

Bruhns, Willy, the so-called leesbergite, A., ii, 703.

Bruneau, P. See Gabriel Bertrand.

Brunel, Léon, ketone derived from β-hexahydrocarvacrol, A., i, 91.

Brunel, Leon, and Paul Woog, catalytic synthesis of ammonia from its elements, A., ii, 34.

Brunel, R. See Friedrich Kehrmann. Brunel, R. F. See Salomon Farby Acree.

Bruner, Ludwik, electrolytic conductivity of bromine and iodine in nitrobenzene solution, A., ii, 149.

Bruner, Ludwik, and (Mllc.) J.
Dluska chemical dynamics of the bromination of toluene, A., i, 146.

Bruni, Giuseppe, physiological action of optical antipodes on higher organisms, A., ii, 876.

formation of salts and basicity of acids, A., ii, 935, 1012.

Bruni, Giuseppe, and Alessandro Borgo, persulphides of hydrogen, A., ii, 102.

Brunner, Erich, relation between current and potential difference in solutions of iodine in potassium iodide; experiments with bright platinum electrodes, A., ii, 754.

Brunner, Heinrich, and Rudolf Mellet, formation of organic nitro-compounds by the action of ammoniacal silver oxide solution, A., i, 176.

estimation of chlorates, bromates, iodates, and periodates, by means of formaldehyde, silver nitrate, and potassium persulphate, A., ii, 222.

Brunner, Heinrich, and A. Rapin, reduction of nitriles in neutral solutions, A., i, 863.

Brunner, Heinrich, and V. Vuilleumier, phenylcarbylamine from pyrogallol and nitrobenzene, A., i, 878.

p-aminophenolsulphonic acid, Λ ., i, 879.

action of hydrogen persulphide on organic compounds, A., i, 900.

Bruylants, Pierre, estimation of citral in essence of lemon, A., ii, 330. estimation of aldehydes by the spectroscope, A., ii, 437.

Buch, K., ammonium phenoxide, A., i.

Buch, K. See also Frederick Murray Godschall Johnson.

Bucher, John Emery, constitution of 1-phenylnaphthalene-2:3-dicarboxylic acid, A., i, 791.

Bucher, John Emery. See also Arthur Michael.

Bucherer, Hans Theodor, constitution of morphine and thebaine, A., i, 43.

Bucherer, Hans Theodor, and Julius Schenkel, pyridine, A., i, 452.

Bucherer, Hans Theodor, and Franz

Seyde, action of sulphites on aromatic amino and hydroxy compounds. V., A., i, 455.

Buchholz, Otto. See Paul Rabe and Georg Schroeter.

Buchner, Eduard, and Konrad Delbrück, ethyl diazoacctate and m-xylene, A., i. 87.

Buchner, Eduard, and Fritz Klatte, the co-enzyme of expressed yeast in juice, A., i, 380.

adsorption of tryptase by solids, A., i, 489.

the properties of yeast juice; the zymase formation in yeast, A., i, 589.

Buchner, Eduard, and Jakob Meisenheimer, butyrie acid fermentation, A., ii, 525.

Buchner, Karl. See Karl A. Hofmann. Buchtala, Hans, elementary analysis and distribution of nitrogen in various egg-shells, A., ii, 610.

Buchwald, Ernst, assay of highly concentrated sulphuric acid, A., ii, 130.

Buckley, B. G. See Ebenezer Henry Archibald.

Buckmaster, George Alfred, reaction between hæmoglobin and the leucobase of malachite-green, A., ii, 643.

Büchner, Ernst Hendrik, false equilibria, A., ii, 184.

Büeler de Florin, H., apparatus for distillation in high vacua, A., ii, 83.

[Theodor] Carl [Heinrich], Bülow. malonylbishydrazoneacetoacetethyl ate, a substance with three reactive methylene groups, A., i, 253.

Bülow, Carl, and Hans Filchner, action of hydrazine on ethyl phenacylacetoacetate, A., i, 578.

N-amino-compounds on action of bromocoumalinic acid esters, A., i,

Bülow, Carl, and Emil Klemann, the amino-groups attached to the nitrogen atom of heterocyclic compounds, A.,

Bülow, Carl, and Fritz Schaub, 3:4-dimethyl-1:2-pyrazo-6:7-pyrone (lactone of 5-hydroxy-3-methylpyrazole-4-isopropylenecarboxylic acid), A., i, 579.

the benzoylhydrazone of ethyl isonitrosoacetoacetate and its fission

products, A., i, 687.

arylazcacetoacetateacylhydrethyl azones and their conversion into derivatives of 4-arylazo-3-methyl-5pyrazolones with an acid radicle attached to the primary nitrogen atom, A., i, 704.

Bülow, Carl, and Hermann Schmachtenberg, brominations of means of diazobenzene perbromides, A., i, 743.

Bülow, Carl, and Theodor Sprösser, benzylethyl-m-aminophenol and its condensation with esters of 1:3ketocarboxylic acids to coumarin derivatives, A., i, 272.

primary bisazo-compounds of benzylethyl-m-aminophenol, Λ ., i, 583.

Bünz, R. See Alexander Gutbier. Bürker, K., decomposition of blood platelets, blood coagulation, and muscle coagulation, A., ii, 510.

Buff, Max. See Theodor Zincke.

Bugge, Günther. See Karl A. Hofmann. Buglia, Giuseppe, the regulation of the physico-chemical properties of the blood after injection of different solutions, A., ii, 958.

Buglia, Giuseppe.See also Filippo Bottazzi.

Buisson, Henri. See Charles Fabry. Bulloch, William, J. A. Craw, and E. E. Atkin, relative efficiency of filters, A., ii, 314.

Bumstead, Henry A., heating effects produced by Röntgen rays in lead and

zinc, A., ii, 342.

Bunge, O. D. E. See Arthur Michael.

Bunzel, H. H., rate of oxidation of sugars in an acid medium, A., i, 135.

Buraczewski, Józef, and Tad. Koźniewski, iodine derivatives of strychnine and brucine, A., i, 1007.

Burgassi, Giovanni, changes in metabolism due to the action of strontium, A., ii, 405.

Burger, O. See Karl A. Hofmann.

Burgess, George K., [determination of the] melting points of the iron group elements by a new radiation method, A., ii, 41.

Burnett, Theo. C., production of glycosuria in rabbits by intravenous injection of sea-water made isotonic with the blood, A., ii, 213.

Burrows, Harry See Charles Alexander Keane.

Burt, Frank Playfair. See Robert Whytlaw Gray.

Burton, William, refractive index and dispersion of light in argon and helium, A., ii, 545.

Burwell, A. L. See Alpheus Grant

Woodman.

Busch, Albert, preparation of stable soluble compounds of hexamethylenetetramine silver nitrate with albumoses, A., i, 712.

Busch, Max [Gustav Reinhold], and G. Blume, estimation of picric acid, A., ii, 328.

Busch, Max, and Ludwig Leefhelm, action of magnesium organic compounds on hydramides, A., i, 151.

action of magnesium organic compounds on benzylidenealphylamines, A., i, 153.

Bush, G. C. See Robert Edward Lyons. Busolt, E. See Hans Rupe.

Buswell, H. L. F. See Bertram James Collingwood.

kewitsch, Wl., transformation of starch in plants, A., ii, 723. Butkewitsch,

the protein changes taking place in green plants when kept in the dark, A., ii, 884.

Buttle, Bertram Howard, and John Theodore Hewitt, solubility of silver chloride in mercuric nitrate solution, T., 1405; P., 173.

Butureanu, Vasile C., manganese and iron minerals from the crystalline schists of Brosteni, Roumania, A., ii,

Buxton, Bertram Henry, and Alfred H. Rahe, the influence of temperature on the co-aggregation of colloids, A., i, 707.

Buxton, Bertram Henry. Sec also Oscar Teague.

Byers, Horace Greeley, behaviour of calcium and sodium amalgams as electrodes in solutions of neutral salts, A., ii, 926.

- passive state of metals; review of the literature and theories and some experiments on cobalt, iron and nickel, A., ii, 1026.

Byk, Alfred, the mathematical treatment of photochemical reactions on thermodynamical and electrochemical basis, A., ii, 339.

Byk, Heinrich. See Chemische Werke vorm. Heinrich Byk.

Bywaters, Hubert W. See Frederick William Pavy.

C.

Cady, Walter Guyton, and H. D. Arnold, electric are between metal electrodes, A., ii, 10.

Caffin, A., and F. Dhuique-Mayer, assay of ferrochrome with high carbon content. A., ii, 538.

Cahn, M. See Iwan Koppel.

Caille, E., derivatives of phenyl anaphthyl ketone, A., i, 800. Caille, H. See Gustave Perrier.

Cain, John Cannell, para- and metanitrosoacetanilide, T., 681; P., 78. note on the oxidation of phenylhydrazine by Caro's acid, P., 76.

Cain, John Cannell, and Frank Nicoll, note on the determination of the rate of chemical change by measurement of the gases evolved, P., 282; discussion, P., 282.

Calabresi, G. A., production and physiclogical rôle of pentosans in plants, A., ii, 217.

Calcagni, G. See Nicola Parravano. Caldieri, S. See Francesco Scurti.

Kenneth Somerville. See Caldwell, Arthur Hantzsch.

Robert John, and Robert Caldwell. Whymper, studies of the processes operative in solution. IX. Determination of optical rotatory power, A., ii, 817.

studies of the processes operative in solutions. X. Changes effected by the reciprocal interference of sucrose and other substances (salts and nonelectrolytes), A., ii, 817.

Calhane, Daniel Francis, oxidising power of sodium peroxide; its use in qualitative analysis, A., ii, 635.

Callendar, Hugh Longbourne, vapour pressure and osmotic pressure of strong solutions, A., ii, 671.

the vapour pressure and osmotic pressure of a volatile solute, A., ii,

the boiling point of sulphur, A., ii, 1029.

Cambi, Livio, constitution of Roussin's salts, A., ii, 41.

ferronitrososulphides, A., ii, 288. ferrinitrososulphides, A., ii, 852.

Cameron, Alexander Thomas, and (Sir) William Ramsay, the chemical action of radium emanation. III. On water and certain gases, T., 966; P., 132.

the chemical action of radium emana-Part IV. On water, T., 992; P., 133.

spectrum of radium emanation, A., ii, 786.

Cameron, Alexander Thomas. See also (Sir) William Ramsay.

Cameron, Frank Kenneth, and Harrison Eastman Patten, distribution of solute between water and soil, A., ii, 126.

Cameron, Frank Kenneth, and William O. Robinson, solubility of calcium carbonate in aqueous solutions of potassium chloride and potassium sulphate at 25°, A., ii, 105.

ferric chlorides, A., ii, 112.

ferric sulphates, A., ii, 112.

Camiola, G. See Sante de Grazia.

Camis, Mario, heats of solution of gases in blood, A., ii, 1047.

Campbell, Edward DeMille, and Walter Arthur, estimation of nickel and chromium in steel, A., ii, 779.

Campbell, Edward DeMille, and Edwin LeGrand Woodhams, estimation of vanadium in iron and steel, A., ii, 901.

Campbell, Norman Phillips. See Harold Hartley.

Campetti, Adolfo, variation of the degree of dissociation of certain electrolytes

with temperature, A., ii, 1010. Camus, Lucien, and Eugène Gley, variations in the proteolytic activity of pancreatic juice, A., ii, 205.

comparison of the hæmolytic and toxic action of eel's serum on the marmot, A., ii, 215.

Cantoni, H., and (Madame) Jolkowsky, decomposition of calcium and barium tartrates by alkali chlorides, A., i, 128.

Cantoni, H., and L. Mauri, decomposition of lead oxalate by saline solutions, A., i, 853.

Cantoni, H., and M. Rosenstein, volumetric estimation of nickel, A., ii, 230.

Capelle, Georges, action of sulphur on hydrocarbons, A., i, 201.

dibromothiophten, A., i, 201. variation of the surface tension of sulphur with rise of temperature: Sλ¹

and $S\lambda^2$, A., ii, 683. Cappon, Thomas W. See William Jay Schieffelin.

Carles, P., fluorine in anological products, A., ii, 318.

Carleton, P. W. See Charles Loring Jackson.

Carlson, Anton J., J. R. Greer, and F. C. Becht, lymphagogue action of lymph, A., ii, 611.

Carlson, Anton J., J. R. Greer, and A. B. Luckhardt, excess of chlorides in lymph, A., ii, 610.

Carlson, Anton J., and A. B. Luckhardt, increase of osmotic concentration of the blood during anæsthesia, A., ii, 304.

Carlson, Anton J., and F. C. McLean, oxygen supply and saliva, A., ii, 118.

Carlson, Anton J., and J. G. Ryan, dextrose in cat's saliva, A., ii, 403.

the diastase in cat's saliva, A., ii, 606. Carlson, Anton J. See also B. Braude and W. T. Hughes.

Carlson, Birger, and Julius Gelhaar, detection and estimation of chlorites and hypochlorites in chlorates, A., ii, 731.

Carlson, C. E., the mechanism of the guaiacum reaction, A., ii, 644.

Caron, Hubert, and D. Raquet, preparation of strontium salts free from barium, A., ii, 496.

detection of barium in strontium salts, A., ii, 535.

qualitative analysis of phosphates and other salts soluble in acids, A., ii,

Carpenter, Campbell C. Edward Lyons. See Robert

Carpiaux, Em., the assimilation of phosphorus and calcium during the embryonic life of the chick, A., ii, 963.

Carpiaux, Em. See also Ach. Grégoire. Carracido, José R., explanation of the viscosity curve for mixtures of glycerol and water, A., ii, 758.

Carrara, Giacomo, and Aldo Bringhenti, discharge potentials of the ions in solutions of alkali alkyloxides, A., ii,

Carrasco, Oreste, basic tri-iodophenoxide of bismuth, A., i, 336.

electrolytic reduction of the indoles, A., i, 912.

Carrasco, Oreste, and E. Belloni, a new catalyst in organic combustion according to the Carrasco-Plancher method, A., ii, 631.

Carré, Paul, the lactone of βγ-dihydroxybutyric acid, A., i, 500.

Carrez, Cyrille, estimation of lactose in milk, A., ii, 236.

use of potassium ferrocyanide and zinc acetate as defecating agents in urine analysis, A., ii, 329.

Carson, Charles Macdonald. ander Smith. See Alex-

Carstons, J. See Karl Seubert.

Carteret, G., a simple reaction for producing a disinfectant gas [formalde-

hyde vapour], A., i, 393.

Casolari, Angelo, behaviour of thiosulphuric acid and its use in volumetric analysis, A., ii, 173.

estimation of bromic and iodic acids by means of thiosulphuric acid, A.,

ii, 222.

Cassella & Co., Leopold, preparation of 5-amino-a-naphthol-3-sulphonic acid, A., i, 160.

preparation of thiosalicylic acid, A., i,

177.

[1:2'-dihydroxy-1':4'-dimethyldiphenylamine and its indophenol derivative], A., i, 416.

[2-amino-4:6-diacetyldiaminophenol], A., i, 457.

preparation of 6-amino-2:4-diacetyldi-

aminophenol, A., i, 458.
[azo-derivatives of naphthalenoid tri-

azines], A., i, 482. preparation of 2-aminophenol-5-sulph-

onic acid, A., i, 785.
preparation of arylsulphonates of 2aminophenol-4-sulphonic acid, A., i, 785.

Castelli, Enrico, gradual modification of the first linear spectrum of emission of mercury, A., ii, 3. stillo. See Muñoz del Castillo.

Castillo.

Cathcart, Edward Provan, Ernest Laurence Kennaway, and John Beresford Leathes, origin of endogenous uric acid, A., ii, 715.

Catheart, Edward Provan. See also Thomas Graham Brown.

Cenni, G. See Gino Gallo.

Centnerszwer, Mieczyslaw, critical temperatures of solutions. III. Solutions in methyl chloride, ethyl chloride, ethyl ether, and methyl alcohol, A., ii, 13.

Cervello, Vincenzo, action of iron and of heavy metals [as oxygen carriers], A., i, 1027.

See Sante de Grazia. Cerza, A.

Cesaris, Pietro de. See Italo Bellucci. Cesaro, Giuseppe, native tellurium from

Asia Minor, A., ii, 861.

Chace, Edward MacKay, detection of small quantities of turpentine in lemon

oil, A., ii, 908. Chalker, Walter C. See Harry Ward Foote.

Challinor, R. W., approximate colorimetric estimation of cobalt and nickel in the presence of each other, A., ii, 988.

Chandler, E. E., ionisation constants of the secondary hydrogen ion of dibasic acids, A., ii, 467.

Chapman, David Leonard. See Herbert $ar{E}dmund$ Clarke.

Charabot, Eugène [Trophime], and G. Laloue, essential oil of Magnolia Kobus, A., i, 196. essential oil of Tetranthera polyantha

var. citrata, A., i, 279.

mechanism of the distribution of odoriferous principles in plants, A., ii, 774.

Charante. See Moll van Charante.

Chardin, D. A., relation between rotatory power and chemical constitution, A.,

ii, 548, 912. Chardin, D. A., and S. Sikorsky, relation between rotatory power and chemical constitution, A., ii, 470.

Charitschkoff, K. W., relation between the ignition temperature and the vapour pressure of inflammable liquids of low boiling point, A., ii, 255.

Charpy, Georges, identity of graphite and "temper" graphitic carbon in cast irons, A., ii, 37.

solubility of graphite in iron, A., ii, 110. alloys of iron and carbon, A., ii, 697. Charrier, G. See Giacomo Ponzio.

Charron, A. T. See Frank Thomas Shutt.

Chassin, S. See Rudolf Höber.

Chattaway, Frederick Daniel, the oxidation of aromatic hydrazines by metallic oxides, permanganates, and chromates, T., 270; P., 10.

the quantitative conversion of aromatic hydrazines into diazonium salts, T.,

852; P., 74.

a new general method of preparing diazonium bromides, T., 958; P., 93. the constitution of the diazonium per-

bromides, P., 172.

an alternative structure for the supposed stereoisomeric a-osazones, P., $\bar{1}75.$

Chattock, A. P., and A. M. Tyndall, changes of pressures which accompany point discharge through hydrogen containing oxygen and nitrogen, A., ii,

Chaudier, J., electro-optical properties of liquid mixtures, A., ii, 788.

Chaumat, Henri, electrolytic reduction of indigotin, A., i, 107.

Chautard, Jean, and Paul Lemoine, origin of laterite, A., ii, 203.

Chauvenet, Edouard, thorium oxyfluoride and fluoride, A., ii, 597.

an alloy of thorium and nickel, A., ii, 858.

Chemische Fabrik auf Aktien vorm. E. Schering, preparation of dimethylaminoisopropyl benzoate, A., i, 266.

Chemische Fabrik auf Aktien vorm. E. Schering, preparation of 5:5-dialkyl-barbiturie acids from the corresponding dialkylmalonylguanidines, A., i, 370, 1017.

preparation of 3:4-dihydroxyphenylglyoxime and 3:4-dihydroxyphenylalkylglyoximes, A., i, 657.

[preparation of bases of the adrenaline

series], A., i, 1004.
Chemische Fabrik vorm. Goldenberg

Geromont & Co., Goldenberg method for the estimation of tartaric acid in wine dregs, tartar, and other crude materials, A., ii, 237.

Chemische Fabrik Griesheim-Elektron, [condensation of the arylsulphonylanaphthylamines with paminophenols], A., i, 209.

azo-compounds from the o-aminophenols and 2:8-dihydroxynaphthalene-6-sulphonic acid, A., i, 480.

preparation of dry calcium hypochlorite, A., ii, 280.

the removal of arsenic from liquids and gases, A., ii, 686.

[preparation of calcium hypochlorites], A., ii, 692.

Chemische Fabrik, Grünau, Landshoff & Meyer, preparation of concentrated formic acid, A., i, 598.

direct production of dry zine hyposulphite, A., ii, 185.

Chemische Fabrik von Friedr. Heyden, separation of o- and p-guaiacolsulphonic acids, A., i, 161.

preparation of isobornyl esters of the fatty acids from pinene hydrochloride or hydrobromide, A., i, 351, 809.

Chemische Werke vorm. Heinrich Byk,

Chemische Werke vorm. Heinrich Byk, preparation of amylamine, A., i, 395.

Chéneveau, C., influence of temperature on the optical properties of dissolved substances. A ii 77

substances, A., ii, 77.

Chesneau, Gabriel, technical assay of amorphous carborundum, A., ii,

variations in the composition of ammonium phosphomolybdate; application to the estimation of phosphorus in iron, cast-iron, and steel, A., ii, 427.

Chevalier, J. See A. Brissemoret.
Chiari, Eduard. See Rudolf Wegscheider.

Chiaves, C. See Maurice Padoa.

Chick, (Miss) Frances, and Norman Thomas Mortimer Wilsmore, acetylketen: a polymeride of keten, T., 946; P., 100.

some reactions of keten, P., 77.

Chick, (Miss) Harriette, laws of disinfection, A., ii, 314.

Chilesotti, Alberto, compounds of lead with nitrous acid, A., ii, 845, 948.

Chodat, Robert. See Alexis Bach.

Chouchak, D., and Isidore Pouget, colorimetric estimation of nitrogen in soils; the Nessler test, A., ii, 223.

Chouchak, D. See also *Isidore* Pouget. Christensen, *Havald R.*, biological method for estimating alkali carbonates in soils, A., ii, 67.

Christensen, P., estimation of phosphoric acid as phosphomolybdic acid, A., ii, 895.

Christoff, A., non-electrolytic solution of mercury in water and other liquids, A., ii, 696.

Churchill, J. B. See Otto Wallach.

Chwala, August, evaluation of barium peroxide, A., ii, 431.

Chwala, August, and V. Macri, analysis of a mineral containing copper, bismuth, lead, silver, calcium, iron, and quartz, A., ii, 987.

Ciamician, Giacomo Luigi, chemistry in space, A., ii, 137.

chemical action of light, A., ii, 914.

Ciamician, Giacomo Luigi, and Ciro Ravenna, behaviour of certain organic substances in plants, A., ii, 773.

Ciamician, Giucomo Luigi, and Paul G.
Silber, chemical action of light. XI.
and XII., A., i, 277, 555.

Cigler, M. K., optical method for determining the relative hardness of contiguous structural elements of alloys, A., ii, 593.

Cingolani, Masaniello, cerium selenates, A., ii, 385.

Cingolani, Masaniello. See also Emanuele Paternò.

Ciusa, Roberto, action of nitrobenzene on aldehydephenylhydrazones in the light, A., i, 460.

Ciusa, Roberto, and Riccardo Luzzatto,
 behaviour of hydroxylamine in the
 animal organism, A., ii, 876.
 Ciusa, Roberto, and Ugo Pestalozza,

ciusa, Roberto, and Ugo Pestalozza, action of nitrogen peroxide on aldehydephenylhydrazones, A., i, 833.

Ciusa, Roberto, and A. Terni, action of hydroxylamine on ketones of the type CHR:CH:CH:CH:CO:R, A., i, 762.

Clapp, Samuel Hopkins. See Treat Baldwin Johnson, Thomas Burr Osborne, and Henry Lord Wheeler.

Clark, (Miss) B. May. See Emil Bose. Clark, E. D. See Carl Luca Alsberg. Clark, John, obituary notice of, T., 2275. Clark, Robert II., mechanism of the acetoacetic ester synthesis. I. The condensation of acetone with oxalic ester, A., i, 124.

Clark, Robert H. See also Arthur Hantzsch.

Clarke, Herbert Edmund, and David Leonard Chapman, the measurement of a homogeneous chemical change in a gas; the thermal decomposition of ozone, T., 1638; P., 190.

Clarke, Latham, derivatives of dihydro-

anthracene, A., i, 330.

diethylisopropylmethane [β-methyl-γ-ethylpentane], A., i, 493.

methylethylisobutylmethane [βδ-methylhexane], A., i, 593.

Clarke, Latham, and Charles Loring Jackson, rosocyanin, A., i, 670.

Clarke, Reginald William Lane, Arthur Lapworth, and Elkan Wechsler, condensation of ketones containing the group, CH₂·CO·CH: with esters in presence of sodium ethoxide, T., 30.

Clarke, Rosalind, phenyl mesaconates,

A., i, 335.

Classen, Alexander, electrolytic analysis, A., ii, 226, 432, 529.

Clausen, H., manurial trials with sodium nitrate and ammonium sulphate, A., ii, 981.

Clayton, Arthur, the residual affinity of the coumarins and thiocoumarins as shown by their additive compounds, T., 524; P., 26.

the coumarin condensation, T., 2016;

P., 229.

Clement, J. K. See Arthur Louis Day.
 Clemmensen, Erik, and Arnold H. C.
 Heitman, ureides and cyanamides of the dialkylglycollic acids, A., i, 771.

Cloetta, Max, behaviour of atropine in various animals, A., ii, 1061.

Clough, George William. See Alexander MacKenzie.

Cobb, Philip H. See Arthur Michael. Coblentz, Virgil, and Otto B. May, [volumetric estimation of] phosphoric acid, A., ii, 428.

Coblentz, W. W., infra-red reflection spectra, A., ii, 338.

Coca. See Emil von Dungern.

Cocksedge, Herbert Edwin, tellurium dicyanide, T., 2175; P., 269. boron thiocyanate, T., 2177; P.,

270.

Coffignier, Charles, solubility of "half-hard" African copals, A., i, 39.

Manila and Pontianac copals, A., i, 436.

Cohen, Ernst [Julius], electrolytic estimation of antimony, A., ii, 636.

Cohen, Ernst [Julius], physicochemical researches on tin. VII., A., ii, 858.

Cohen, Ernst, and J. W. Commelin, osmotic researches. I., A., ii, 811.

Cohen, Ernst, and J. Olie, so-called amorphous antimony, A., ii, 198. so-called amorphous bismuth, A., ii, 190

Cohen, Ernst, and Th. Strengers, physicochemical researches on the "explosive" platinum metals, A., ii, 299.

the dynamic theory of a reversible chemical reaction, A., ii, 824, 934.

Cohen, Julius Berend, and William Ernest Cross, bromination, A., i, 413.

Cohen, Julius Berend. See also William Ernest Cross.

Cohen, L. See Frederick Bickell Guthrie. Cohen, N. H., lupeol, A., i, 882.

phytosterols from balata, A., i, 883. phytosterols from South African "rubber," A., i, 884.

estimation of the total alkaloids in einchona barks, A., ii, 996.

Cohnheim, Otto, the work of the intestinal muscle, A., ii, 209.

Colefax, Arthur, the action of potassium sulphite on potassium tetrathionate in aqueous solution, T., 798.

Coleman, Leslie C., nitrification, A., ii, 315.

Colley, A. R., dispersion in the electric spectra of benzene, toluene, and acetone, A., ii, 909.

Collie, John Norman. See Edward Charles Cyril Baly.

Collingwood, Bertram James, and H. L. F. Buswell, tension of carbon dioxide in alveolar air during exercise, A., ii, 49.

tension of carbon dioxide in alveolar air during chloroform narcosis, A., ii, 49.

Collins, Hawkworth, observations and deductions obtained from a consideration of the numbers given for the atomic weights of the elements by the International Committee (1905) which lead to a rational determination of the constitution and structure of each element, A., ii, 170.
Colman, James. See Siegmund Gabriel.

Colomba, James. See Siegmund Gabriel.
Colomba, Luigi, aloisiite; a new hydrosilicate from the tufa of Fort Portal
(Uganda), A., ii, 956.

Colombano, Amedeo, solanin from the seeds and flowers of Solanum tuberosum, A., i, 99.

Colombano, Amedeo, and Battista Leonardi, azo-derivatives of guaiacol, A., i, 68.

Colson, [Jules] Albert, semicatalysis; oxidation of hydrocarbons by air in the presence of phosphorus, A., i, 435.

non-existence of a common solvent for white and red phosphorus, Λ ., ii,

the green chromium sulphates, A., ii, 45.

transformation of solutions of white phosphorus into red phosphorus, A., ii, 176.

the essentially chemical causes of the allotropic transformation of phosphorus dissolved in oil of turpentine, A., ii, 273.

Colwell, Rachel H., and Henry Clapp

Sherman, peptonisation in raw and pasteurised milk, A., ii, 972.

Comanducci, Ezio, and M. Arena, action of n-propyl chloride on ethylamine, A., i, 138.

Commelin, J. W. See Ernst Cohen.

Compagno, I., constitution of halogenated compounds of 3-hydroxy-ypyrone [pyromeconic acid], A., i, 280.

Comstock, Daniel F., indestructibility of matter and the absence of exact relations among the atomic weights, A., ii, 477.

Comtesse, A. See Josef Tambor. Condrea, C. See Lothar Wöhler.

Conduché, A., hydroxycarbamides and carbamidoximes. I. and II., A., i, 12, 154.

molecular refractions of some carb-

amidoximes, A., i, 156. Cone, Lee Holt. See Emil Fischer.

Coninck. See Oechsner de Coninck. Conrat, F. See Emil Bose.

Consortium für Elektrochemische Industrie, electrolytic production of ammonium persulphate, A., ii,

[production of hydrogen peroxide from persulphuric acid], A., ii, 1028.

Consortium Elektrochemische für See also Georges Imbert. Industrie. Constam, Emil Joseph, Parr's method of

determining the heat of combustion of coal, A., ii, 734.

Contardi, Angelo. See Wilhelm Körner. Cook, F. See Marcus Seymour Pembrey. Cook, Taylor. See Gilbert Thomas

Cooke, William Ternent. See Douglas Mawson and Edward Henry Rennie. Cooksey, Thomas, volumetric estimation

of sulphuric acid, A., ii, 982.

estimation of iron, alumina, and phosphoric acid in presence of each other, A., ii, 987.

Cooper, Hermon C. See Arthur Amos Noves.

Copaux, Hippolyte, preparation of silicotungstic acids, A., ii, 197. potassium silver silicomolybdate, A.,

ii, 379.

Copaux, Hippolyte. See also Edouard Defacqz.

Coppadoro, Angelo, electrolytic formation of peroxygenated compounds of tin, A., ii, 596.

Cordier [von Löwenhaupt], Victor, modification of Hüfner's method for the volumetric estimation of nitrogen, A., ii, 983.

Cornu, Felix, [synthesis of huantajayite and covellite; recent formation of pyrrhotite; blue rock-salt], A., ii, 396.

composition of artificial magnesite stone, Λ ., ii, 590.

attempt to produce dichroism by pressure in silver haloids, A., ii, 647.

crystallised iron from a foundry at Teschen, Austria, A., ii, 949.

the reversible alteration of cryolite, A., ii, 955.

Corradi, Remo, modification of Kjeldahl's process for estimating nitrogen in foods, A., ii, 130.

Costanzo, G., and C. Negro, ionisation phenomena produced by snow, A., ii, 551.

Cotton, A., and Henri Mouton, magnetic and electric double refraction of nitrobenzene; variation with wavelength, Λ ., ii, 745.

orientation of crystals by the magnetic field; importance of optical properties of mixed liquids from the point of view of crystalline symmetry, A., ii, 757.

Cotton, A., Henri Mouton, and Pierre Weiss, magnetic double refraction of organic liquids, A., ii, 2.

Couleru, M., electrolytic production of alkali chlorates and perchlorates, A., ii, 689.

Coulin, Pierre, preparation of citral hydrate, A., i, 999.

[isolation of an isomeride of citral hydrate], A., i, 1000.

[the condensation of ketones and citral

hydrate], A., i, 1000. Couriot, H., and Jean Meunier, action of an incandescent electric conductor on the surrounding gas, A., ii, 11.

Courtauld, R. M. See John Edward Purvis.

Cousin, Henri, action of chlorine on dithymol, A., i, 337.

Cousin, Henri, and Henri Hérissey, oxidation of thymol by the oxidising ferment of mushrooms, A., i, 84.

preparation of dithymol; action of bromine on dithymol, A., i, 162.

oxidation of eugenol by the oxidising ferment of mushrooms; formation of dehydrodieugenol, Λ ., i, 729.

oxidation of isoeugenol; dehydrodiisoeugenol, A., i, 783.

Covelli, *Ercole*, diazo-reaction of atoxyl, A., ii, 1000.

Coward, Hubert Frank. See William Arthur Bone.

Cowie, Thomas F. See Alexander Crum Brown.

Cowles, Horace W., jun., estimation of malic acid in food products, A., ii, 904.

Cramer, Wilhelm, assimilation of protein introduced parenterally, A., ii, 709.

Cramer, Wilhelm, and R. A. Wilson, protagon, A., i, 234.

Cramer, Wilhelm. See also James Lochhead and Harold Pringle.

Craw, J. A., grain of filters and growth of bacteria through them, A., ii,

Craw, J. A. See also William Bulloch. Creeth, Norman Allen, and Jocelyn Field Thorpe, the action of bromine on β-hydrindone, T., 1507; P., 192. Creighton, H. Jermain M., and Arthur

Stanley Mackenzie, influence of radium on the decomposition of hydriodic acid, A., ii, 450.

Crété, L. See A. Goris.

Crewdson, (Miss) May S. See James Frederick Spencer.

Crispo, D., new reaction for the production of sodium carbonate, A., ii, 840.

Croftan, Alfred Carena, changes in uric acid in animals and men, A., ii, 307.

Crohn, Burrill B. See Fred S. Weingarten.

Crompton, Holland, and (Mrs.) Eva Richardis Cyriax, 4-chloroacenaphthene, P., 241.

Cronheim, Walter, and Erich Müller, mineral metabolism in healthy and rachitic children, A., ii, 405.

Crookes, (Sir) William, scandium, A., ii, 695.

use of iridium crucibles in chemical operations, A., ii, 702.

Cross, Charles Frederick, Edward John Bevan, and John Frederick Briggs, chloroamine reaction of the proteins, A., i, 374.

Cross, William Ernest, and Julius Berend Cohen, the use of pyridine bases as halogen earriers, P., 15.

Cross, William Ernest. See also Julius Berend Cohen.

Crossley, Arthur William, and Charles Gilling, hydroaromatic ketones; preliminary note, P., 130.

hydroaromatic ketones. Part I. Synthesis of trimethylcyclohexenone (isophorone) and some homologues, P., 281.

Crossley, Arthur William, and (Miss) Nora Renouf, substituted dihydrobenzenes. Part II. 1:1-Dimethyland 1:1-di- $\Delta^{2:4}$ -dihydrobenzene methyl-A2:5-dihydrobenzene, 629; P., 59.

nitro-derivatives of o-xylene; preliminary note, P., 58.

Crothers, D. See Henry Edward Armstrong.

Crowe, S. J., excretion of hexamethylenetetramine in bile and pancreatic juice, A., ii, 410.

Crowther, J. Arnold, scattering of β -rays from uranium by matter, A., ii, 247.

Csôkás, J. See Franz Tangl.

Cukier, St. See Josef Tambor.

Cullis, Winifred C., urinary secretion in the frog, A., ii, 518.

Cullis, Winifred C. See also Thomas

Grigor Brodie.

Cumming, Alexander Charles, malacone, a silicate of zirconium, T., 350; P.,

electrochemistry of lead, A., ii, 248. strong electrolytes, A., ii, 253.

Cunningham, (Miss) Mary, and Frederick Molliwo Perkin, studies on the cobaltinitrites, P., 212.

Cuno, Ernst, solutions in mixtures of alcohol and water, A., ii, 160.

Curie, (Madame) Marie, condensation of water vapour in the presence of radium emanation, A., ii, 7.

formation of mists in presence radium emanation, A., ii, 797.

Curie, (Madame) Marie, and (Mlle.) Ellen Gleditsch, action of radium emanation on solutions of copper salts, A., ii, 793.

rrie, James, celadonite from the Færöes, A., ii, 704. Currie,

Curtiss, Richard Sydney, and Paul T. Tarnowski, methyl mesoxalate and some of its reactions, A., i, 760.

Curtius, Theodor, August Darapsky, and August Bockmühl, action of hydrazine on diazoacetamide and on ethyl diazoacetate, A., i, 144.

Curtius, Theodor, August Darapsky, and Ernst Müller, methyl ester and hydrazide of nitrosoiminoacetic acid, A., i, 145.

Curtius, Theodor, August Darapsky, and Ernst Muller, so-called ethyl isodiazoacetate, A., i, 923.

products of the transformation of ethyl diazoacetate under the influence of alkalis, A., i, 924.

Curtius, Theodor, and Max Mayer, action of hydrazine hydrate on nitro-compounds. V. Action of hydrazine hydrate on 2:4-dinitrophenylhydrazine, A., i, 53.

Curtius, Theodor, and Eugen Rimele, action of hydrazine hydrate on ethyl

bisdiazoacetate, A., i, 921.

Cushman, Allerton Seward, and Prevost Hubbard, extraction of potassium from felspathic rock, A., ii, 586.

Cushny, Arthur Robertson, [physicological] action of optical isomerides. III. Adrenaline, A., ii, 720.

action of oxidising salts, A., ii, 1049. Cusmano, Guido. See Luigi Frances-

coni.

Cuthbertson, Clive, and E. Parr Metcalfe, refractive indices of gaseous nitrie oxide, sulphur dioxide, and sulphur trioxide, A., ii, 545.

dispersion of gaseous mercury, sulphur, phosphorus, and helium, A., ii, 545.

Cyriax, (Mrs.) Eva Richardis. See Hol-

land Crompton.

Czubalski, F., the influence of intestinal extract on blood-coagulation, A., ii, 304.

D.

Daalen, C. K. van. See Bouwe Sjollema. Dabrowski, Stephane, the fundamental colouring matter of urine, A., i, 232. Dabrowski, Stephane. See also J. Browiński.

D'Achiardi, Giovanni, origin of the boric acid in the soffioni of Tuscany, A., ii,

Daconto, V. See Guido Bargellini. Dadourian, H. M., constituents of atmospheric radioactivity, A., ii, 453.

Dafert, Franz Wilhelm, [with Adolf Halla and R. Waschata], composition of certain Chilian caliches, A., ii, 603.

D'Agostino, E. See Giuseppe Kernot. Dahmen, Reiner. See Fritz Ullmann.

Dahse, Willy, derivatives of resacctophenone, A., i, 552.

Daikuhara, G., are soils containing less than 0.02% SO₃ benefited by special manuring with sulphates? A., ii,

influence of solubility on availability, A., ii, 128.

Daikuhara, G., manuring with mag-

nesium sulphate, A., ii, 129.

Daikuhara, G., and T. Imaseki, behaviour of nitrate in paddy soils, A., ii, 127.

Dakin, Henry Drysdale, oxidation of butyric acid by hydrogen peroxide, A., i, 74.

oxidation of ammonium salts of hydroxy-fatty acids with hydrogen peroxide, A., i, 75.

oxidation of leucine, a-aminoisovalerie acid, and a-amino-n-valeric acid with hydrogen peroxide, A., i, 80.

oxidation of ammonium salts of saturated fatty acids with hydrogen peroxide, A., i, 119.

synthesis of certain naturallyoccurring aliphatic ketones, and their possible mode of formation in the organism, A., i, 134.

use of p-nitrophenylhydrazine in the identification of aliphatic ketones and aldehydes, A., ii, 234.

relative rate of absorption of optically isomeric substances from the intestine, A., ii, 710.

degradation of carboxylic acids in the animal body, Λ ., ii, 719.

oxidation of phenyl derivatives of fatty acids by the animal organism and by hydrogen peroxide, A., ii, 720.

mode of oxidation of phenyl derivatives of fatty acids in the animal organism, A., ii, 964.

Dale, Henry Hallett. See George Barger. Damant, G. C. C. See Arthur Edwin Boycott.

Damm, F., and Friedrich Krafft, the autoreduction of some metallic oxides in the vacuum of the cathode light and on the volatility of the corresponding sulphides, A., ii, 39.

Dammhahn. See Emil Abderhalden. Dannehl, Hugo. See Karl Auwers.

D'Ans, Joh., ammonium syngenite, A., ii, 182.

cæsium dicalcium sulphate, A., ii,

neutral triple sulphates of calcium, A., ii, 590.

D'Ans, Joh., and W. Zeh, rubidium calcium sulphates, A., ii, 104.

D'Ans, Joh. See also Gustav Keppeler. Darapsky, August, Hofmann's reaction with amides and hydrazine derivatives of carbonic acid, A., i, 106.

See also Theodor Darapsky, August. Curtius.

Dard, apparatus for the prevention of acid fumes in gold and silver assaying, A., ii, 72.

Darmois, Eugène, a case of anomalous rotatory dispersion; application of measurements of rotatory dispersion to the study of the composition of oil of turpentine, A., ii, 747.

Darmstädter, Friedrich, electrolytic preparation of hydrazo-compounds, A., i,

301.

Darzens, Georges, glycidic esters and aldehydes in the naphthalene series, Λ., i, 91.

Darzens, Georges, and H. Rost, new method for preparation of homologues of naphthalene, A., i, 411.

Daudel. See Marc Tiffeneau.

Daudt, Herbert Wilkens. See Gregory
Paul Baxter.

Daufresne, Maurice, presence of p-methoxycinnamaldehyde in essential oil of tarragon, and some derivatives of estragole, A., i, 19.

fluorene series; spontaneous formation

of an ozonide, A., i, 164. constituents of tarragon oil (Oleum dracunculi), A., i, 436.

Daufresne, Maurice, and Flament, lævorotatory component of tarragon oil, A., i, 558.

Dautriche, action of alkali salts of a fixed base on the combustion of gases and combustible powders, A., ii, 275. autry. See William Oechsner de

Dautry. Coninck.

Davies, John H. See Max Le Blanc. Davis, Grant T., new instrument for

reducing gas volumes to standard conditions, A., ii, 666.

Davis, R. O. E. See Charles Holmes Herty.

Dawson, Harry Medforth, the formation of polyiodides in nitrobenzene solution. Part III. The chemical dissociation of the polyiodides of the alkali metals and ammonium radieles, T., 1308; P., 181.

Dawson, Harry Medforth, and Colin Gyrth Jackson, the influence of foreign substances on transition temperatures and the determination of molecular weights, T., 344; P.,

the formation of polyiodides in nitro-Part IV. The benzene solution. electrolytic dissociation of the polyiodides of the alkali metals and ammonium radicles, T., 2063; P.,

Day, Arthur Louis, and J. K. Clement,

measurements with gas thermometer, A., ii, 1013.

Debierne, André, radioactivity, A., ii, 550.

Dechend, Alfred von. See Max Trautz. Decker, Herman, binuclear quinones as

chromogens, Λ ., i, 805.

formation of naphthol derivatives from papaverine and the binuclear quinones of the naphthalene series, Å., i, 806.

Decker, Herman, and Georges Dunant, [and with Max Girard], phenolbetaines from papaverine, A., i, 204.

Decker, Herman, and Heinrich Felser, cyclic oxonium salts from disalicylideneacetone, and spiropyran derivatives, A., i, 906.

dibenzopyronium, A., i, 1003.

Decker, Herman, and Otto Koch, methylation of vanillin by methyl sulphate, A., i, 35.

Decker, Herman. See also Frederic George Percy Remfry.

Defacqz, Edouard, silicides of tungsten and of molybdenum, A., ii, 595. a new method of separation of silica

and tungsten trioxide, A., ii, 737. Defacqz, Edouard, and Hippolyte Copaux,

a new iodide of titanium, titanous iodide, TiI₂, A., ii, 699. Dehn, William Maurice, simple de-

monstrations of the gas laws, A., ii, 355.

characteristic test for hippuric acid [in urine], A., ii, 907.

Dehn, William Maurice, and Silas F. Scott, characteristic colour reactions produced by sodium hypobromite, Λ ., i, 780.

Dehn. William Maurice, [with Elrick Williams, and Burton B. Wilcox], reactions of the arsines, A., i, 720.

Deibel, Wilhelm. See Hartwig Franzen. Deininger, Fritz, emission of negative ions by heated metals and by heated calcium oxide, A., ii, 83.

Dekhuyzen, M. C., a cryoscope, A., ii, 661.

Delacre, Maurice, relation of tetramethylene oxide to pinacolin, A., i, 243.

Delage, Yves, isotonic and isosmotic solutions, A., ii, 305.

Delage, Yves, and P. de Beauchamp, comparative study of phenols as agents in parthenogenesis, A., ii, 51.

Delange, Léon, solubility and certain reactions of pinacolin, Λ ., i, 762.

Delaunay, Nicolas, certain relations between the atomic weights of the elements, A., ii, 97.

symmetry in the law of atomic weights,

A., ii, 269. Delbrück, Konrad. See Eduard Buchner.

Delépine, [Stéphane] Marcel, formaldehyde

solutions, A., i, 393.
properties of the metallic dithiocarbamates, A., i, 511.

apparatus for fractional distillation under reduced pressure, A., ii,

detection of copper and iron, A., ii,

alkali iridichlorides and iridiochlorides, A., ii, 702.

oxalate reduction of alkali iridiochlor-

ides, A., ii, 765.

Dementeyeff, L. See Pavel Iw. Petrenko-Kritschenko.

Demjanoff, Nicolaus J., transformation of the tetramethylene ring into the trimethylene ring, A., i, 85. cyclobutylearbinol and its isomerisa-

tion to pentamethylene derivatives,

transformations and new nitrogenous derivatives of vinyltrimethylene, A., i, 329.

Demianoff. Nicolaus $J_{\cdot,\cdot}$ and Dojarenko, some transformations of eyelobutanol, A., i, 156. Demolon, A. See E. Kayser.

Dengler, O. See Friedrich Kehrmann. Denham, Henry George, the electrometric determination of the hydrolysis of salts, T., 41.

the existence in aqueous solution of a univalent cadmium ion, a subvalent thallium ion, and a bivalent bismuth ion, T., 833; P., 76.

abnormal behaviour of salts of zinc. magnesium, thorium, cerium, nickel, and cobalt on hydrolysis, A., ii, 380.

electrometric determination of the hydrolysis of blue and green chromic sulphates, A., ii, 389.

Denham, Henry George, and Arthur John Allmand, anomalous behaviour of the hydrogen electrode in solutions of lead salts, and the existence of univalent lead ions in aqueous solutions, T., 424; P., 14.

Deniges, Georges, reactions of hordenine based on the constitution of this substance, A., i, 735.

mercurous nitrate as a microchemical reagent for arsenic, A., i, 1070.

the normal citric acid of urines, A., ii, 640.

micro-chemical reactions of arsenic applicable to medico-legal investigations, A., ii, 1070.

Dennis, Louis Monroe, and Ellen S. McCarthy, estimation of benzene in illuminating gas, A., ii, 435.

Dennstedt, Max [Eugen Hermann], soda-lime apparatus for organic analysis and carbon dioxide estimation, A., ii, 225.

new experiences in the simplified method of elementary analysis, A.,

ii, 321.

Dennstedt, ennstedt, Max, and F. Hassler, simultaneous estimation of carbon, hydrogen, and nitrogen, &c., in organic compounds by the method of simplified elementary analysis, A., ii, 984.

Derby, Ira Harris, catalysis. Catalysis of imino-esters, 419.

Derby, John H., jun. Baldwin Johnson.

Derby, Orville Adelbert, manganese ore deposits of the Queluz District, Brazil, A., ii, 506.

Déré, C., preparation and some properties of the oxyhæmocyanin crystallised from the snail, A., i, 375.

Desamari, Kurt. See Richard Meyer. Henry. See Edward Desch, Cecil Charles Cyril Baly and Alfred Kirby Huntington.

Determeyer, and Wagner, uric acid of the urine, A., ii, 122.

Deuss, J. J. B., the action of aluminium chloride on phenyl mercaptan, A., i,

constitution of thianthren [diphenylene disulphide], A., i, 635.

Deussen, Ernst, and Arnold Lewinsohn, sesquiterpenes. II., A., i, 353.

Deutsche Gold- & Silber-Scheide-Anstalt, preparation of glycollic acid by the electrolytic reduction of oxalic acid, A., i, 600.

preparation of sodium perborate, A., ii, 689.

Devalment. Sec Albert Gascard.

Deventer, CharlesMarius amalgamated zinc, A., ii, 591.

Deventer, Charles Marius van, and H. van Lummel, aluminium in the potential series, A., ii, 12, 558. galvanic self-induction of metals,

A., ii, 558. Deventer, Charles Marius van. See also P. Anema.

Dewar, (Sir) James, rate of production

of helium from radium, A., ii, 921.

Dewar, (Sir) James, and Humphrey

Owen Jones, application of low temperatures to some chemical problems: (1) Use of charcoal in vapour density determinations; (2) Rotatory power of organic substances, A., ii, 258.

Dhuique-Mayer, F. See A. Caffin.

Diamare, Vincenzo, pancreatic diabetes in selachian fishes, A., ii, 519.

Díaz de Rada, Faustino, radioactivity of water from Martos and Onteniente, A., ii, 550.

radioactivity of waters of Agaete (Canary Islands), A., ii, 750.

radioactivity of mud from the baths of Fitero Viejo, A., ii, 750.

Díaz de Rada, Faustino. See also José Muñoz del Castillo.

Dick, Hermann. See Walter Herz.

Dickenson-Gair. See Gair.

Dickson, W. S. See Charles Holmes Herty and Alvin Sawyer Wheeler.

Dieckmann, Walter, and Arthur Kron, condensations with ethyl acetoacetate and their reversion, A., i, 388.

Walter, and WilhelmDieckmann, Meiser, homophthalic esters, oxymethylenehomophthalic esters, and their isocoumarin, and isocarbostyril derivatives, A., i, 894.

Dieffenbach, Otto, electrolytic production of nitrosobenzene, A., i, 409.

preparation of azoxy-derivatives, Λ ., i, 841.

preparation of manganese compounds, A., ii, 697.

Diels, Otto, cholesterol. VII., A., i, 728.

Diels, Otto, and Paul Blumberg, constitution of carbon suboxide, A., i, 392; ii, 103.

Diels, Otto, and Ernst Jacoby, carbeth-

oxycarbimide. II., A., i, 613.

Diels, Otto, and Leonid Lalin, carbon suboxide. IV., A., i, 939.

Diels, Otto, and Karl Linn, cholesterol.

V. and VI., A., i, 164, 263.

Diels, Otto, and Felix Ochs, bromination of urethane, A., i, 10.

Diels, Otto, and Albert **Pillow**, bisbenzoyl cyanide, A., i, 535.

Diesbach, Heinrich von. See Alfred Einhorn.

B., and Fritz Foerster, Diethelm, electrolytic reduction of solutions of titanic sulphate, A., ii, 350.

Ditmar, Rudolf, absorption of gases by rubber tubing, A., ii, 159.

Dittler, *Emil*, ethylencdiguanide, A., i, 924.

Dittrich, [George Paul] Max, and S. Freund, new method for separating titanium and zirconium, A., ii, 134. separation of titanium and thorium by means of ammonium salicylate, A., ii, 134.

simultaneous precipitation of titanium and zirconium in the presence of iron, A., ii, 134.

Dittrich, [George Paul] Max, and S. Freund, separation of thorium, titanium, and zirconium from iron, A., ii,

Ditz, Hugo, action of ammonium persulphate solution on cellulose. II. The relation of the cellulose peroxide formed to the other products of the reaction and the mechanism of the process of oxidation; reaction of oxycellulose with Nessler's reagent, A., i, 954.

decomposition of iron sulphides by aluminium, and the probable existence of a double sulphide of iron and aluminium, A., ii, 111.

Divers, Edward, decomposition of hyponitrous acid, P., 16.

the action between potassium sulphite and potassium pentathionate, P., 122.

Dixon, Augustus Edward, and John Taylor, acylogens and thiocarbamides, T., 18.

the constitution of "thiocyanates" containing an electronegative group, T., 684; P., 73.

study of the constitution and properties of the rhodanides of inorganic radicles, T., 2148; P., 238.

Dixon, Walter Ernest, and Walter Mal-

den, physiological effects of colchicine, A., ii, 520.

A., ii, 520. Dluska, (MW_c) J. See Ludwik Bruner. Dobbelstein, W. See Paul Goerens. Dobrowolskaja, N. A., chemistry of animals. XXII. The digestion in animals. XXII. The importance of the blood in gastric digestion, A., ii, 870.

Doelter [y Cisterich], Cornelio [August], dissociation of fused silicates, A., ii, 178, 839.

Döring, Theodor. See Richard Beck. Dörsing, Karl, measurement of velocity of sound in liquids and of the ratio of the two specific heats of ether with the help of Kundt's dust figures, A., ii, 153.

Doescher, Hans. See Josef Houben. Doesschate, A. ten, lactic eclampsia, A., ii, 122.

Doht, Richard. See F. Epstein.

Dojarenko, M. See Nicolaus J. Demjanoff.

Domarus, A. von, blood-formation in spleen and liver in experimental anæmia, A., ii, 509.

Dombrowski, Alfred. See Karl Auwers. **Dombrowski**, St., excretion of urochrome in man, A., ii, 212.

Dominicis, Angelo de, sensitive reaction for carboxyhæmoglobin, A., ii, 643.

Donath, Eduard, replacement of hydrogen sulphide in chemical analysis, Ā., ii, 730.

apparatus for evaporating in a dish under reduced pressure, A., ii, 1027.

Donath, Julius, lactic acid in eclampsia, A., ii, 213.

Donato, L. di. See A. Mannino.

Donau, Julius, detection of gold, silver, and the platinum metals by means of the metaphosphate bead, A., ii,

polarimetric measurements with small quantities of liquid, A., ii, 647.

Donk, A. D., thioantimonates of alkali metals. I. and II., A., ii, 763, 859. the series sodium thioantimonate, sodium thiosulphate and water, A., ii, 953.

Dons, R. K., estimation of the caprylic (octoic) acid value of butter-fat, A., ii, 238.

Doński, L., alloys of calcium with zinc, cadmium, aluminium, thallium, lead, tin, bismuth, antimony, and copper, A., ii, 278.

Dony-Hénault, Alice. See Octave Dony-Hénault.

Dony-Hénault, Octave, systematic investigation of oxydases, A., i, 588.

Dony-Hénault, Octave, and Alice Dony-Hénault, photographic capacity and supposed radioactivity of hydrogen peroxide, A., ii, 647.

Dorée, Charles, cholesterol in Colenterata, A., ii, 769.

Dorée, Charles, and John Addyman Gardner, cholestenone, T., 1328; P., 173.

coprosterol. Part I., T., 1625; P., 196. origin and density of cholesterol in animals. I. Hippocoprosterol. II. Excretion of cholesterol by the dog, A., ii, 514.

Dorlencourt, H., the supposed antidotes to alkaloids and artificial antitoxins, A., ii, 721.

Doroschewsky, Antony G., and S. V.Dvorschantschik, index of refraction of mixtures of alcohol and water, A., ii, 241, 785.

Doroschewsky, Antony G., and Adam W. Rakowsky, specific heat of alcohol and of its mixtures with water, A., ii, 807.

Doroschewsky, Antony G., Adam W. Rakowsky, and A. A. Bardt, action of nitric acid on starch. II., A., i, 767.

Doroschewsky, Antony G., and M. S. Roschdestvensky, electrical conductivity of mixtures of alcohol and water, A., ii, 800.

Dott, David Brown, chloroform and acetone, A., i, 306.

tin, A., ii, 989.

reduction of stannic oxide, A., ii, 1075.

Doumer, Emmanuel, electrolysis of solutions of pure hydrogen chloride, A.,

determination of ionisation factor of water in hydrochloric acid solutions, A., ii, 349.

velocity of transport of the ions H, Cl, OH in the electrolysis of solutions of hydrogen chloride, A., ii, 458.

Dreser, Heinrich, estimation of the respiratory capacity of small quantities of blood, A., ii, 1048.

Dreyer, C., and Victor Goldschmidt,

albite from Greenland, A., ii, 116.

Dreyfus, Camille, preparation of aromatic hydroxyaldehydes and partially alkylated polyhydroxyaldehydes by fission of the corresponding alkyl derivatives, A., i, 654.

Drucker, Karl, and B. Kršnjavi, trans-

port number for dilute hydrochloric

acid, A., ii, 559.

Drushel, W. A., volumetric estimation of potassium as the cobaltinitrite, A., ii, 66.

application of the cobaltinitrite method to the estimation of potassium in soils, A., ii, 735.

Duane, William, the range of the α-rays,

A., ii, 553.

secondary rays from the a-rays, A., ii.

emission of electricity from the induced activity of radium, A., ii, 748.

Duboin, André [Grégoire], application to thoria of a general method of synthesis of fluorides and silicates, A., ii, 297.

sulphur compounds of thorium, A., ii,

mercuri-iodides of thorium and aluminium, A., ii, 598.

Du Bois, Henri E. J. G., and G. J. Elias, influence of temperature and magnetisation on selective absorption spectra, A., ii, 337, 547.

Dubois, Wilbur L., flask for fat estimation, A., ii, 641.

Dubois, Wilbur L. See also William McPherson.

Duboux, Marcel, and Paul Dutoit, estimation of alcohol in wine, A., ii, 136.

Duboux, Marcel. See also Paul Dutoit. **Dubovitz**, Hugo, acidification and distillation of fatty acids; distilled oleic acid, A., ii, 991.

Dúbrav, Leo Kusy von. See Rudolf Wegscheider.

Dubreuil, Louis, method of calculating atomic weights, A., ii, 936.

the true atomic weight of silver according to Stas's experiments, Λ ., ii, 1035.

Dubroca, M., reciprocal solubility of oil of turpentine and methyl sulphate, A., ii, 22.

Ducelliez, F., alloys of lead and cobalt, A., ii, 594.

action of arsenic chloride and arsenic on cobalt, A., ii, 853.

Duclaux, Jacques, diastatic function of colloids, A., ii, 25.

calorimetric method applied to the study of slow reactions, A., ii, 154. osmotic pressure and Brownian motion, A., ii, 760.

coagulation of [colloidal] arsenious sulphide by barium chloride, A., ii, 942.

Dudgeon, Leonard Stanley. See Samuel G. Shattock.

Dufau, Émile, hæmaphæic reaction of urines, A., ii, 410.

Dufour, A., anomalous modifications of the band spectra of different compounds in the magnetic field, A., ii,

magnetic changes in the spectrum of silicon fluoride observed parallel to the field, A., ii, 446.

Dugast, J., a modification of the properties of gluten produced by sulphurous acid, A., i, 709.

Duke, W. W. See William Henry Howell.

See August Michaelis. Dulk, Erich. Dunant, Georges. See Max Bodenstein

and Herman Decker. Dungern, Emil (Freiherr) von, and Coca,

hæmolysis by snake poison, A., ii, 866. Dunham, Edward Kellogg, isolation of carnaubic acid from ox-kidney, A., ii, 407.

Dunin-Borkowski, J., Gurber's phenomenon, A., ii, 708. hæmolytic action of mercury salts, A.,

ii, 1049. Dunlap, Eugene E., comparison of two tests of red lead, A., ii, 537.

Dunstan, Albert Ernest, and James Arthur Stubbs, the relation between viscosity and chemical constitution. Part III. The enol-ketonic tautomerism, T., 1919; P., 224.

Dunstan, Albert Ernest, and Ferdinand Bernard Thole, the viscosity of aqueous pyridine solutions, T., 561; P., 59; discussion, P., 59.

Dunstan, Albert Ernest, and Ferdinand Bernard Thole, the relation between viscosity and chemical constitution. Part II. The existence of racemic compounds in the liquid state, T., 1815; P., 213.

instan, Albert Ernest, and Robert William Wilson, the viscosity of fuming sulphuric acid, T., 2179; P., Dunstan, 270; discussion, P., 270.

Dunstan, Albert Ernest. George Young. See also

Dunstan, Wyndham Rowland, mercuric zinc cyanide; a correction, P., 135.

Duparc, Louis, and Alf. Monnier, identification of thujone in liqueurs, A., ii, 995.

Dupont, E., the natural citric acid of wine, A., ii, 904.

Dupré, August, obituary notice of, T.,

Dupuis, P. See Victor Auger. Durand, E. See E. Briner.

Dutoit, Paul, and Marcel Duboux. physico-chemical analysis of wines, A., ii, 781, 892.

Dutoit, Paul, and H. Rappeport, limiting conductivity of some electrolytes in ethyl alcohol, A., ii, 924.

Dutoit, Paul. See also Marcel Duboux. Duval, Henri, reciprocal displacement of hydrocarbon groups in Friedel and Crafts' reaction, A., i, 277.

constitution of some derivatives of diphenylmethane and preparation of some o-diamino-compounds of the same series, A., i, 657.

bisazo-compounds, A., i, 706.

Duyk, Maurice, detection and estimation of small quantities of manganese, A., ii, 70.

Dvorschantschik, S. V. See Antony G. Doroschewsky.

Dziurzyński, *Miecislas*, transformation s-phenyldiphenylhydrazine hydrogen chloride in benzene solution, A., i, 696.

E.

Eastman, G. W. See Arthur Amos Noyes.

Eaton, F. Malcolm. See Miles S. Sherrill.

Ebbecke, Ulrich, the elimination of nondialysable substances by the urine under normal and pathological conditions, A., ii, 874.

Eberhard, G., the wide distribution of seandium in the earth, A., ii, 862.

Ebert, A. See Hans Rupe.

Ebler, Erich, separation of the metals of the ammonium sulphide group, A., ii, 987.

Ebler, Erich, and E. Schott, hydroxylamine. I., A., ii, 1029.

Ebrill, George. See Hugh Ryan.

Echeandia, Eusebio. See Alfred Stock. Eckardt, Alfred. See Hans Reckleben. See Karl Auwers. Eckardt, Moritz.

Eddy, Ernest A. See Frank Austin Gooch and Isaac King Phelps.

Edgar, E. C., atomic weight of chlorine, A., ii, 577.

Edgar, Graham, estimation of vanadic and molybdic acids in the presence of one another, A., ii, 540.

estimation of iron and vanadium in the presence of each other, A., ii, 736.

iodometric estimation of chromic and vanadic acids in the presence of each other, A., ii, 989.

Edgar, Graham. See also Frank Austin Gooch.

Edinger, Albert [Paul], Bz-quinoline mercaptans, A., i, 363.

Edmund, Charles Wallis, and George B. Roth, action of curare and physostigmine [eserine] on nerve-endings; action of barium chloride on bird's muscle, A., ii, 966.

Eeckhout, A. van der, hypnotic action of the valeric acid group, A., ii, 55. Effront, Jean, action of beer yeast on

acid amides, A., i, 491.

Eggink, B. G., melting-point curves for the systems bismuth + chlorine and bismuth + bromine, A., ii, 1043.

Egorow, M., effect of carbon disulphide on soils and plants, A., ii, 421.

Ehrenberg, Paul, movement of ammoniacal nitrogen in nature, A., ii, 60.

ammonia question, A., ii, 1068. Ehrenfeld, Richard, molybdenum compounds of lecithin, A., i, 598.

volumetric estimation of bismuth, A.,

oxidation by means of cuprous oxide in strongly alkaline solution, A., ii, 848. Ehrenfeld, Richard. See also Josef

Habermann. Ehrenreich, M. See Leonor Michaelis.

Ehrenstein, Richard. See Paul Rabe. Ehrlich, Felix, synthesis of isoleucine, A., i, 396.

the production of succinic acid during

alcoholic fermentation, A., ii, 416. Ehrlich, Felix, [and Adolf Wendel], resolution of racemic amino-acids by yeast. II., A., i, 268.

leucine fraction from protein hydrolysis, A., i, 302.

XCIV. ii.

Ehrlich, Paul, [and, in part, with E. Franke], chemo-therapeutic trypanosome studies, A., ii, 411.

Ehrmann, L., an electrically heated oven, with a liquid regulator, A., ii, 1015.

Eichler, Theodor. See Hartwig Franzen. Einhorn, Alfred, preparation of 5:5-dialkylbarbituric acids, A., i, 464. preparation of dialkylaminoalkyl diaminobenzoates, A., i, 639.

Einhorn, Alfred, and Heinrich von Diesbach, reduction of diethylthiobarbituric acid, A., i, 110.

Einhorn, Alfred, [and, in part, Heinrich von Diesbach, Richard Feibelmann, and Carl Ladisch], new drugs. [Derivatives of malonic acid], A., i, 312.

Einhorn, Alfred, [and, in part, Richard Feibelmann, Max Göttler, Alexander Hamburger, and Eduard Spröngerts], N-methylol compounds of acid amides. II., A., i, 608.

Einhorn, Alfred, and Alexander Hamburger, dimethylol compounds of carbamide, A., i, 141.

Eisenlohr, Fritz. See Karl Auwers.

Eisner, Fritz. See Otto Ruff.

Ekecrantz, Thor, and Alfr. Ahlqvist, reaction between potassium cyanide and o-nitrobenzaldehyde, A, i., 347. study of the benzoin condensation, A., i, 991.

Ekenstein. See Alberda van Ekenstein. Elborne, W., and C. M. Warren, estimation of lead in alloys, A., ii, 734.

Eldredge, C. G. See Edith Stockton. **Elias**, G. J., anomalous magnetic rotation (of the plane) of polarisation of the rare earths, A., ii, 549.

Elias, G. J. See also Henri E. J. G. Du Bois.

Ellinger, Alexander, pharmacodynamic characters of coumarin, A., ii, 1060.

Ellinger, A lexander,and Flamand, synthetic tryptophan and some of its derivatives, A., i, 378.

Elliott, P. H., and Douglas McIntosh, heats of vaporisation of the liquid halogen hydrides and of hydrogen sulphide, A., ii, 354.

Ellis, Henry Russel. See Frank Edwin

Elster, [Johann Philipp Ludwig] Julius, and Hans Geitel, occurrence of radium D, E, F, in ordinary lead, A., ii, 449.

Embden, Gustav, the behaviour of isomeric leucines in the liver, A., ii, 515.

Embden, Gustav, and Hans Engel, formation of acetoacetic acid in the liver, A., ii, 515.

Embden, Gustav, and Leone Lattes, formation of acetoacetic acid in the liver of diabetic dogs, A., ii, 515.

Embden, Gustav, and Alfred Marx, acetone formation in the liver. III., A., ii, 515.

glycine of normal urine, A., ii, 518.

Embden, Gustav, and Louis Michaud, the degradation of acetoacetic acid in the animal body. I. and II., A., ii, 515, 967.

Embleton, Alice L. See C. E. Walker. Emde, Hermann, which substances contain a readily resolvable single carbon-nitrogen linking? A., i, 83.

ephedrine and ψ -ephedrine, a case of asymmetry due to dissimilar halves,

A., i, 203.

Emerson, William H., solubility of stearic acid in ethyl alcohol at 0°, A., ii, 236.

Emmerich, F. See Hans Rupe. Emmerling, Oskar, euphorbone, A., i.

438. fermentation of calcium tartrate, A.,

ii, 772. Emmett, A. D., and Harry Sands Grindley, creatine and creatinine in

meat and meat extracts, A., ii, 53. Engel, action of acids and rennet on

human milk, A., ii, 873. Engel, A., Congo-copal and (white) Benguela-copal, A., i, 559.

Engel, Hans. See Gustav Embden.

Engeland, R., distillation of creatinine, A., i, 958.

detection of organic bases in urine, A., ii, 1056.

Engelhardt, F. See August Michaelis. Engelhardt, K. von. See Heinrich Ley. Engels, Paul, William Henry Perkin, jun., and Robert Robinson, brazilin, hæmatoxylin, and their derivatives. Part IX. On brazilein, hæmatein and their derivatives, T., 1115; P., 148. Engelsohn, J. W. See Stanislaus von

Kostanecki.

Engler, Wilhelm, influence of temperature on radioactive changes, A., ii, 650.

Enklaar, C. J., reduction of aliphatic terpene compounds, A., i, 664.

hydrogenation of linalool by means of nickel and hydrogen; synthesis of (βζ-dimethyltetrahydro-linalool octan-ζ-ol), A., i, 934.

Ephraim, Fritz, existence of compounds of sulphur and iodine, A., ii, 581. new reaction of thallous salts, A., ii,

591.

double chlorides and bromides of zinc and the alkalis, A., ii, 693.

Epiphanoff, Ph., hydroxybehenic acid, A., i, 244.

Epstein, F., and Richard Doht, the use of silver in the combustion of nitrogenous substances, A., ii, 132.

Epstein, S. See Josef Herzig.

Ercolini, Guido. See Mario Giacomo Levi.

Erdmann, Hugo, yellow arsenic, A., ii,

thiozonides; sulphur and its cyclic compounds, A., ii, 830.

Erdmann, Hugo, and Theodor Nieszytka, naphthalenesulphonates of cerium, A., i, 621.

Erdmann, Hugo, and Rudolf Reppert. polymeric forms of metallic arsenic, A., ii, 584.

Erdmann, Hugo, and Heinrich van der Smissen, chemical properties of calcium, A., ii, 587.

Erdmann, Hugo, and Fritz Wirth, rare earths, A., ii, 694.

Erfle, H., optical properties and electron theory, A., ii, 77.

number of quasi-elastic bound electrons in the helium atom, A., ii, 557.

Erhardt, E. See Hermann von Tappeiner.

Erler, O. See Heinrich Ley.

Ernest, Adolf, and Heinrich Berger, peroxydases from beetroot, A., i,

Ernest Adolf. See also Julius Stoklasa. Ernyei, Edmund, estimation of manganese in potable water, A., ii, 133.

Errera, Giorgio, structure of phthal-acene, A., i, 183. structure of phenenyltribenzoic [1:3:5-

triphenylbenzene-2':2":2":-tricarboxylic] acid, A., i, 185.

Escher, Robert von. See Julius Schmidlin.

Étard, Alexandre [Léon], and Antony Vila, conditions of hydrolysis of protoplasmides, A., i, 68, 584.

Eucken, Arnold, influence of the velocity of ionic reactions on the current potential curve, A., ii, 1008.

Euler, (Madame) Astrid. See Hans von Euler.

Euler, Hans von, and Ivan Bolin, oxidations of biological importance. I., A., ii, 1021.

Euler, Hans von, and (Madame) Astrid Euler, alcohols and resinous acids in the varnish from the leaves of Alnus glutinosa, A., i, 39.

Euler, Hans von, and Ebba Nordenson, carrotene from carrots and the substances which accompany it, A., ii, 724.

Eumorfopoulos, Nicholas, the boiling point of sulphur on the constant pressure air thermometer, A., ii, 1029.

Euwes, P. C. J. See Arnold Frederik Holleman.

Evans, (Miss) Clare de Brereton, traces of a new tin-group element in thorianite, T., 666; P., 60.

Evans, (Miss) Clare de Brereton. also Otto Brill.

Evans, Edgar. See Otto Wallach. Evans, Nevil Norton, and J. Austen Bancroft, gedrite from Canada, A., ii, 604.

Evans, William Lloyd, and Benjamin T. Brooks, oxidation of m-nitrobenzoylearbinol, A., i, 338.

Eve, A. S., amount of radium emanation in the atmosphere near the earth's

surface, A., ii, 7, 919.

changes in velocity in an electric field of the a, B, and secondary rays from radioactive substances, A., ii, 555.

secondary γ-rays due to γ-rays of radium C, A., ii, 795.

Everatt, Reginald William, the effect

of constitution on the optical activity of nitrogen compounds, T., 1225; P.,

Everatt, Reginald William, and Humphrey Owen Jones, the effect of constitution on the rotatory power of optically active nitrogen compounds. Part III., T., 1789; P., 212.

Everatt, Reginald William. See also Kennedy Joseph Previté Orton.

Evieux. See Léo Vignon.

Ewart, Alfred James, supposed extracellular photosynthesis of carbon dioxide by chlorophyll, A., ii, 217.

Ewers, Erich, polarimetric estimation of starch in cereals, &c., A., ii, 543. wing, T. See S. G. Lusby.

Ewing, T.

Arthur James. See George Ewins, Barger.

Eyk, J. van, presence of nitrite and ammonia in well-water and its signification, A., ii, 983.

Eykman, Johan Frederik, synthesis of some aromatic acids, A., i, 22,

refractometric researches, A., ii, 1.

F.

Fabris, Ugo. See Maurice Padoa. Fabry, Charles, and Henri Buisson, presence of spark lines in arc spectra, A., ii, 334.

Fagerlind, Oscar. See Peter Klason. Fajans, K. See Georg Bredig.

Falciola, Pietro, cryoscopic investigations on solutions of gases in liquids, A., ii, 1015.

Falck, E., theoretical determination of the vapour pressure of solid and liquid carbon dioxide, A., ii, 662.

Falcke, V. See Rudolf Schenck.

Falk, Fritz, the chemical composition of peripheral nerves, A., ii, 965.

Falk, Kaufman George, and John Maurice Nelson, stereochemistry of indigotin, A., i, 107.

Fallada, Ottokar, estimation of phosphoric acid by Lorenz's method, A., ii. 983.

Falta, Wilhelm, and Alfred Gigon, the influence of nitrogen-free sources of energy on the rate of protein decomposition by the organism, A., ii, 961.

Falta, Wilhelm, and James Lyman Whitney, metabolism, nitrogenous and inorganic, in pancreatic diabetes in dogs, A., ii, 213.

Fanto, Richard, and Milan Josef Stritar, theory of saponification. IV., A., i, 499.

Fanto, Richard. See also Milan Josef Stritar.

Faraday, Michael, presentation of bust of, by Professor Emerson Reynolds, P.,

Farbenfabriken vorm. Friedr. Bayer & Co., magnesium, calcium, and strontium salts of the higher brominated fatty acids, A., i, 122.

the addition of hydrogen iodide to the unsaturated fatty acids, A., i, 123.

[4-chloro-5-nitro-2-aminophenol its diazo-oxide], A., i, 230.

preparation of 3-aminoacetylcatechol, Ā., i, 262.

preparation of mixed alkyl aromatic

ethers, A., i, 263.
preparation of 5:5-dialkylbarbituric acids, A., i, 292.

preparation of the alkyl esters of the higher iodated fatty acids, A., i, 310.

soluble silver compounds of nucleic acids and their derivatives, A., i,

preparation of methylenecitryloxytolnic acids, A., i, 421.

preparation of alkyloxyacetyl derivatives of the hydroaromatic alcohols, A., i, 429.

preparation of anthraquinone derivatives containing nitrogen, A., i,

preparation of hydroxy-alkyl derivatives of xanthine bases, A., i, 475, 703.

Farbenfabriken vorm. Friedr. Bayer & Co., preparation of methylenecitric acid, A., i, 604.

preparation of soluble and stable additive compounds of thiocarbamide and silver salts, A., i, 613.

preparation of 4-chloro-2-aminophenol-5-sulphonic acid, A., i, 629.

preparation of anthracene derivatives containing nitrogen, A., i, 699, 1010.

[preparation of 3-chloro-4-aminodimethylaniline], A., i, 779.

preparation of succinylsalicylic acid and its methyl homologues, A., i, 798.

the replacement of a sulphonic group by hydroxyl in anthraquinone-asulphonic acid and its derivatives, A., i, 807.

preparation of 1:5- and 1:8-hydroxyanthraquinonesulphonic acids, A.,

preparation of p-dibromoanthrarufinand dibromochrysazin-disulphonic acids, A., i, 808.

preparation of diaminoanthrarufindisulphonic acid, A., i, 808.

preparation of the anhydrides of acylsalicylic acids, A., i, 984.

preparation of a derivative of gallocyanin, A., i, 1001.

Farbwerke vorm. Meister, Lucius, & Bruning, production of a sparingly soluble [basic] zinc formaldehydesulphoxylate, A., i, 133.

preparation of 5-nitro-2-aminophenol-4-sulphonic acid, A., i, 157. eparation of benzoylalkylamino-

preparation alcohols, A., i, 167.

preparation of alkylaminoalkyl aminocinnamates, A., i, 169. preparation of alkylaminoalkyl esters

of salicylic acid, A., i, 176. [preparation of amino-derivatives of

anthrachrysone], A., i, 192. [thio-derivatives of anthraquinone], A., i, 192.

interaction of sodium sulphide and the hydroxyphenazines, A., i, 219. [preparation of safraninones containing

aliphatic groups], A., i, 225. preparation of alkylaminoalkyl benzo-

ates, A., i, 266.

preparation of quinoline derivatives of the anthraquinone series, A., i, 365. preparation of aromatic ethanolamines,

A., i, 418. preparation of dimethyl ether of p-

nitrochrysazin, A., i, 428. preparation of 4-dimethylamino-1phenyl-2:3-dimethyl-5-pyrazolone, A., i, 471.

Farbwerke vorm. Meister, Lucius, & Brüning, preparation of alkylaminoalkyl p-aminobenzoates, A., i, 638.

preparation of methylthiosalicylic [omethylthiolbenzoic] acid,

preparation of ω -nitroacetocatechol, A., i, 655.

preparation of 3-nitro-6-aminophenol-4-sulphonic acids, A., i, 785.

preparation of alkylthiosalicylic [2alkylthiolbenzoic] acids, A., i, 797. [preparation of 8-carboxymethylthiol-

naphthoic acid], A., i, 797.

preparation of hydroxyanthrarufin and hydroxychrysazin. I. and II., A., i, 807.

preparation of phenanthroanthraquinone, A., i, 808.

preparation of red colouring matters of the thioindigo-red series, A., i,

preparation of 3-oxythionaphthen, A., i, 1003.

preparation of a dihydroxythionaphthencarboxylic acid, A., i, 1004.

Fardon, Harold Joseph, action of drugs on the mammalian uterus, A., ii, 1055.

Farnsteiner, K., formation of aldehydes or ketones during acetic fermentation, A., i, 318.

the quantity of formic acid in honey, A., ii, 639.

Fassbender, Heinrich, influence of the silent discharge on explosive gaseous mixtures, A., ii, 561.

Faucon, A., vapour density of propionic acid, A., i, 310.

heat of vaporisation of propionic acid, A., ii, 257.

Faust, Edwin Stanton, chronic oleic acid poisoning, A., ii, 1062.

Faust, R., what is radium? The composition of metals calculated and established, A., ii, 245.

Favrel, G., action of diazo-chlorides on a- and γ-bromoacetoacetic esters, A., i, 209.

detection of citric acid in wine, &c., A., ii, 640.

estimation of the acidity of wines, A., ii, 903.

indirect estimation of the acidity of

wines, A., ii, 903. Faworsky, Alexei E., and I. Borgmann, isomeric rearrangement; methylene-cyclohexane, A., i, 15.

Fawsitt, Charles Edward, the viscosity of solutions, T., 1004; P., 121.

viscosity determinations at high temperatures, T., 1299 ; P., 146 ; A., ii, 358.

Fecht, Hermann, theory of coloured salts, A., ii, 916.

Feder, E., detection of hydrogen peroxide in milk, A., ii, 318.

Feibelmann, Richard. See AlfredEinhorn,

Feigl, Johann, action of therapeutic agents on the gastric secretion. Action of iodine in the promotion of secretory activity, A., ii, 311.

Feigl, Johann, and Adolf Rollet, biochemistry of colloids, A., ii, 312.

Feigl, Johann. See also Peter Bergell. Feilitzen, Hjalmar von, is a favourable stimulating effect on the development of crops by small amounts of manganese salts observable in the field ? A., ii, 61.

manurial trials with calcium cyanamide and (Swedish) calcium nitrate,

A., ii, 890.

plot experiments on the new nitrogenous manures, A., ii, 981.

Feist, Karl, alkaloids and bitter principles of calumba root. VIII., A., i, 100.

decomposition of amygdalin by emul-

sin, A., i, 437, 903. Feist, Karl. See also O. Bobertag. Feldhofen, A. See Adalbert Kolb. Feldscharek, H. See Jacques Pollak. Fels, Albert. See Walther Borsche. Felser, Heinrich. See Herman Decker and Hermann Leuchs.

Fenaroli, P. See Ettore Molinari. Fenton, Henry John Horstman, titanidihydroxymaleic acid, and the detection of titanium, T., 1064; P.,

Fenton, Henry John Horstman, and Guy Barr, some colour reactions of organic acids with phenols, A., ii, 438.

Fenton, Henry John Horstman, and H. A. Sisson, action of metallic magnesium on certain aliphatic acids and the detection of formic acid, A., i, 243.

Ferentzy, Josef von, changes in the properties of chlorine, A., ii, 371.

Fermi, Claudio, \mathbf{action} of various chemical reagents on the virus of rabies, A., ii, 412.
Ferraboschi, F., double sulphate of

guanidine and 720. aluminium, A., i,

Ferrario, Enos, new synthesis of citric acid, A., i, 758.

Ferraro, Annibale, estimation of phosphates in urine, A., ii, 733.

Fersmann, A., paligorskite group, A., ii,

Fichtenholz, (Mlle.) A., detection of arbutin in plants, A., ii, 995.

Fichter, [Carl], Fritz [Rudolf], with [Heinrich Glaser, Max Jetzer, Hans Kappeler, and Eugen Weiss], synp-dialkylated dihydroxythetical quinones, A., i, 658.

Fichter, Fritz, and Markus Guggenheim, [and, in part, Ludwig Brasch], action of phenylhydrazine on dibromopyrotartarie acid, A., i, 105.

Fickewirth, Georg. See Karl Fries.

Fidlar, E. See G. G. Nasmith.

Field, Cyrus W., and Oscar Teague, clectrical charge of native proteins and agglutinins, A., ii, 118. Fierz, Hans Eduard.

See Martin Onslow Forster.

Filchner, Hans. See Carl Bülow.

Filippi. Eduardo, decomposition hydrogen peroxide in the presence of various substances, A., ii, 271.

Fillinger, Franz von, detection of formaldehyde, A., ii, 902.

Findlay, Alexander, [with W. H. Harby], influence of colloids on the absorption of gases, especially of carbon dioxide in water, A., ii, 1024. Finger, C. P. See C. L. A. Schmidt.

Fingerling, Gustav, and Adolf Grombach, a new modification of Petermann's method for estimating citratesoluble phosphoric acid in precipitated calcium phosphate (Futterkalk), A., ii, 131.

Finnemore, Horace, the constituents of Canadian hemp. Part I. Apocynin, T., 1513; P., 171.

a new synthesis of apocynin, T., 1520; P., 171.

Fiora, Paola, rapid valuation of pastilles of mercuric chloride and cubes of sodium and potassium iodides, A., ii,

Fischer, Arthur, electrolytic analysis, A., ii, 226.

rapid electrolytic separation of nickel from zinc, A., ii, 324.

Fischer, *Emil*, optically active trimethyla-propiobetaine (a-homobetaine), A., i, 80.

the melting point of phenylhydrazine and of certain osazones, A., i, 105.

reduction of glycine ethyl ester, A., i,

synthesis of polypeptides. XXIII. and XXIV., A., i, 324, 544.

the synthesis of polypeptides. XXV. Derivatives of tyrosine and of aminoacetal, A., i, 887.

methyl-carbonato-derivatives of phenolcarboxylic acids and their use for synthetical operations, A., i, 892.

Fischer, Emil, and Lee Holt Cone, synthesis of polypeptides. XXVII. 1. Derivatives of histidine, A., i, 1004.

Fischer, Emil, and Adolf Krämer, pre-paration of α-amino-γδ-dihydroxy-nvaleric acid, A., i, 858.

Fischer, Emil, and Walter Kropp, synthesis of polypeptides. XXVI. 1. Derivatives of a-aminostearic acid, A., i, 773.

Fischer, Emil, and Karl Raske, conversion of *l*-serine into the natural optically active cystine, A., i, 325.

Fischer, Emil, and Georg Reif, synthesis of polypeptides. XXVII. 2. Derivatives of proline [pyrrolidine-2-carboxylic acid], A., i, 1007.

Fischer, Emil, and Helmuth Scheibler, Walden's inversion. II. and III., A., i, 324, 857.

synthesis of polypeptides. XXVII. 3. Derivatives of active valine, A., i,

Fischer, Emil, and Oskar Weichhold, resolution of aminophenylacetic acid into optically active constituents, A., i, 419.

Fischer, Emil, and Franz Wrede, determination of the heat of combustion of organic compounds by use of the platinum resistance thermometer, A., ii, 155.

Fischer, Franz, and Otto Hähnel, volatilisation of cathodes in attenuated gases, A., ii, 653, 800.

chemical or physical theory of volatilisation (of eathodes), A., ii, 925.

Fischer, Franz, and George Iliovici, products of the are and spark electric discharge in liquid argon, A., ii, 1034.

Fischer, Franz, and Oskar Ringe, formation of hydrogen peroxide, A., ii,

preparation of argon from air by means of calcium carbide, A., ii, 688.

Fischer, *II.*, optical behaviour of trypto-

phan, A., i, 378. Fischer, H. See Wilhelm Manchot. Fischer, H. W., and O. Bobertag, glass thermostats for higher temperatures, A., ii, 757.

Fischer, H. W. See also O. Bobertag. Fischer, Hugo, theory of dyeing, A., ii,

Fischer, Martin H., the swelling of fibrin, A., i, 929.

Fischer, [Philipp] Otto, discontinuous cathode luminescence spectra of some aromatic compounds, A., ii, 909.

Fischer, Otto, and Georg Prause, resolution of the iminazole ring in the case of amarine and anisine, A., i, 219.

Fischer, Otto, and Fritz Römer, synthesis of phenylquinoxalines. A., i, 694.

Fischer, Otto, and Erich Schindler, oxidation of naphthazines by chromic acid. III. Relation of the azines to the quinoxalines, A., i, 221.

Fischer, Otto, and Heinrich Straus, αβ-

naphthazines, A., i, 222.

Fisher, Kenneth, and William Henry Perkin, jun., experiments on the synthesis of the terpenes. Part I. (continued). Resolution of dl-1methyl- Δ^1 -cyclohexene-4-carboxylic acid and synthesis of the optically active modifications of terpineol, T., 1871; P., 228.

experiments on the synthesis of the terpenes. Part XIII. Synthesis of isocarvestrene $(\Delta^{6:8(9)}-m$ -menthadiene) and its derivatives, T., 1876;

P., 228.

Fishman, Casriel. See Worth Hale.

Fitzgerald, Edward, and Arthur Lapworth, ester catalysis and a modification of the theory of acids, T., 2163; P., 274.

experiments on the formation and hydrolysis of esters, acetals, and allied compounds; preliminary note, P., 153.

Fitzgerald, Fred F., potassium ammoniostannate, A., ii, 114.

Flack, Martin. See Leonard Erskine Hill.

Claude. See AlexanderFlamand, Ellinger.

Flament. See Maurice Daufresne.

Flamini, Mario, action of phosphorus on the circulation of calcium in normal and rachitic children, A., ii, 406.

Flaschner, Otto, mutual solubility of piperidines and water, A., ii, 364.

Flaschner, Otto, and Basil MacEwen, the mutual solubility of 2-methylpiperidine and water, T., 1000; P., 119.

Flaschner, Otto. See also Victor Rothmund.

Flebbe, R. See Johannes Scheiber.

Fleig, C., purgative action of phenolphthalein and of its disodium derivative, A., ii, 313.

colour reactions of sesamé oil with (a) aromatic aldehydes and (b) various

sugars, A., ii, 994.

colour reactions of the carbohydrates based on the formation of furfuraldehyde from them; reactions with indole and carbazole, A., ii, 1077.

colour reactions of aromatic aldehydes with phenols and various cyclic, heterocyclic, and open-chain compounds, A., ii, 1078.

Fleig, C., colour reactions of proteins, A., ii, 1080.

Fleissner, Hans, compound gas-pipette, A., ii, 891.

Fleming, Robert. See Frank George Pope.

Fletcher, F., toxic substances excreted by the roots of plants, A., ii, 617.

Flint, H. A., and Charles Loring Jack-

Florence, Albert, blood and red pigmented_urines, A., ii, 442.

Florio, Fortunato, apparatus for the rapid distillation of mercury, A., ii, 829.

Flos, F. See Franz Kunckell.

Flürscheim, Bernhard, the chlorination of para-nitroaniline, T., 1772; P., 211.

[coloured and colourless triphenylmethyl], A., i, 871.

Flürscheim, Bernhard, and TheodorSimon, the reduction of aromatic nitro-compounds to azoxy-derivatives in acid solution, T., 1463. Flusin, G., rôle of imbibition in the

osmosis of liquids, A., ii, 359.

Foà, Carlo, a graphic method for registering certain fermentation processes, A., i, 746.

Focke, C., physiological assay of Digitalis leaves, A., ii, 332.

Foerster, Fritz, nickel oxide electrodes, A., ii, 146, 147.

electrolytic analysis, A., ii, 322, 529. reactions in the iron-nickel peroxide accumulator. II. Behaviour of the electrolyte, A., ii, 558.

Foerster, Fritz, and M. Koch, the interaction of nitrous gases and oxygen with water, A., ii, 941, 1031.

Foerster, Fritz, and W. Treadwell, jun., electrolytic separation of nickel and zinc, A., ii, 324.

Foerster, Fritz. See also B. Diethelm. Foerster, Otto, volumetric alkalimetric method for determining alkaline earths in manures and soils, A., ii, 1072.

Fokin, Sergius, catalytic reactions of oxidation and reduction of unsaturated organic compounds, A., i, 311.

the "hydrogen number" as a means for determining unsaturated organic compounds in a manner similar to the iodine numbers of Hübl and Wys, A., ii, 637.

See Paul Pellaccani.

Foote, Harry Ward, nature of precipitated colloids, A., ii, 821.

Foote, Harry Ward, and Walter C. Chalker, polyiodides of potassium, rubidium, and cæsium, A., ii, 586.

Foote, Harry Ward, and E. K. Smith, dissociation pressures of certain oxides of copper, cobalt, nickel, and antimony, A., ii, 847.

Forcrand, Robert [Hippolyte] de, heat of formation of anhydrous barium and strontium oxides, A., ii, 155.

the neutral alkali and alkaline-earth carbonates, A., ii, 256.

action of heat on the lithium hydroxides, A., ii, 493.

hydrates of baryta and strontia, A., ii,

Ford, John Simpson, and John Monteath Guthrie, biochemistry of barley. Amylase of resting barley, A., ii, 218.

William Ebenezer, stephanite crystals from Arizpe, Sonora, Mexico, A., ii, 505.

Ford, William W. See John Jacob Abel.

Forli, V., the action of strychnine on the nerve fibres of the vagus to the heart, A., ii, 721.

Formhals, R. See Adalbert Kolb.

Forssman, J., are the antigen and the amboceptor-fixing substance of the blood corpuscles identical? A., ii, 510.

Forster, Martin Onslow, and Hans Eduard Fierz, the triazo-group. Part I. Triazoacetic acid and triazoacetone (acetonylazoimide), T., 72.

the triazo-group. Part II. Azoimides of propionic ester and of methyl ethyl ketone, T., 669; P., 54.

the triazo-group. Part IV. Allylazoimide, T., 1174; P., 143.

the triazo-group. Part V. Resolution of α-triazopropionic acid, T., 1859; P., 226.

Part VI. Triazothe triazo-group. ethyl alcohol and triazoacetaldehyde, T., 1865; P., 227.

Forster, Martin Onslow, Hans Eduard Fierz, and Walter Philip Joshua, the triazo-group. Part III. Bistriazoderivatives of ethane and of acetic ester, T., 1070; P., 102.

Forster, Martin Onslow, and Henry Holmes, studies in the camphane series. Part XXV. Action of diazomethane on the two modifications of isonitrosocamphor, T., 242; P., 8; discussion, P., 9.

Robert, action of carbamide, Fosse, thiocarbamide, urethane, and some amides on xanthhydrol, A., i, 41.

aromatic alcohols; new reactions, A., i. 85.

constitution of the compounds of tetramethyldiaminobenzhydrol with some methylenic derivatives, A., i, 567.

Fosse, Robert, constitution of the methylene derivatives of tetramethyldiaminodiphenylmethane; replacement of hydroxyl in Michler's carbinol by the alkylmethylene radicle, A., i, 568.

Foster, W. H. See John Edward Purvis.

Found, Eugène, colloidal properties of starch and the existence of a perfect solution of this substance, A., i, 138, 953.

the properties of starch in relation to its colloidal condition, A., i, 503.

Fouguet, G., density of sucrose, A., i, 855.

aqueous solutions and their densities; sucrose solutions, A., i, 855.

Fourneau, Ernest, and Marc Tiffeneau, action of organo-magnesium derivatives on ethylene oxides, Λ ., i, 163.

Fourneau, Ernest. See also Les Établissements Poulenc Frères and Marc Tiffeneau.

Fournier, H., oxidation of acetone by potassium permanganate, A., i, 247.

Fowler, Gilbert John, chemical action of tropical sunlight, A., ii, 914.

Fox, John Jacob, action of dilute nitric

acid on helianthin, A., i, 581.

Fox. John Jacob, and John Theodore Hewitt, constitution and colour of azo-compounds. Part II. The salts of parahydroxyazo compounds with acids, T., 333; P., 6; discussion, P., 7. Fox, M. G. See Richard Lorenz.

Fraenckel, Adolf, estimation of phosphor-

us, sulphur, and silicon in acetylene, A., ii, 983.

Fränkel, Sigmund, lipoids, A., i, 377. pharmacological significance of twin ethyl groups, A., ii, 1060. Fraenkel, Walter, silicon-aluminium

alloys, A., ii, 592. Francesconi, Luigi, and Guido Cusmano, action of free hydroxylamine on

santonin, A., i, 272. coloured hydrohalides of unsaturated

aromatic ketones, A., i, 801. action of hydrochloric acid on santonin and its derivatives; mechanism of the formation of desmotroposantonin, A., i. 817.

Franchimont, Antoine Paul Nicolas, and Hermann Friedmann, nitration and acetylation of glycine anhydride and its methyl homologues; alanine and anhydride a-aminoisobutyric anhydride, A., i, 509.

Franchini, Giuseppe, and Luigi Preti, cutaneous respiration, A., ii, 509.

François, Maurice, double phosphate of magnesium and methylamine, A., i, 505.

François, Maurice, two methods of preparing methylamine, A., i, 768. modification of the preparation

methylamine from bromoacetamide, A., i, 956.

Frank, Adolph, indirect estimation of alcohol by refraction, A., ii, 637.

Frank, L. See Theodor Pfeiffer.

Frank, Rudolf, preparation of sulphur trioxide, A., ii, 684.

Franke, E. See Paul Ehrlich.

Franklin, Edward Curtis, boiling point of liquid ammonia, A., ii, 34.

Franz, Fr., and G. Sonntag, the excretion of sulphurous acid in the human subject after administration of sodium sulphite and sulphurous acid in combination with sodium salt, A., ii, 714.

Franzen, Hartwig, double compounds of acetates with acetic anhydride, A., i, 937.

analysis of high percentage gases, A., ii, 425.

Franzen, Hartwig, and Georg Braun, fermentation of formic acid by Proteus vulgaris, A., ii, 215.

Franzen, Hartwig, and Wilhelm Deibel, 7-hydroxy-β-naphthylhydrazine, A., i,

Franzen, Hartwig, and Theodor Eichler, replacement of hydroxyl groups by hydrazino-groups, A., i, 831.

Franzen, Hartwig, and Rudolf Scheuermann, N-aminoheterocyclic pounds. II. 1-Amino-2-p-isopropylphenyl-2:3-naphthaglyoxaline, A., i, 293.

Franzen, Hartwig, and Peter Stieldorf, reduction of azo-compounds by means of sodium hyposulphite, A., i, 113.

Fraps, George Stronach, ammonia-soluble phosphoric acid of the soil, A., ii, 622. Frary, Francis C., rapid estimation of

zinc by electrolysis, A., ii, 68. Frauenberger, Franz, silicic acid in Whartonian jelly, A., ii, 969.

Frazer, Joseph Christic Whitney, and Harmon N. Holmes, electric osmosis, A., ii, 1019.

Fredenhagen, Carl, cause of the emission of the principal series lines of the alkali metals and the Doppler effect in canal- and anode-rays, A., ii, 79.

review of the various theories of passivity; fresh observations on the passivity of iron, nickel, and chromium, A., ii, 679.

Free, Edward E., electrolytic estimation of minute quantities of copper, A.,

Free, Edward E., solubility of precipitated basic copper carbonate in solutions of carbon dioxide, A., ii,

Frei, H. See Richard Lorenz.

Freimann, Hans. See Eugène Grandmougin.

Frerichs, Gustav, estimation of iron in reduced iron, A., ii, 538.

Frerichs, Gustav, and Edwin Wildt, action of sodium hydroxide on derivatives of dithiodiglycollic acid and diselenodiglycollic acid, A., i, 413. Frese, Karl. See Hans Aron.

Freund, Ernst, proteoses in blood, A., ii,

the amount of albumose in blood, Λ ., ii, 512.

Freund, S. See Max Dittrich.

Freundler, Paul [Théodore], constitution of azo-compounds; reply to Tiffeneau, A., i, 228.

Freundlich, Herbert, adsorption and occlusion, A., ii, 18.

Freundlich, Herbert, and Walter Neumann, classification of solutions of colouring matters, A., ii, 820.

Freundlich, $J_{\cdot,\cdot}$ receiver for vacuum fractional distillation, A., ii, 829.

Freylon, (Mlle.) Germaine, resolution of racemic amines by means of camphoramic acids, A., i, 827.

a-camphoramic acids, A., i, 860.

Friderici, E. See Richard Stoermer. Georges, pilolite from Friedel, $_{
m the}$ Pyrenees, A., ii, 400.

Friedemann, Max, and Fritz Sachs, hæmolysis by soaps, and the relationship between soaps and the complex hæmolysins of the blood-serum, A., ii, 866.

Friedemann, Ulrich, and S. Isaac, metabolism of injected proteins, immunity and hypersensitiveness, A., ii,

Friedlaender, Konrad, influence of amides on protein metabolism, A., ii, 514.

digestibility of hay from water meadows as compared with ordinary hay, A., ii, 1066.

Friedländer, Paul, indigoid dyes, A., i, 371, 673.

behaviour of indigoid dyes and indigotin towards alkalis, Α., 372.

Friedländer, Paul, and R. Schuloff, indigoid dyes. III., A., i, 674.

Friedländer, Paul. See also A. Bezdzik. Friedmann, Ernst, the degradation of carboxylic acids in the animal body. VI., A., i, 421.

Friedmann, Ernst, fate of carbon acids in the dog. I. Normal dl-a-amino-acids. II. Methylated dl-α-amino(normal)acids. III. Methylated dl-a-aminoacids containing side chains. IV. Dimethylated dl-a-amino(normal)acids. V. Synthesis of acetoacetic acid by perfusion through the liver, A., ii, 205.

the degradation of carboxylic acids in the animal body. VII. The formation of acetoacetic acid from isovaleric acid by perfusion through the liver, A., ii, 719.

the degradation of carboxylic acids in the animal body. VIII. The behaviour of aB-unsaturated acids when perfused through the liver, A., ii, 719.

Friedmann, Ernst, and H. Mandel, the formation of uric acid in the liver of birds, A., ii, 1054.

Friedmann, Ernst. See also Walther Brasch.

Friedmann, Hermann. See Antoine Paul Nicolas Franchimont.

Friedmann, M. See Otto von Fürth.

Friedrich, K., freezing-point curve of the cobalt-arsenic alloys, A., ii,

freezing-point diagram of the cobalt sulphides, A., ii, 500.

metallographic and metallurgical notes. [Thermal diagrams; microscopy of alloys], A., ii, 1045.

Friedrich, K., and A. Leroux, freezingpoint diagrams of the binary systems, platinum-arsenic, and bismuth—arsenic, A., ii, 300.

freezing-point diagrams of the binary systems, Cu—Cu₂Se, Ag—Ag₂Se, and Pb—PbSe, A., ii, 696.

Friedrich, K., [with P. Schoen], mixtures of zinc sulphide with other sulphides, A., ii, 281. the sulphides of lead, copper, silver,

and iron, A., ii, 281.

Friedrich, Rudolf, chemical changes consequent on the wounding of plants, A., ii, 774.

Friedrichs, Franz, methyl alcohol and its impurities, A., ii, 990.

Friedrichs, Oscar von, heerabol myrrh, A., i, 96.

Friend, John Albert Newton, valency, T., 260; P., 14.

a criticism of Werner's theory and the constitution of complex salts, T., 1006; P., 122.

the rusting of iron, A., ii, 698.

Friend, John Albert Newton. See also Wilhelm Manchot.

Fries, Karl, and George Fickewirth, o-vinylphenols, A., i, 160.

reduction of coumarins with zine dust in alkaline solution, A., i, 822.

coumarone and hydrocoumarone derivatives from 4:7-dimethylcoumarin, A., i, 824.

marin, A., i, 824.

Fries, Karl, and Ernst Hempelmann, keto-chlorides of 1-methyl-β-naphthol and their relation to β-naphthaquinols, A., i, 730.

Fries, Karl, and Wilhelm Klostermann, conversion of coumarins into coumarine acids and o-coumarie acids, A., i, 820.

Frion, Paul, inclusion of soluble substances by certain precipitates, A., ii, 477.

Frischer, Hermann, copper and iron salts in presence of alkalis and acids, A., ii, 947.

Friswell, Richard John, preparation of p-toluidine from mixed toluidines by means of p-toluidine hydrate, A., i, 332.

Fritzsche & Co., Franz, preparation of a hydroxyquinolinesulphonic acid, A., i, 208.

preparation of normal salts of ohydroxyquinoline with polybasic acids, A., i, 287.

acids, A., i, 287.

Fröhlich, Alfred, and Otto Loewi, action of nitrites and atropine on autonomic nerves, A., ii, 711.

Fromm, Emil, [with Heinrich Baumhauer and Arnold Weller], disulphides with neighbouring double linkings. III., A., i, 700.

Fromm, Emil, [with W. Lambrecht and James L. Mckee], thio-derivatives of ketones. VI., A., i, 989.

Fromm, Emil, [with Adolf Roesicke and O. Gaupp], lowest oxides of hydrogen sulphide, A., i, 968.

Fromm, Emil, and J. Wittmann, derivatives of p-nitrophenyl mercaptan, A., i, 631.

Fuchs, Dénes. See Emil Abderhalden. Fuchs, Karl. See William Küster.

Fühner, Hermann, the quantitative estimation of synthetical muscarine by physiological methods, A., ii, 877.

the action of methyl-green, A., ii, 877. the fate of synthetic muscarine in the animal body, A., ii, 1061.

Führer, Karl. See Josef Houben.

Fürth, Otto von, and M. Friedmann, absorption of iodised proteins, A., ii, 1050.

Fürth, Otto von, and Ernst Jerusalem, the nucleic acid of the pancreas, A., ii, 119. Fürth, Otto von, and Carl Schwarz, secretin, A., ii, 963.

the depressor substance in the thyroid, A., ii, 968.

Fukui, Matsuo. See Fritz Ullmann.

Fuld, Ernst, the activity of trypsin and a simple method for its estimation, A., i, 489.

Fuld, Ernst, and Louis A. Levison, estimation of pepsin by means of edestin, A., ii, 76.

Fuld, Ernst, and Julius Wohlgemuth, behaviour of rennet and acid to human milk, A., ii, 311.

Fuller, C. T. See Charles Lathrop Parsons.

Funaro, Roberto, estimation of reducing substances in infants' urine, A., ii, 715.

reatinine of infants' urine, A., ii, 716. **Funk**, Casimir, the value of different methods used for estimating sugar in urine, A., ii, 902.

G.

Gabriel, Siegmund, derivatives of the amino-acids applicable for synthetical purposes, A., i, 181.

tautomerism in the iminazole series, A., i, 573.

δ-aminoketone derivatives, A., i, 648. Gabriel, Siegmund, and James Colman, derivatives of γ-aminobutyric acid, A., i, 274.

 ϵ -amino-ketones, A., i, 649.

Gabriel, Siegmand, [with Albert Lieck], transformations of amino-ketones, A., i, 464.

Gabriel, Siegmund, and Adolf Sonn, formation of pyrazine compounds from quinoxaline derivatives, A., i, 60.

Gadamer, Johannes [Georg], constitution of ψ -ammonium bases. II., A., i, 322.

Gaillard, Gaston, time taken by substances in dissolving, A., ii, 567.

Gaillard, L., viscosity of ethyl alcohol, A., i, 73.

Gain, Gustave, an isomeric modification of hydrated hypovanadic acid, A., ii, 284.

hypovanadie acid and some of its compounds. A., ii, 598.

pounds, A., ii, 598.

Gair, C. J. Dickenson, estimation of naphthalene in coal gas and in spent oxide of iron, A., ii, 135.

Gale, R. D. See Forris J. Moore.

Galeotti, Gino, and G. Giampalmo, solubility of zein in different solvents, A., i, 929.

Galletly, J. C. See George Gerald Henderson.

Gallo, Gino, volumetric estimation of titanium, A., ii, 780.

microscopic study of mortar, A., ii,

microscopic study of mortar and pozzuolana, A., ii, 844.

radioactivity of the rocks in the region traversed by the line to the Simplon, A., ii, 917.

Gallo, Gino, and G. Cenni, electrolytic estimation of thallium and probable existence of a new oxide of this metal, A., ii, 986.

Gambarjan, Stefan, decomposition of tetraphenylhydrazine with hydrogen chloride, A., i, 1016.

Gamble, (Sir) David, obituary notice of, T., 2279.

Gandarin, A., preparation of dimethylglyoxime, A., i, 400.

Garbs, H. See Wilhelm Meigen.

Gardner, John Addyman. See Charles Dorée.

Gardner, Walter Myers, and Herbert Henry Hodgson, the action of reducing agents on tannic and gallic acids, P., 272.

the action of iodine on phenols and a modified process for the estimation of tannic acid, P., 273.

Garfunkel, Abraham. Arthur Rosenheim.

Garnier, Jules, titra hydrate, A., ii, 782. titration of chloral

Garnier, Léon, colour reactions of the toxic glucosides of Digitalis, A., ii, 544.

Garrod, Archibald Edward, and William Holdsworth Hurtley, uroleucic acid, A., ii, 54.

Gartner, Rudolf. See Conrad Willgerodt.

Garuti, V. See Louis Pelet-Jolivet.

Gascard, Albert, and Devalment, thermo-soluble protein, said to be that of Bence Jones, A., ii, 519.

Gaskell, John Foster, estimation of cystine in urine, A., ii, 75.

Gassmann, Th.; chemical investigations on the teeth, A., ii, 609.

Gassmann, Th. See also Paul Pfeiffer. Gatin-Gružewska, Z., composition of starch grains, A., i, 320.

Gattermann, Ludwig, syntheses of aromatic aldehydes. II. The hydrogen cyanide method, A., i, 28.

Gaubert, Paul, liquid crystals of ergosteryl esters, A., i, 882.

artificial reproduction of barytes, celestine, and anglesite, and isomorphous mixtures of these substances, A., ii,

helical structures, A., ii, 475.

Gaubert, Paul, causes modifying the dominant faces of crystals; solutions, A., ii, 933.

Gaucher, Louis, reservoir for storing aseptic liquids, A., ii, 613.

Gauchmann, S. See Alexander Tschirch. Gaudechon, H., thermochemical data relating to the chlorinated compounds derived from Millon's base, A., ii, 85.

dissociation by water of the double chlorides of ammonium and dimercuriammonium, A., ii, 188.

ammoniacal dimercuriammonium chlorides, A., ii, 383.

Gault, Henri. See Edmond Émile Blaise. Gaunt, R., F. Thomas, and William Popplewell Bloxam, analysis of indigo (III) and of the dried leaves of Indigofera arrecta, and Indigofera sumatrana, A., ii, 76.

Gaupp, O. See Emil Fromm.

Gaupp, Otto, a colour reaction of pathological urine, A., ii, 875.

Gautrelet, Jean, action of certain metallic ions on the frog's heart, A., ii, 120.

Gawalowski, A., cylinder for micro-hydrometers, A., ii, 479. turbine funnel for mixing solutions,

A., ii, 939.

Gazdar, (Miss) Mand, and Samuel Smiles. the interaction of hydrogen dioxide and sulphides, T., 1833; P., 216.

Gebhard, Norman Leslie, a simple manometer for vacuum distillation, P.,

Geerligs, H. C. Prinsen, the rapid change in composition of certain tropical fruits during ripening, A., ii, 977. precipitation of lavulose by basic lead acetate, A., ii, 991.

Gehlhoff, Georg, cathode potential fall and spectra in some compound gases, A., ii, 11.

Gehrcke, E., and O. Reichenheim, anode rays. V., A., ii, 343.

Gehringer, Heinrich. See Rudolf Wegscheider.

Geiger, Hans, scattering of the a-particles by matter, A., ii, 795.

Geiger, Hans. See also Ulrich Behn and Ernest Rutherford.

Geiger, Walter. See Hermann Leuchs. Geigy, J. R. See Anilinfarben- & Extrakt-Fabriken vorm. J. R. Geigy.

Geis, Theodor. See Ernst Mohr.

See Otto Ruff. Geisel, Emil.

Geitel, Hans. See Julius Elster. Gelhaar, Julius. See Birger Carlson.

Gelmo, P., amides of p-aminobenzenesulphonic acid, A., i, 409.

Gember, Leo van. See Carl Paal.

Gemmell, William, and Sydney Leonard Archbutt, estimation of phosphorus in phosphor tin, A., ii, 629.

Genersich, Wilhelm von, detection and estimation of boric acid, salicylic acid, and benzoic acid in foods, &c., A., ii,

Gentil, Louis, the volcano of Sirona, in the Morocco Atlas, A., ii, 203.

Gephart, Frank. See John Harper Long.

Gerber, C., method for the determination of the accelerating action of sodium and potassium salts on the coagulation of milk by ferments, A., i, 71.

action of acids on the coagulation of milk by vegetable rennets, A., i,

Gercke, E., the system, iron—phosphorus, A., ii, 1041.

Gernez, Désiré, triboluminescence of racemic compounds, A., ii, 748. Gerum, Josef. See Carl Paal.

Gesellschaft für Chemische Industrie in Basel, interaction of aniline, formaldehyde, and sodium hyposulphite, A., i, 151.

preparation of tri- and tetra-bromo-

indigotin, A., i, 468.

preparation of stable chloroindigotins, A., i, 695.

preparation of halogen derivatives of β-naphthindigotin, A., i, 695.

preparation of tri-, tetra-, and hexahalogenated derivatives of indigotin, A., i, 798.

preparation of chlorobromoindigotin, A., i, 1019.

Gessard, C., and Jules Wolff, serum containing anti-amylase, A., i, 379.

Gessler, Albert. See Kurt Arndt.

Getman, Frederick Hutton, study of the solutions of some salts exhibiting negative viscosity, A., ii, 464.

viscosity of non-aqueous solutions of potassium iodide, A., ii, 668.

viscosity and ionic volume, A., ii, 930. Getman, Frederick Hutton, and F. B. Wilson, refractive indices of solutions, A., ii, 1001.

Gewecke, Julius, phosphides of titanium and zirconium, A., ii, 597.

Gewin, J. W. A., pepsin and chymosin (rennin), A., i, 71. Geyer, Alfred. See Wilhelm Autenrieth.

Giaja, J. See H. Bierry. Gialdini, Cesare, complex iridium salts;

irido-oxalates, A., i, 3. Gialdini, Cesare. See also Guido Bar-

gellini.

Giampalmo, G. See Gino Galeotti.

Gibbs, Harry Drake, separation and estimation of salicylic acid and methyl salicylate; hydrolysis of methyl salicylate, A., ii, 906.

Gibson, Charles Stanley, some molecular compounds of styphnic and pieric acids, T., 2098; P., 241.

Gibson, Robert Banks. See Edwin J. Banzhaf.

William John. See Gies, Matthew Steel.

Giesel, Friedrich [Oscar], extraction of polonium, and its properties, A., ii, 342.

Gigon, Alfred, and T. Rosenberg, action of manganese and iron sulphates on diastatic ferments, A., ii, 870.

Gigon, Alfred. See also Wilhelm Falta. Gill, E. W. B., and F. B. Pidduck, genesis of ions by collision of positive and negative ions in a gas; experiments on argon and helium, A., ii,

Gillett, Horace W., electrolytic separation of silver and copper, A., ii, 226.

Gilling, Charles, the constituents of Simaruba bark, A., ii, 527.

See also Arthur Gilling, Charles. William Crossley.

Gilmour, Robert. See James Colquhoun Irvine.

ConradGimingham, Theodore.Alfred Daniel Hall.

Ginsberg, A. S., isomorphism of calcium and manganese bisilicates, A., ii, 842.

Giolitti, Federico, use of metallic deposits in metallography. II., A., ii, 945. nature of the pseudo-solutions of ferric hydroxide. III., A., ii, 950.

Giolitti, Federico, and G. Tavanti, alloys of copper and tin, A., ii, 946.

preparation of uranium, A., ii, 951. Giovetti, R. See Giacomo Ponzio.

Giran, Henri, hydrates of the phosphoric acids, A., ii, 685.

molecular weights of the phosphoric acids determined by cryoscopy, A., ii, 686.

Girard, Max. See Herman Decker.

Girard, Pierre, variation of the electromotive force of liquid chains by polarisation of interposed diaphragms, A., ii, 456.

Gittins, James Mylam. See John Joseph Sudborough.

Glaser, Heinrich. See Fritz Fichter.

Rismann, Boris, [and, in part, A. Novicky], constitution of glucinum salts of fatty acids; new glucinum ortho-salts and salts of other elements with organic ortho-acids, A., i, 120.

Glassner, Fritz, and Wilhelm Suida, cause of the decoloration of coloured liquids by means of various charcoals, A., ii, 669.

Gleditsch, (Mlle.) Ellen, the lithium contained in radioactive minerals, A., ii, 9, 246.

Gleditsch, editsch, (Mllc.) Ellen. (Madame) Marie Curie. See also

Gley, Eugène. See Lucien Camus.

Glikin, W., the biological importance of lecithin, A., ii, 120. percentage of iron in fats, lipoids, and

waxes, A., ii, 407.
Glikin, W., and Adolf Loewy, the autolytic and hydrolytic degradations of protein under normal and pathological conditions, A., ii, 714.

Gloth, H. W. See A. Heiduschka.

Walter Hamis, a-methyl-Glover, camphor and fenchone, T., 1285; P.,

Glover, Walter Hamis. See also Henry Edward Armstrong.

Gmelin, Erwin. See Heinrich Wieland. Gnehm, Robert, and Alfred Schindler, thiazines. II. Derivatives of tetraethylthionine, A., i, 110.

Gnehm, Robert, and Albert Schönholzer, thiazines. III. Derivatives of alkylated benzylanilines, Λ ., i, 112.

Gnehm, Robert, [and Emil Walder], thiazines. I. Derivatives of methyleneblue, A., i, 63.

Gockel, Albert, amount of radioactive emanation in air from the soil, A., ii,

Godchot, Marcel, the hydroanthracenes and their derivatives, A., i, 16.

Godchot, Marcel. See also Emile Jungfleisch.

Godden, William, condensation products from aminopinenedicarboxylic

acid, T., 1171; P., 144. Goerens, Paul, and W. Dobbelstein, the ternary system, iron—phosphorus -carbon, A., ii, 1042.

Göttler, Max. See Alfred Einhorn.

Götz, C. See Arthur Kötz. Goetze, Robert, circulation stirrer for liquids, A., ii, 681.

Gokun, effect of electrolytes on the viscosity of colloids, A., ii, 821.

Goldbaum, Jacob S., and Edgar Fahs Smith, separation of the alkali metals in the electrolytic way, A., ii, 1072.

Goldberg, (Frl.) Irma, preparation of diphenylamine derivatives, A., i, 288.

Goldberg, (Frl.) Irma, [and (Frl.) C. Sissoeff], phenyl derivatives of primary aromatic amines, A., i, 17.

Johannes. Goldemann, See Theodor Zincke.

Goldenberg, See Geromont & Co. Chemische Fabrik vorm. Goldenberg, Geromont & Co.

Goldschmidt, Robert, electrolytic depositions on inclined electrodes, A., ii, 536.

for producing coloured apparatus flames, A., ii, 787.

a light accumulator, A., ii, 924.

Goldschmidt, Th., preparation of calcium, strontium, and barium silicides, A., ii, 1037.

Goldschmidt, Th. See also Volkmar Kohlschütter.

Goldschmidt, Victor. See C. Dreyer.

Goldschmiedt, Guido, some methods of preparation of triazans, A., i, 572.

Goldsmith, Edward, jerseyite, A., ii, 401.

Goldstein, J. See Jacques Pollak.

Golla, Frederick Lucien, blood-coagulation time, A., ii, 766.

Golodetz, L., salicylic ester of cholesterol, A., i, 20.

new reactions for cholesterol and oxycholesterol, A., ii, 328.

a colour test for formaldehyde and benzoyl peroxide, A., ii, 330.

Golowinski. See Carl Jacobj.

Golubeff, P. G., action of piperidine on l-pinene chloroxime, A., i, 902.

Gonder, Ludwig. See Heinrich Biltz. Gonnermann, Max, darkening of beet juice, A., ii, 126.

Gontermann, W., alloys of iron, silicon, and carbon, A., ii, 851.

Gooch, Frank Austin, and F. B. Beyer, use of the filtering crucible in electrolytic analysis, A., ii, 529.

Gooch, Frank Austin, and Ernest A. Eddy, separation of magnesium from the alkalis by alcoholic ammonium carbonate, A., ii, 632.

Gooch, Frank Austin, and Graham Edgar, reduction of vanadic acid by zinc and magnesium, A., ii, 540.

Gooch, Frank Austin, and L. H. Weed, estimation of chromium as silver chromate, A., ii, 737. Goppelsroeder, Friedrich, new capillary

and capillary-analytical investigations, A., ii, 529.

Goppelsroeder, Friedrich. See also Wolfgang Ostwald.

Gordin, Harry Mann, marrubiin, A., i,

Goris, A., and L. Crété, [composition of] the pulp of Parkia biglobosa; "Farine de Netté," A., ii, 218.

Gorke, Herbert, conductivity of pierie acid solutions and the ionic conduct-

ivity of hydrogen, A., ii, 150.

Gorke, Herbert, Ernst Köppe, and Fritz Staiger, measurement of the effect of certain hypsochrome and bathochrome groups on the colour of azobenzene, A., i, 477. Gorsky, A. See Nicolai D. Zelinsky.

Gorsline, Ernest E. See John Bishop

Tingle.

Gorter, E., and W. C. de Graaff, the estimation of indole in faces by Herter and Foster's method, A., ii, 783.

Gorter, K., Baptisia glucosides. IV. ψ -

Baptisin, A., i, 97. coffee. I. and II., A., i, 186, 345. Gortner, Ross Aithen, some effects of sunlight on colourless glass, A., ii, 183.

Gortner, Ross Aitken. See also William Robert Lang.

Gossner, B., isomorphism, A., ii, 366.

Gottlieb, Rudolf, and R. Stangassinger, formation and destruction of creatine in perfused organs, A., ii, 515.

Gottlob, Kurt Otto, action of nitrous acid on caoutchoucs, A., i, 95.

ozonides from African caoutchoue, A., i, 436.

Gottschalk, Willy, use of ammonium persulphate in the separation of manganese [from copper] in acid solutions, A., ii, 433.

Gouère, rapid estimation of potassium dichromate in milks, A., ii, 325.

Goulding, Ernest, and Russell George Pelly, a new isomeride of vanillin occurring in the root of a species of Chlorocodon; preliminary P., 62.

the volatile oil of the leaves of Ocimum viride; preliminary note, P., 63.

Goupil. See Moussu.

Gouy, Léon G., electrocapillary measurements by the method of large drops, A., ii, 654.

Gowing-Scopes, L., estimation of tartaric acid in the presence of malic and succinic acids, A., ii, 905.

Goy, S. See Erwin Rupp.

Graaff, W. C. de. See E. Gorter.

Graebe, Carl, the development of organic chemistry in the last forty years, A.,

Graf, Hugo. See Otto Ruff.

Grafe, Viktor, and Leopold (Ritter) von Portheim, the function of calcium in plants, A., ii, 884.

Graham, Minnie A. See David Wilbur Horn.

Grammling, F. See Julius Sand.

Gramont, Antoine [Arnaud], (Comte) de, apparatus for the production of spark spectra of solutions, A., ii, 3.

the ultimate rays of the metalloids, tellurium, phosphorus, arsenic, antimony, carbon, silicon, and boron, A., ii, 645.

quantitative indications furnished by dissociation spectra; silver, A., ii, 787.

Gramont, Antoine de, and Charles de Watteville, ultra-violet spectrum of silicon, A., ii, 909.

Grand, L. See Louis Pelet Jolivet.

Grandmougin, Eugène, cellulose and its derivatives, A., i, 250.

reaction between diazo-compounds and azo-dyes, A., i, 483.

leucoalizarin (1:2-dihydroxyanthran-ol), A., i, 786.

condensation of quinizarin with aromatic amines, A., i, 808.

Grandmougin, Eugène, and Ernst Bodmer, pruncanilide, A., i, 289.

condensation of gallocyanin dyes with amino-compounds, A., i, 572.

Grandmougin, Eugène, and Hans Freimann, azo-derivatives of phenol and of the phenolcarboxylic acids, A., i, 1023.

Grandmougin, Eugène, and Julien Guisan, azo-compounds of salicylic acid, A., i, 926.

Grandmougin, Eugène. See also H. Lee-

Granström, E., the fermentative change of glyoxylic acid in organs, A., i,

detection of glyoxylic acid and its occurrence in human urine, A., ii, 122.

Grassi, Ugo, formation of oximes, A., i, 800.

gas electrodes. I. Nitric oxide, A., ii, 801.

Gray, Robert Whytlaw, and Frank Playfair Burt, the relative atomic weights of hydrogen and chlorine, P., 215.

Grazia, Sante de, effect of commercial

sodium nitrate on rye, A., ii, 420. Grazia, Sante de, and G. Camiola, the influence of micro-organisms on the utilisation of the potassium in leucite by plants, A., ii, 415.

Grazia, Sante de, and A. Cerza, influence of micro-organisms on the utilisation of the insoluble phosphates by higher plants, A., ii, 216.

Greaves, Richard Henry. See Edgar

Philip Perman.

Greaves, W. F., analysis of hyposulphites and their compounds with formaldehyde, A., ii, 741.

Grebe, Wilhelm, estimation of glycogen by inversion with acids, A., ii, 329.

Green, Arthur George, constitution of the salts of the phthaleins and the cause of colour in the triphenylmethane series, P., 206; discussion, P., 206.

Green, Arthur George, and James Baddiley, the colouring matters of the stilbene group. Part V. The action of caustic alkalis on derivatives of para-nitrotoluene, T., 1721; P., 201.

Green, Arthur George, and Percy Edgar King, quinonoid ester salts of fluoran.

A., i, 1003.

Green, W. F., effect of ferric salts on the rate of oxidation of ferrous salts and on the catalytic action of the latter, A., ii, 824.

WilliamHeber, studies on Green, the viscosity and conductivity of some aqueous solutions. Part I. Solutions of sucrose, hydrogen chloride, and lithium chloride, T., 2023; P., 187.

studies on the viscosity and conductivity of some aqueous solutions. Part II. Mixtures of solutions of sucrose and lithium chloride; a contribution towards the elucidation of the connexion between ionic mobility and the fluidity of the solution, T., 2049; P., 187.

laboratory apparatus, A., ii, 826.

Greenwood, Harold Cecil, the reduction of refractory oxides by carbon, T., 1483; P., 188.

the production of ferro-alloys, T., 1496; P., 189.

Greer, J. R. See Anton J. Carlson. Gregersen, J. P., akalimetric estimation of phosphoric acid by Neumann's

method, A., ii, 64. Grégoire, Ach., J. Hendrick, and Em. Carpiaux, action of manganese on potatoes and sugar beet, A., ii, 529.

Arnold William, a colori-Gregory, metric method for the determination of small percentages of iron in copper alloys, T., 93.

a new test for silver, P., 125.

Gréhant, Nestor, exact analysis of marsh gas; dissociation of several hydrocarbons effected in the eudiometer for measuring fire-damp, A., i, 493.

Greinacher, Heinrich, distribution of the radiation of radioactive substances, A., ii, 551.

Greshoff, Maurits, evaluation of Java coca, A., ii, 441, 997.

transitory presence of hydrogen cyanide in ferns, A., ii, 725.

Griese, Richard, [a double salt from 8-hydroxy-7-iodoquinoline 5-sulphonic acid], A., i, 454.
Grignard, Victor, modified form of Saint-

Claire Deville's apparatus for continuous production of gases, A., ii, 827.

Grignard, Victor. See also Philippe Barbier.

Grigorowitsch, Pavel, action of mercury diethyl on mercury fulminate; decomposition of the mixture by hydrochloric acid; new complex, 5HgCl2, 2NH₂OH, HCl, 2NH₄Cl, 2Me, CO, A., i. 251.

Grimbert, Léon [Louis], a thermosoluble protein said to be that of Bence-Jones, Ā., ii, 212.

Grindley, Harry Sands. See A. D. Emmett and Philip Bouvier Hawk.

Griner, G., and Georges Urbain, Bayer's bauxium, A., ii, 108.

Grishkewitsch-Trochimowsky, E., synthesis and properties of β-hydroxy- β -m-tolyl- α -ethylpropionic acid, A., i, 799.

Grob, Armin, some unsymmetrical analogues of indigotin, A., i, 1011.

Gröber, A., the influence of light on the formation of carboxymethæmoglobin, A., i, 486.

Gröger, Max, double chromates of ammonium, A., ii, 690.

Grombach, Adolf. See Gustav Fingerling.

Groschuff, Erich, behaviour of the potassium chromates at high temperatures, A., ii, 501.

anhydrous molybdates. I., A., ii, 501. Gross, Oscar, a simple method of estimating the activity of trypsin, A., i, 234. Gross, Oscar, and Eduard Allard, the

pathogenesis of ochronosis, A., ii, 1058. Gross, [Carl Friedrich] Theodor, chemical decomposition of platinum by means of an alternating current, A., ii, 199.

Grosse, E. See Alfred Wohl.

Grosser, Paul, behaviour of quinine in the body, A., ii, 213. Grossmann, H. See Josef König.

Grossmann, Hermann, thiocarbamide, Λ., i, 10.

hydrolysis of aqueous solutions of ammonium thiocyanate in presence of metallic hydroxides, A., i, 512.

formation of compounds in solutions of tartaric acid and sodium molybdate, A., i, 854.

detection of nickel in ores and nickelsteel, A., ii, 431.

Grossmann, Hermann, and Walter Heilborn, simultaneous qualitative test for nickel and cobalt, A., ii, 635.

Grossmann, Hermann, and Bernhard Schück, Brunck's dimethylglyoxime process for the estimation of nickel, A., ii, 71.

detection of nickel, A., ii, 230.

ammonium molybdate as a reagent for nickel, A., ii, 899.

Grube, Karl, the smallest molecule from which the liver can make glycogen, A., ii, 307.

can the liver form glycogen from optically active amino-acids? A., ii, 516.

Grübler, M., action of free alkalis on morphine and adrenaline; a contribution to sterilisation, A., i, 204.

Grün, Adolf, and F. Bockisch, complex compounds of multivalent alcohols; a class of cyclic complex metallic salts, A., i, 934.

Grün, Adolf. See also Alfred Werner. Grünau, Landshoff & Meyer. See Chemische Fabrik, Grünau, Landshoff & Meyer.

Grüneisen, Eduard, thermal expansion and specific heat of metals, A., ii, 563.

relationship between compressibilities, thermal expansions, atomic volumes, and atomic heats of the metals, A., ii, 563.

Grünhut, Leo, sulphurous acid in its biochemical relationship, A., ii, 721.

Grünhut, Leo. See also Ernst Hintz. Grünupp, H. See Wilhelm Steinkopf.

Grüss, J., proof, by means of the chromogram method, that hydrogenase takes an active part in alcoholic fermentation, A., i, 491.

Gry, A., action of organo-magnesium haloids on ethylideneacetone, A., i, 307.

Grzeschik, Theo., simplified apparatus for the estimation of carbon in iron, A., ii, 1071.

Gschwind, Meinrad. See Fritz Ullmann. Guareschi, Icilio, new isomerides of coniine and other hydrogenated bases, A., i, 1008.

Gudzent, F., physico-chemical researches on the behaviour of urates in solution, A., i, 704.

Guédras, Marcel, estimation of arsenic in iron ores, A., ii, 984.

Guerbet, Marcel, transformation of the a-hydroxy-acids into aldehydes by boiling the aqueous solutions of their mercuric salts; application to the preparation of l-arabinose by means of mercuric glutaconate, A., i, 123.

Guerbet, Marcel, action of alcohols on sodium benzyloxide, A., i, 162.

three new primary alcohols resulting from the condensation of sodium benzyloxide with propyl, butyl, and isoamyl alcohols, A., i, 635.

direct transformation of borneol into campholic and isocampholic acids,

A., i, 661.

Guérin, [F.], Gabriel, estimation of lactose in milk, A., ii, 329. estimation of the acidity of wine, A.,

ii, 330.

Pettenkofer's reaction, A., ii, 783.

Guertler, W., electrical conductivity of alloys and their temperature coefficients, A., ii, 557.

Guggenheim, Markus. See Emil Abderhalden and Fritz Fichter.

Guichard, Marcel, action of iodine on some elements in vacuum, A., ii, 31.

new compound of uranium, the tetraiodide, A., ii, 45.

Guignard, Léon, supposed toxicity of Hungarian haricots, A., ii, 58.

Guigues, P., analysis of scammony resins, A., ii, 995.

Guillaume, Edouard, Bose's phenomenon and the laws of contact electrification, A., ii, 753.

Guillemard, H., tautomerism of the cyanogen compounds, A., i, 718.
 Guillet, Léon, constitution of east-irons

containing manganese, A., ii, 192.

Guilloz, Th., the electrolysis of solutions of hydrochloric acid, A., ii, 459.

Guisan, Julien. See Eugène Grandmougin.

Gunn, James Andrew, physiological actions of yohimbine; on the "fly-catching reflex," A., ii, 412.

Gunn, James Andrew. See also John Tait.

Gustavson, Gabriel, preparation of cyclopropane, A., i, 82.

products of the action of aluminium chloride and hydrogen chloride on benzene; phenylmethylcyclopentane, A., i, 328.

Gutbier, Alexander, and Lothar Birckenbach, atomic weight of bismuth. II. Synthesis of bismuth oxide, A., ii, 600.

Gutbier, Alexander, Lothar Birckenbach, and R. Bünz, electrolysis of bismuth salt solutions, A., ii, 600.

Gutbier, Alexander, and A. Hüttlinger, rhodium, A., ii, 200.

Gutbier, Alexander, and H. Micheler, oxides of quinquevalent bismuth, A., ii, 701.

Guthrie, Frederick Bickell, and L. Cohen, effect of lime on the availability of the soil constituents, A., ii, 889.

Guthrie, Frederick Bickell, and R. Helms. pot experiments to determine the limits of endurance of different farm crops for certain injurious substances, A., ii, 890.

Guthrie, John Montcath. See John Simpson Ford.

Guthzeit, Max [Adolf], and Martin Lobeck, methyl ay-dibromo- and dichloro-dicarboxyglutarate and formation of cyclotrimethylene derivatives from the former, A., i, 129.

Gutmann, August, action of alkalis on sodium ethyl thiosulphate. II., A., i, 497.

reduction of alkyl nitrates to nitrites in alkaline solution, A., i, 597. action of arsenites and cyanides on

thiosulphonates, A., i, 972.

action of carbonates on tetrathionates. V., A., ii, 173.

compounds of antimony sulphate with metallic sulphates, A., ii, 503.

volumetric estimation of thiosulphonates, A., ii, 544.

Gutmann, L., Erper's gas generating apparatus, A., ii, 826.

Gutt, Johannes. See Nicolai D. Zelinsky.

Guttmann, Arthur. See Walter Herz. Guye, Charles Eugène, and Antoine Bron, difference of potential and the stability of the alternating are between metals, A., ii, 561.

stability of the alternating arc; a function of the atomic weight of the

metallic electrodes, A., ii, 755. Guye, Charles Eugène, and Saul Mintz, viscosity of certain metals and its variation with temperature, A., ii, 930.

Guye, Charles Eugène, Arthur Schidlof, and Miroslaw Kernbaum, have X-rays an action on radioactive substances? A., ii, 142.

Guye, Charles Eugène, and (Mme.) Lydic Zebrikoff, difference of potential in the arc produced by a continuous current between metallic electrodes, A., ii, 150.

Guye, Charles Eugène. See also Édouard Sarasin.

Guye, Philippe Auguste, the method of limiting densities, and its application to the atomic weight of nitrogen, A., ii, 17.

application of the method of limiting densities to organic vapours, A., ii,

kinetics of the transformations of radioactive compounds, A., ii, 451. XCIV. 11.

Guyot, Alfred, and P. Pignet, aminoderivatives of o-dibenzoylbenzene, A., i, 569.

some o-benzylated dyes from triphenylmethane, A., i, 569.

Guyot, J., differences of potential at the contact of two electrolytes; Nernst's theory, A., ii, 656.

Gwyer, Alfred G. C., alloys of aluminium with copper, iron, nickel, cobalt, lead, and cadmium, A., ii, 284.

H.

Haaland, M., glycogen in mouse tumours, A., ii, 612.

Haan, T. de, condensation of β-diketones with carbamide, A., i, 577.

Haanen. See Wilhelm Will.

Haar, A. W. van der, l-arabinose and dextrose as inversion products of saponin from the leaves of Polyscias nodosa, Forst, A., i, 904.

Haarmann & Reimer, preparation of coumarinear boxylic acid, A., i, 345.

Haas, Ernst, the physiology of the glands. IX. The relationship between the hourly excretion of nitrogen and resorption from the intestine and its dependence on rest, work, and diuresis, A., ii, 874.

Haas, Johannes, chemical behaviour of high percentage ferro-silicon, A., ii,

Haber, Fritz, [with Gustav Birstein and R. Beutner], solid electrolytes; their decomposition by a current and their electromotive properties in galvanic chains, A., ii, 802. Haber, Fritz, and Adolf Koenig, forma-

tion of nitric oxide in high tension

arcs, A., ii, 34, 940. **Haber**, Fritz, and Robert Le Rossignol, equilibrium of ammonia under pressure, A., ii, 362, 819.

Haber, Fritz, [with A. Rieff and P. Vogt], validity of Faraday's law in the electrolysis of hot porcelain, A., ii, 254.

Habermann, Josef, new apparatus; appliance for maintaining constant temperatures $_{\rm in}$ drying-ovens; fractionating column; receiver for Mitscherlich's apparatus (phosphorus distillation), A., ii, 17.

Habermann, Josef, and Richard Ehrenfeld, tobacco-smoke, A., ii, 888.

Hackspill, L., platinum-thallium alloys, A., ii, 504.

a new calcium silicide, A., ii, 589. Hadanck, Erich. See August Michaelis. Haeffner, Karl. See Carl Dietrich Harries.

Hachn, Hugo, convenient method for the preparation of cyclopropane, A., i,

Haehn, Hugo. See also K. Kof.

Hähnel, Otto, formation of kaolin, A., ii, 956.

Hähnel, Otto. See also Franz Fischer. **Haën**, E. de, preparation of soluble basic acetates of aluminium, chromium, and iron, A., i, 386.

Händel. See F. Neufeld. Haensel, E., glycogen of frog's spawn, A., ii, 769.

Haensel, E. See also Joseph Nerking. Haensel, Heinrich, ethereal oils, A., i,

Haeussermann, Carl, action of nitric acid on cellulose, A., i, 768.

Haeussermann, Johannes. See Edgar Wedekind.

Hafemann, Max, the influence of temperature on motor and sensory nerves of the frog, A., ii, 513.

Haga, Tamemasa, simple method of preparing the imides of the aromatic sulphonic acids, A., i, 870.

Hahl, Hans. See Julius Tafel.

Hahn, Arnold. See Josef Houben.

Hahn, Otto, nomenclature of thorium compounds, A., ii, 454.

short-lived intermediate product between mesothorium and radiothorium, A., ii, 454.

mesothorium, A., ii, 557.

Hahn, Otto, and Lise Meitner, absorption of \beta-rays ofradioactive elements, A., ii, 452.

actinium C, a new short-lived product of actinium, A., ii, 920.

B-rays of actinium, A., ii, 1007.

Haigh, Edward, orthobaric volumes in relation to pressure and temperature, A., ii, 813.

Haiser, Franz, and Franz Wenzel, carnine and inosic acid, A., i,

Haitinger, Ludwig, and Karl Ulrich, treatment of pitch-blende residue, A., ii, 857.

Halban, Hans von, autoracemisation of optically active ammonium salts, A., i, 627. Hale, C. F.

See Walter Parke Bradley. Hale, William Jay, and Charles A. Robertson, condensation of nitromalonaldehyde with acetonylacetone, A., i, 634.

Hale, Worth, and Casriel Fishman, excretion of bromides by the kidney, A., ii, 611.

Hall, Alfred Daniel, Norman Harry John Miller, and Conrad Theodore Gimingham, nitrification in acid soils, A., ii, 524.

Hall, Archibald A., oil from the roof of the Cockshead Coal Seam, North

Staffordshire, A., ii, 115.

Halla, Adolf, preparation of colourless alcoholic potassium hydroxide, A., ii,

Halla, Adolf. See also Franz Wilhelm Dafert.

Halla, Franz, thermodynamic calculation of electromotive forces, A., ii,

Haller, Albin, alcoholysis of linseed oil, A., i, 123.

Haller, Albin, and Ed. Bauer, an isomeride of diphenylcamphorylmethane and the conditions of its formation, A., i, 351.

products of the action of sodamide on ketones, A., i, 987.

Albin, and Paul Thiébaud Haller, Muller, refractometric studies of some derivatives of methane in which two or three atoms of hydrogen are replaced by negative radicles, Ă., ii, 445.

refractometric studies of some methanederivatives in which two or three atoms of hydrogen are replaced by negative radicles. II. Sodium salts, A., ii, 1001.

Halpern, Micczyslaw, starvation meta-

bolism, A., ii, 1051. Halpern, Mieczyslaw.

See also Anastazy Landau.

Halphen, Georges, detection of benzoic acid in butter, A., ii, 906.

Hamann, G. See Paul Wagner.

Hamburger, Alexander. See Alfred Einhorn.

Hamburger, Hartog Jakob, and Ebel Hekma, researches in phagocytosis, A., ii, 205, 510.

the biology of phagocytes; influence of hæmoglobin, &c., on phagocytosis, A., ii, 511.

Hammarsten, Olof, the identity of pepsin and rennin, A., i, 588.

Hamonet, $(l'Abb\acute{e})$ JulesL'eandre, general method for the preparation of fatty or aromatic primary ethers, A., i,

Hampton, H. H. See C. A. Mocers. Hâncu, V. H. See Johannes Herz See Johannes Herzog and Carl Mannich.

Wolfgang Handovsky, Hans. See Pauli.

SeeHankinson, Rita.Annie A. Irving.

- Hannig, Emil, fixation of free atmospheric nitrogen by Lolium temulentum, infested with a fungus, A., ii,
- Hansen, C. See Valdemar Henriques. Hanssen, Olav, the chemistry of amyloid degeneration, A., ii, 968.
- Hantzsch, Arthur [Rudolf], aminoazocompounds, A., i, 706.
 - Cain's theory of diazo-compounds and ammonium salts, A., i, 1021.
 - condition of substances in absolute sulphuric acid, A., ii, 14, 462.
 - fluorescence, luminescence, and chemi-
- cal constitution, A., ii, 446.

 Hantzsch, Arthur, and Kenneth Somerville Caldwell, comparison of acids and pseudo-acids in pyridine solution, A., ii, 21.
- Hantzsch, Arthur, and Robert H. Clark, optical investigation of the condition of chromate and permanganate solutions, A., ii, 646.
- Hantzsch, Arthur, [and, in part, Robert H. Clark and Kurt Meyer], unchangeability of the colour of acids of unchangeable constitution during the formation of alkali salts and ions, A., ii, 447.
- Hantzsch, Arthur, [and, in part, Friedrich Hilscher], establishment of the isomerism theory of indicators in the case of methyl-orange and helianthin, A., i, 469.
 - yellow azo- and violet quinonoid salts of aminoazo-compounds, A., i, 484.
- Hantzsch, Arthur, and Stanislaus Opoloski, a violet aci ether of hexanitrodiphenylamine, A., i, 526.
- Hantzsch, Arthur, and Karl Scholtze, coloured and colourless modifications of the silver salts of halogen phenols, A., i, 17.
- Hantzsch, Arthur, and Fritz Staiger. characterisation of auxochronic actions, A., ii, 447.
- Hantzsch, Arthur, and Kenworthy J. Thompson, decomposition of diazosolutions, A., i, 1021.
- Hantzsch, Arthur, and G. Wiegner, velocity of absorption of gaseous by solid substances, A., ii, 158. Hanus, Josef, and Lad. Stekl, the ethyl
- ester value of fats; a new constant for the detection of cocoanut oil, A., ii, 641.
- Harby, W. H. See Alexander Findlay. Harden, Arthur, and William John Young, the fermentation of mannose and lævulose by yeast-juice; preliminary note, P., 115; discussion, P., 116.

- Harden, Arthur, and William John Young, the alcoholic ferment of yeastjuice. III. The function of the phosphates in the fermentation of dextrose by yeast-juice, A., ii, 590.
- Hardin, D. See D. A. Chardin. Harding, Victor John, Walter Norman Haworth, and William Henry Perkin, jun., experiments on the synthesis of 1-methylcyclohexylidene-4-acetic acid.
- Part II., T., 1943; P., 230. Hardt-Stremayr, Emil (Ritter) von. See Zdenko Hanns Skraup.
- Harnack, Erich, and Hermann Hildebrandt, post-mortem action of corrosive poisons in the stomach, A., ii, 1062.
- Harnack, Erich, and I. Laible, the action of alcohol on the heat relationships of the animal organisms, A., ii,
- Harries, Carl Dietrich, action of nitrogen trioxide on caoutchouc, A., i, 39.
 - action of ozone on compounds containing triple linkings, Λ ., i, 75,
 - constitution of cyclo-octadiene from ψ -pelletierine, A., i, 254.
 - molecular dispersion of succindialdehyde, A., i, 317.
 - dihydrotoluene $(\Delta^{1,3}$ -methylcyclohexadiene), A., i, 520.
 - hydantoin and the isomerism of the methylhydantoins, A., i, 573.
 - lecture experiments with ozone, A., ii,
- Harries, Carl Dietrich, and Karl Haeffner, ozonides of the simple olefines, A., i, 846.
- Carl Dietrich, and Alfred Harries, Himmelmann, compounds citronella series, A., i, 662.
- Harries, CarlDietrich, and Paul Hohenemser, unimolecular succindialdehyde, A., i, 133.
- Harries, Carl Dietrich, and Riko Majima, constitution of terpinene, A., i, 733.
- Harries, Carl Dietrich, and Heinrich Neresheimer, action of ozone on pinene, A., i, 194.
- Harries, Carl Dietrich, and Hans von Splawa Neymann, velocity of decomposition of the ozonides of certain cyclic hydrocarbons, A., i, 967.
- Harries, Carl Dietrich, and Ludwig Tank, distillation of calcium azelate and the formation of azelaone, A., i,
 - conversion of cyclopentene into the mono- and di-aldehydes of glutaric acid, A., ii, 517.

ThomasWeatherill, and Harrison, Frederick Mollwo Perkin, the action of methyl sulphate on oils of the aromatic and aliphatic series, A., ii, 135. titration with permanganate in presence of hydrochloric acid, A., ii, 228.

Harst, J. C. van der, estimation of albumin in urine by Esbach's method, A., ii, 643.

Hart, natural ferrous oxide hydrate, A., ii, 861.

Hart, Edwin Bret. See Elmer V. McCollum.

Hart, T. Stuart, Folin's method for separating acctone and acctoacetic acid in urine, A., ii, 742.

estimation of acetone in urine, A., ii, 783. Hartley, Harold, and Norman Phillips

Campbell, the solubility of iodine in water, T., 741; P., 58. artley, Harold, Norman Phillips

artley, Harold, Norman $extbf{Campbell}$, and ReginaldHollidayPoole, the preparation of conductivity water, T., 428; P., 47; discussion,

Hartley, Harold, Bernard Mouat Jones, and George Adrian Hutchinson, the spontaneous crystallisation of sodium sulphate solutions, T., 825; P., 70.

Hartley, Harold, Nocl Garrod Thomas. and Malcolm Percival Applebey, some physico-chemical properties of mixtures of pyridine and water, T., 538; P., 22; discussion, P., 22.

Hartley, Percival, and Anthony Mayrogordato, nature of the fat in normal and pathological human livers, A., ii,

Hartley, Walter Noel, the absorption spectrum of camphor, T., 961; P., 120.

the nature of the impurity found in preparations of triphenylmethane, P., 94.

the constitution of p-benzoquinone, P., 285.

absorption spectra of the vapours of benzene and its homologues at different temperatures and pressures, and also of solutions of benzene, A., ii, 243.

Walter Noel, and Alfred Hartley, Godfrey Gordon Leonard, the absorption spectra of p-benzoquinone, quinol, and quinhydrone in the state of vapour

and in solution, P., 284. Hartwell, Burt Laws, and F. R. Pember, relation between the effects of liming

and of nutrient solutions containing different amounts of acid on the growth of certain cereals, A., ii, 420.

Hartwell, Burt Laws, Homer Jay Wheeler, and F. R. Pember, effect of the addition of sodium to deficient amounts of potassium on the growth of plants in both water and sand cultures, A., ii, 423.

Harzbecker, O., and Alb. Jodlbauer, the time relations of hæmolysis on exposure to light of sensitised red blood-corpuscles, A., ii, 866.

Haselhoff, Emil, gaseous compounds produced by the decomposition of calcium cyanamide and their action on plant growth, A., ii, 728.

Hasenbäumer, Julius. See Josef König. Haslam, Henry Cobden, separation of proteins. II. Deutero-albumose, A., i. 71.

Haslinger, C., action of ethylamine on isatiu, A., i, 454.

Hasslar, E., See Max Depreted:

See Max Dennstedt. Hassler, F.

Hasslinger, Rudolf von a new form of "tin plague," A., ii, 953.

Hassreidter, V., volumetric estimation

of zine according to Schaffner, A., ii, 226. estimation of sulphur in mineral

sulphides, A., ii, 893. Hatcher, Robert Anthony. See Torald

Sollmann.

Hauser, Enrique, estimation of hydrogen in technical gas analysis, A., ii,

Hauser, Otto, solubility of rare earth oxalates in solutions containing uranyl salts, A., ii, 987.

Hauser, Otto, and Fritz Wirth, solubilities of the oxalates of the rare earths. I. Solubility of the oxalates of lanthan. um, cerium, and samarium in dilute sulphuric and oxalic acids or their mixtures, A., ii, 778.

Hausmann, Walther, the photodynamic action of plant extracts containing

chlorophyll, A., ii, 881.

Hawk, Philip Bouvier, digestion of urine in the estimation of nitrogen by the Kjeldahl method, A., ii, 64.

feeding and other experiments on dogs with an Eck fistula, A., ii, 306.

leucomaines of cod-liver oil, A., ii, 308.

effect of ether anæsthesia on nitrogen excretion, A., ii, 410.

Hawk, Philip Bouvier, and Harry Sands Grindley, efficiency of thymol and refrigeration for the preservation of uriue, A., ii, 409.

Hawk, Philip Bouvier. See also Paul E. Howe and Thomas A. Rutherford.

Hawkes, James Leonard. See Benjamin Moore.

Haworth, Walter Norman, and William Henry Perkin, jun., experiments on the synthesis of the terpenes. Part XII. Synthesis of terpins, terpineols, and terpenes derived from methylisopropylcyclopentanes, Me C₅H₈ CHMe₂, T., 573; P., 64.

Haworth, Walter Norman. See also

Victor John Harding.

Hay, James Gordon. See Raphael Meldola.

Hayman, J. M., amount and composition of drainage waters collected during the year 1906-7, A., ii, 891.

Heath, Fred H., iodometric estimation of arsenic and antimony in the presence of copper, A., ii, 734.

Hébert, Alexandre, active principles of the fruit of an African Strychnos, A., ii, 317.

Heckel. Fritz, leucine from casein, A., i, 231.

synthesis of α-ω-aminoguanidinehexoic acid, A., i, 862.

Hedley, Edgar Percy, spectroscopical investigation of isomerisable nitrocompounds in ultra-violet, A., i, 382.

Heffter, Arthur, are there reducing ferments in the animal body ! A., ii,

Heidenstam, Gust. von. See Peter \mathbf{K} lason.

Heiduschka, A., and H. W. Gloth, phytosterol from cotton seed oil, A., i, 883.

estimation of the most important Heiduschka, acids that occur in wine in presence of alcohol and glycerol, A., ii, 73.

Heikel, Gunnar, estimation of acetone, A., ii, 235.

Heilborn, Walter. See Hermann Grossmann.

Heilbron. Isidore Morris. See George Gcrald Henderson.

Heilner, Ernst, the work of digestion, A., ii, 305.

Heimann, E. See Paul Jannasch.

Heinemann, P. G., concentration of diphtheria toxin, A., ii, 770.

Heinze, Berthold. See Wilhelm Krüger. Heiten, Edmund. See Eberhard Rimbach.

Heitman, Arnold H. C. See Erik Clemmensen.

Hekma, Ebel. See Hartog Jakob Hamburger.

Helbig, Maximilian, an attempt to synthesise 1:2-coumaran, A., i, 357.

Heller, Gustav, influence of hydroxyl ions on azo-coupling, A., i, 300.

preparation of acylbenzoic acids from phthalic anhydride, hydrocarbons, and aluminium chloride, A., i, 648.

the colour and affinity for mordants of anthraquinone derivatives, A., i,

Heller, Gustav, [with P. Leyden], action of dichloroacetic acid on aniline and its homologues. II., A., i, 216.

Heller, Gustav, [and, in part, Otto Nötzel], constitution of anthranil. V., A., i, 267.

Gustav, and Kurt Schülke, Heller, Friedel and Crafts' reaction, A., i, 994.

Heller, Gustav, [with Julius Sölling], reduction of nitro-compounds with zinc dust and acetic acid, A., i, 867.

Heller, Gustav, and Apostolos Sourlis. a new step in the reduction of the

nitro-group. II., A., i, 208. reduction of nitro-compounds with zinc dust and acetic acid. II., A., i, 913.

Heller, J., and Stanislaus von Kostanecki, action of benzoyl chloride on xanthen, A., i, 445.

Frederick Bickell Helms, R. See Guthrie.

Hemmelmayr, Franz von, onocerin (onocol). II., A., i, 184.

Hempelmann, Ernst. See Karl Fries.

Hemsalech, Gustave Adolphe, and Charles de Watteville, spectroscopic study of flames of various kinds, A., ii, 336.

flame spectra of iron, Λ ., ii, 445.

the spectrum of iron observed in the oxyhydrogen blowpipe flame, A., ii, 547.

spectra of the calcium flame, A., ii, 745.

Henderson, George Gerald, and J. C. Galletly, behaviour of metals when heated in ammonia, A., ii, 485.

Henderson, George Gerald, and Isidore Morris Heilbron, contributions to the chemistry of the terpenes. Part III. Some oxidation products of pinene, T., 288; P., 31.

Henderson, Lawrence Joseph, union of the serum proteins with alkali, A., i, 301.

the relationship between the strength of acids and their capacity preserve neutrality, A., ii, 268.

theory of neutrality regulation in the animal organism, A., ii, 467

Henderson, Lawrence Joseph, diagrammatic representation of equilibria between acids and bases in solution, A., ii, 675.

Henderson, Lawrence Joseph, and Otis Fisher Black, equilibrium between sodium hydrogen carbon dioxide,

carbonate, monosodium phosphate, and disodium phosphate at body temperature, A., ii, 467.

Henderson, Lawrence Joseph. Sec also Kari Spiro.

Henderson, P., thermodynamics liquid cells, A., ii, 655.

Henderson, Yandell, carbon dioxide in the regulation of the heart rate, A., ii,

Hendrick, J. See Ach. Grégoire.

Wilhelm,Henneberg, ٥f behaviour cultivated ofvarieties yeast in composite nutrient solutions, A., ii, 416.

Hennicke, R. See Adolf Beythien. Henning, Wilhelm. See Ernst von Meyer.

Hennis, W. See Eduard Jordis. Henri, Victor, influence of the medium on Brownian motions, A., ii, 760.

Henrich, Ferdinand [August Karl], and W. Thomas, action of diazobenzene on glutaconic acid and ethyl glut-

aconate, A., i, 114.

Henriet, H., and M. Bonyssy, origin of atmospheric ozone, and causes of the variation of carbon dioxide in the air, A., ii, 578.

volumetric estimation of carbon dioxide and other acids in air, A., ii, 734.

Henriot, E., condensation of radioactive emanations, A., ii, 651.

Henriques, Valdemar, protein synthesis in animals, A., ii, 207.

Henriques, Valdemar, and C. Hansen, the importance of so-called plantamides in animal metabolism, A., ii, 119.

Henry, Charles, spectrophotometry. viscosimetry, and electric signs of solutions, A., ii, 88.

Henry, Louis, isomeric change of isobutyl alcohol effected by nitrous acid, A., i, 2.

action of nitrous acid on allylamine, A., i, 81.

relative volatility of certain groups of mixed carbon compounds, A., i, 305.

relative volatility of certain groups of mixed carbon compounds. II. Mixed methylenic compounds, A., i, 381.

Henry, Louis, volatility in the "methylation" series of methyl derivatives, A., i, 381.

methylation in the ethylene derivatives from the point of view of volatility, A., i, 752.

relative stability of cyclic polycarbon groups, A., i, 881.

Henry, Thomas Anderson, and Samuel James Manson Auld, occurrence of cyanogenetic glucosides in feedingstuffs, A., ii, 619.

Henze, Martin, spongosterol, the cholesterol from Suberites domuncula, A., i, 418.

chemical investigations on the octopus, A., ii, 517.

chemical composition of the skeletal substance of Velella spirans, A.,

ii, 517. amount of dissolved organic compounds in the sea, and their significance in its internal economy, A., ii, 706.

Hepner, Albert. See Theodor Pfeiffer. Herb, Otto. See Hans von Liebig.

Herbst, Karl, reversion of phosphoric acid in superphosphates, A., ii, 374.

Hérissey, Henri, and Léon Bourdier, new glucoside (erytaurin) obtained from the common century, A., i,

Hérissey, Henri. See also Léon Bourdier, Émile Bourquelot, and Henri Cousin.

Herles, Franz, optically active nonsaccharine substances in sugar-beet which are eliminated by the action of lime in the purification of the sap, and their polarimetric estimation, A., ii, 1077.

Herlitzka, Amedeo, calorimetric investigation on protein precipitation, A., i, 706.

Herman, I. See Edmond Émile Blaise. **Herr**, V. F., a new dephlegmator for the fractionation of naphtha, A., ii, 232.

Herrmann, Franz, rottlerin, A., i, 99. Herrmann, Kurt, refraction and dispersion of helium, A., ii, 333, 785.

Herrmann, W. See Albert Ladenburg. Herschmann, Friedrich, 9:10-phenanthraquinoline, A., i, 683.

Herschmann, Friedrich. Ferdinand Blumenthal. See also

Archibald,the Herter. Christianoccurrence of scatole in the human intestine, A., ii, 211.

the relation of nitrifying bacteria to the urorosein reaction of Nencki and Sieber, A., ii, 212.

Herter, Christian Archibald, influence of meat on the dimethylaminobenzaldehyde reaction of urine, A., ii, 410. indole-acetic acid as the chromogen of

urorosein, A., ii, 410.

Herty, Charles Holmes, optical rotation of spirits of turpentine, A., i, 434.

Herty, Charles Holmes, and R. O. E. Davis, character of the compound formed by the addition of ammonia to ethyl phosphite-platochloride, A., i, 598.

Herty, Charles Holmes, and W. S. Dickson, volatile oil of Pinus serotina, A., i, 435.

Hertzmann, Julian.SeeArthurRosenheim.

Herwerden, M. van, gastric digestion in fishes, A., ii, 872.

Herz, Walter [George], and Hermann **Dick**, velocity of the reaction between bromine and benzaldehyde, A., ii, 762.

Herz, Walter, and Arthur Guttmann, bismuthous compounds. II., A., ii,

Herz, Walter, and F. Kuhn, solubilities in mixed solvents, A., ii, 569.

Herzig, Josef, methyl tannin, A., i, 186. aurin dimethyl ether, A., i, 880. detection of methoxyl- and methyl-

imino-groups, A., ii, 638.

Herzig, Josef, and S. Epstein, resoflavin. V. Lactone dyes, A., i, 899. Herzig, Josef, and Br. Hofmann, 2:5-

dihydroxybenzophenone, A., i, 190.

Herzig, Josef, and Richard Kohn, phloroglucide, A., i, 879.

Herzig, Josef, and Julius Polak, [with Marianne von Bronneck], constitution of ellagic acid, A., i, 546. Herzig, Josef, and Rudolf Tscherne,

resoflavin and its analogue from gallic acid, A., i, 547.

Herzog, Johannes, analysis of crude cresols, A., ii, 233.

constituents of $_{
m the}$ rhizome

Imperatoria Ostruthium, A., ii, 978.

Herzog, Johannes, and V. H. Hâneu,
preparation of diphenylated acid amides by the action of diphenylcarbamide on acids, A., i, 268.

pimpinellin, A., i, 905.

hydroxyl estimation of phenolic groups, A., ii, 327.

Herzog, ReginaldOliver,negative adsorption, A., ii, 928.

Herzog, Reginald Oliver, and J. Adler. changes in tanning [processes], A., ii, 262.

Herzog, Reginald Oliver, and Kasarnowski, the diffusion of colloids. II., A., i, 707.

Herzog, Reginald Oliver, and A. Meier, oxidation by means of moulds, A., ii, 1063.

Herzog, Reginald Oliver, and O. Ripke, conversion of cinnamic acid into styrene by means of moulds, A., ii, 1064.

Hess, Edgar, preparation of ketone ortho-ethers, A., i, 762.

Hess, Leo, and Paul Saxl, the action of arsenic on autolysis, A., ii, 968.

Hess, V. F. See Egon von Schweidler. Hesse, A., the magnesium derivatives of the aromatic chloro-compounds, A., i, 592.

Hesse, Leopold. See Arthur Kötz.

Hesse, [Julius] Oswald, dehydracetic acid, A., i, 390.

compounds from rhubarb and allied substances, A., i, 438.

root of Rheum Rhaponticum and Austrian rhubarbs, A., ii, 418.

Hessenland, Max. See Karl Auwers. Hessler, John C., phenylmalononitrile. II., A., i, 182.

Wolfgang, and M. Reeb, Heubner, phosphorus in certain foods, A., ii, 1052.

Heuse, Wilhelm. See Karl Scheel.

Hewitt, John Theodore, aminoazo-compounds, A., i, 581. constitution of indicators used in

acidimetry, A., ii, 269. JohnTheodore. See also

Hewitt, Bertram Haward Buttle and John Jacob Fox.

See Chemische Fabrik Heyden, Friedr. von Friedr. Heyden.

Heydweiller, Adolf, surface tension of dilute aqueous solutions, A., ii,

Heyer, Richard. See Otto Wallach.

Heyl, Frederick W. See Treat Baldwin Johnson and Thomas Burr Osborne. Heyn, E., and O. Bauer, corresion of

iron by water and water solutions, A., ii, 849.

Hibbert, Harold. See Arthur Michael. Hiestand, O. See Ernst Winterstein. Higgin, Alfred James. See Edward

 $ar{Henry}$ Rennie.

Higgins, Eric, new formulæ correlating the various constants for non-associated liquids, A., ii, 668.

Higgins, Eric. See also John Livingston Rutgers Morgan.

Hildebrand, Joel H., a new arrangement of the König spectrophotometer and its application to the determination of chemical equilibria, A., ii, 646. arc spectrum of columbium, A., ii,

1045.

Hildebrandt, Hermann, [condensation products of tannic acid and formaldehyde with the phenols], A., i, 185.

the formation of hydrogen sulphide from protein and sulphur, A., i, 709. the pharmacology of phenanthrene and its hydro-derivatives, A., ii, 876.

the pharmacology of the quinatoxins, A., ii, 877.

Hildebrandt, Hermann. See also Erich Harnack.

Hilditch, Thomas Percy, the relation between unsaturation and optical activity. Part. I. The menthyl and bornyl esters of β-phenylpropionic, cinnamic, and phenylpropiolic acids, T., 1.

the relation between unsaturation and optical activity. Part II. Alkaloid salts of corresponding saturated and unsaturated acids, T., 700; P., 61.

the relation between unsaturation and optical activity. Part III. Optically active salts of acids containing adjacent unsaturated groups, T., 1388; P., 186.

aromatic α-disulphones, T., 1524; P.,

the relation between unsaturation and optical activity. Part IV. The relative influence of bi-, quadri-, and sexa-valent sulphur on rotatory power, T., 1618; P., 195.

note on the optical rotatory power of menthyl cinnamate, P., 286.

Hilditch, Thomas Percy, and Samuel Smiles, aromatic selenonium bases, T., 1384.

Hilditch, Thomas Percy. See also Samuel Smiles.

Hildt, Lad., Leon Marchlewski, and J. Robel, the chlorophyll group; action of acids on chlorophyll, A., i, 439.

transformations of chlorophyll under the influence of acids, A., i, 668.

Hill, Arthur E., relative solubility of the silver halides and silver thiocyanate, A., ii, 378.

Hill, Arthur Edwin, a new form of gas burette, T., 1857; P., 210.

a combined stopcock and capillary connecting tube for gas burettes, P., 95.

a new form of potash bulb, P., 182. Hill, C. W. See Victor Lenher.

Hill, John Robertshaw, orientation of a series of substituted bromoanilines, A., i, 256.

Hill, John Robertshaw. See also Humphrey Owen Jones.

Hill, Leonard Erskine, and Martin Flack, effects of excess of carbon dioxide and want of oxygen on the respiration and circulation, A., ii, 706.

Hillebrand, William Francis, influence of fine grinding on the water and ferrous iron content of minerals and rocks. A., ii, 778.

rocks, A., ii, 778.

Hilpert, Willis Stose, stereoisomeric chloroimino-acid esters, A., i, 829.

Hilpert, Willis Stose. See also William August Puckner.

Hilscher, Friedrich. See Arthur Hantzsch.

Himmelmann, Alfred. See Carl Dietrich Harries.

Hindrichs, G., some alloys of chromium and manganese, A., ii, 856.

Hinkel, F. C., and Henry Clapp Sherman, Barfoed's acid cupric acetate solution as a means of distinguishing dextrose from maltose, lactose, and sucrose, A., ii, 235.

Hinkel, Leonhardt E., detection of small quantities of methyl alcohol in the presence of ethyl alcohol, A., ii, 1076.

Hinrichs, Gustav Dethlef, the so-called physico-chemical atomic weights and the calculation of the weight of a normal litre of gases, A., ii, 98.

commensurability of atomic weights, A., ii, 573.

atomic weights of sixteen chemical elements, A., ii, 574.

determination of the atomic weight of the simple ponderable substance, pantogen, A., ii, 1027.

Hinrichsen, Friedrich Willy, estimation of phosphorus in calcium carbides, A., ii, 131.

preparation of pure ammonium chloride, A., ii, 494.

Hinrichsen, Friedrich Willy, and Erich Kedesdy, gall iron inks, A., ii, 544.

Hinrichsen, Friedrich Willy, and Ludwig Wolter, estimation of chromium and tungsten in steel, A., ii, 900.

Hinrichsen, Friedrich Willy. See also Ewald Rasch.

Hinsberg, Oscar [Heinrich Daniel], isomerism of disulphides, A., i, 257.

glycine and indole derivatives, A., i, 453.

hydroxyquinoxalines, A., i, 694.

preparation and constitution of sulphoxides and disulphoxides, A., i, 875.

Hinterlach, E. See Hans Rupe. Hintikka, S. V. See Gustav Komppa. Hintz, Ernst, and Leo Grünhut, physicochemical analysis of mineral water,

A., ii, 1075.

Hirata, Toshio, viscosity of dilute alcoholic solutions, A., ii, 930.

Hirobe, H., the fusion surfaces of the system, naphthalene-chlorobenzene -phenol, and the molecular association of phenol, A., ii, 928.

Hirsch, Rahel. See Theodor Brugsch. Hirsch, Rudolf (Freiherr) von, formation of gas in discharge tubes, A., ii, 925.

Hirsch, Rudolf von, and Frederick Soddy. a gas generated from aluminium electrodes, A., ii, 12.

Hirschfeld, Ludwig, hæm-agglutination and its physical basis, A., ii,

Hirszowski, Alfred. See Emil Abderhalden.

Hochheim, Ernst, determination of the dielectric constant of helium, A., ii,

Hodgson, Herbert Henry. See Walter Myers Gardner and Julius Schmidlin. Höber, Rudolf [Otto Anselm], action of

normal salts, A., ii, 28.

physical chemistry of excitation (of muscle) and of narcosis, A., ii,

Höber, Rudolf, and S. Chassin, colloid nature of pigments in relation to their behaviour in the frog's kidney, A., ii,

Höber, Rudolf, and Felicja Kempner, excretion of pigments by the urine, A., ii, 716.

Höfchen, C. See Eduard Vongerichten. Höhn, Fritz. See Ignaz Bloch.

Hoeller, Victor, the long wave-length portion of the barium spectrum, A., ii, 546.

Hönig, Samuel, estimation of hydrofluosilicie acid, A., ii, 65.

Hoering, Paul, alkylene glycol-chlorohydrin ethers and their transformations, A., i, 119.

alkylene glycol-chlorohydrin ethers and Tiffeneau's wandering of phenyl, A., i, 497.

methylenedioxyhydratropic acid; Tiffeneau's migration of the phenyl group, A., i, 895.

Hoering, Paul, and Fritz Baum, chlorinating action of phosphorus penta-chloride and the action of thionyl chloride on carbonyl compounds, A., i, 527.

Hörlein, Heinrich. See Ludwig Knorr.

Hof. Hans. magnesium oxychloride formed by electrolysis of the residual solutions from the manufacture of potassium chloride, and its importance for the preparation of bromine by Kossuth and Mehns's method, A., ii, 946.

Hofer, Hans, and Fritz Jakob, partial electrolytic reaction of polynitro-compounds in the presence of vanadium

compounds, A., i, 869.

Hoffmann, Conrad, the relation of soil bacteria to the decomposition of nitrogenous organic matter, A., ii, 414.

Hoffmann, Friedrich, and Rudolf Rothe, expansion of commercial pentane and the scale of the pentane thermometer, A., ii, 152.

Hoffmann, Josef, synthesis of boron sulphide from ferroboron and manganoboron, A., ii, 687.

Hoffmann, La Roche & Co., F., preparation of double salts from caffeine and alkali metaphosphates, A., i, 825. **Hofmann**, Br. See Josef Herzig.

Hofmann, Karl Andreas, and Karl Buchner, compounds of cobaltinitrites with p-toluidine, diazoaminotoluene, hydrazine, and nitrosohydrazine, A., i, 875.

Hofmann, Karl A., and Günther Bugge, platinum-blue, A., i, 141. spectrum of neo erbium oxide and

Kirchhoff's law, A., ii, 1002.

Hofmann, Karl A., and O. Burger, neoerbium, A., ii, 189.

Hofmann, Karl A., and H. Kirmreuther, action of alkaline mercuric cyanide on halogen derivatives of ethylene and acetylene, A., i, 145.

Hofmann, Karl A., and J. von Narbutt, compounds of platinous chloride with dicyclopentadiene, A., i, 519.

Hofmann, Karl A., and K. Ott, sulphoxides and sulphines, A., i, 84.

Hofmann, $Karl^{\top}A$., and H. Wagner, reactivity of mercuric evanide, A., i, 143.

compounds of mercuric cyanide with alkalis and nitric acid, A., i, 514.

Hofmeister, Franz, catabolism of pro-

teins, A., i, 1026.

Hogarth, J. W., combined wash-bottle and pipette, A., ii, 981.

Hohenemser, Paul. See Carl Dietrich Harries.

Hohlweg, Hermann, urochrome. I., A., i, 1027.

Hohlweg, Hermann, and Hans Meyer, the residual nitrogen of the blood, A., ii, 707.

Holde, David, and G. Winterfeld, detection and estimation of small quantities of benzene in alcohol, A., ii, 435.

Holdermann, Karl. See Roland Scholl. Holland, William West. See Harmon Northrop Morse.

Holle, Walter. See Alfred Stock.

Holleman, Arnold Frederik, simultaneous formation of isomeric substitution products of benzene, A., i, 985.

Holleman, Arnold Frederik, [with P. C. J. Euwes], 1:2-dibromo-3-nitrobenzene and the nitration of o-dibromobenzene, A., i, 521.

Hollis, Frederick Stearns, alleged formation of bile pigments and bile acids by the action of trypsin on hamoglobin, **A.**, ii<u>,</u> 408.

Holm, R., experimental investigation of the stratified positive glow, A., ii,

Holmberg, Bror, antimony and tin compounds of thioglycollic acids, A., i, 130.

organic polysulphides, A., i, 308. formation of esters by mass action of

anions, A., i, 387.

amphoteric electrolytes, A., ii, 560. Holmes, Harmon N. See Joseph Christie

Whitney Frazer. Holmes, Henry. See Martin Onslow Forster.

Holmes, Willis Boit, and E. V. Manuel, action of hydrochloric acid on manganese dioxide, A., ii, 765.

Holobut, Theophil, Arnold's urinary reaction with sodium nitroprusside, A.,

Holt, Alfred, jun., the decomposition of carbon dioxide by the silent electric discharge, P., 271.

Holt, Alfred, jun., and Edwin Hopkinson, decomposition of water vapour by electric sparks, A., ii, 682.

Holterman, K. W., a new vacuum regulator, A., ii, 99.

Holwech, Wilhelm, interaction of nitric oxide and oxygen, A., ii, 941.

Holzmann, Siegmund, estimation of lead in lead-tin alloys, A., ii, 633.

Homberger, A. W. See Victor Lenher. Homer, (Miss) Annie, and John Edward Purvis, the study of the absorption spectra of the hydrocarbons isolated from the products of the action of aluminium chloride on naphthalene, T., 1319; P., 147. Honda, K. See Waldemar Voigt.

Hoogenhuyze, C. J. C. van, and H. Verploegh, excretion of creatinine in man, A., ii, 971.

Hooton, William Marrs, the decomposition of ammonium dichromate by heat,

Hopfgartner, Karl, salicylic acid-iron reaction, A., i, 891.

Hopkinson, Edwin. See Alfred Holt, jun.

Horn, David Wilbur, some cuprammonium salts, A., i, 121.

Horn, David Wilbur, and Minnie A. Graham, some cuprammonium salts. VI., A., i, 392.

Horn, Frank R. van, proustite and argentite from Colorado, A., ii, 603.

Horrmann, P. See Heinrich Biltz. Horton, Edward. See Henry Edward

Armstrong. Horton, F., spectrum of the discharge

from a glowing lime cathode in mercury vapour, A., ii, 745.

Houben, Josef, action of alkalis on alkylene glycol-chlorohydrin ethers, Å., i, 307.

alkylated halohydrin and vinylethyl

ethers, A., i, 935.

Houben, Josef, and Hans R. Arnold, chloromethyl sulphate. II. Action on amino-groups, A., i, 533.

Houben, Josef, and Walter Brassert,

benzoquinoneoximecarboxylic acid, A.,

Houben, Josef, and Hans Doescher, hydropinenealdehyde, A., i, 27.

Houben, Josef, and Karl Führer, alkylene glycol-chlorohydrin ethers and their changes, A., i, 73.

Houben, Josef, and Arnold Hahn, reactions of dicarboxylic anhydrides with magnesium organic compounds, A., i, 539.

Housum, C. R. See Isaac King Phelps. Hove, Th. van, new method of preparing some simple ethers. II, A., 827.

Howard, George M., estimation of arsenic in lead-antimony alloys, A., ii, 429.

Howe, Paul E., and Philip Bouvier Hawk, Spiro's and Folin's methods for urea and ammonia estimations, A., ii, 426.

Howell, Edwin Eugene, the Williamstown meteorite, A., ii, 203.

the Ainsworth meteorite, A., ii, 204.

Howell, William Henry, and W. W.

Düke, vagus inhibition and the output of potassium from the heart, A., ii, 209.

Hubbard, Prevost. See Allerton Seward Cushman.

Huber, L. See Paul Jacobson.

Hubert, A., citric acid in wines, A., ii, 544.

Hudson, C. S., inversion of sucrose by invertase, A., i, 605, 856.

forms of lactose, A., i, 952.

Hudson, C. S., and F. C. Brown, heats of solution of three forms of lactose, A., ii, 665.

Hudson, O. F. See Guy Dunstan Bengough.

Hübener, Gerhard, phenolsulphonic acid and its salts, A., ii, 640.

Hübner, H., derivatives of 3-phenylquinoline, A., i, 288.

Hüfner, [Carl] Gustav von, behaviour of oxyhæmoglobin towards reducing agents, A., i, 486.

Huerre, R., gum of the almond tree, A., i, 606.

Hüssy, Hans. See Adolf Kaufmann. Hüttlinger, A. See Alexander Gutbier. Hüttner, Karl, action of phosphoric acid on silicic acid and silicate glass, A., ii,

Hughes, A. Ll. See Gwilym Owen. Hughes, W. T., and Anton J. Carlson, relative hæmolytic power of serum and lymph under various conditions of lymph formation, A., ii, 304.

Hugouneng, Louis [Marie Joseph], and Albert Morel, protein constitution: new method of hydrolysis by means of hydrofluoric acid, A., i, 706. constitution of nucleo-proteins; the

constituents of pepsin, A., i, 744. Huisinga, J., nitration of phthalic and

isophthalic acids. XI., A., i, 985. Huldschinsky, Kurt, action of digitalin,

A., ii, 520. Hummelberger, F. See Zdenko Hanns Skraup.

Hunter, Andrew, compounds of protamines with other proteins, A., i,

protamine as a means of distinguishing primary from secondary proteoses, A., i, 488.

the occurrence of urocanic acid in a pancreatic digest, A., ii, 710.

Huntington, Alfred Kirby, and Cecil Henry Desch, planimetric analysis of alloys and the structure of phosphorcopper, A., ii, 846.

Hurmuzescu, Dragomir, radioactivity of Roumanian petroleums, A., ii, 453.

Hurtley, William Holdsworth. Archibald E. Garrod.

Hussakof, Louis, and William H. Welker, the egg-cases of sharks, A., ii, 406.

Hutchinson, George Adrian. See Harold Hartley.

I.

Ernst. See GustavIchenhaeuser, Schultz.

Igersheimer, J., action of atoxyl on the animal body, A., ii, 1061.

Ikeda, Kikunaye, the chemical theory of

solutions. I., A., ii, 932. Iliovici, George. See Franz Fischer.

Imaseki, T. See G. Daikuhara.

Imbert, Georges, & Consortium für Elektrochemische Industrie, preparation of ethyl phenylglycinate, A., i, 625. preparation of aromatic glycines, A., i, 975.

Inaba, Ryotaro, estimation of fat in samples of fæces and food-stuffs by the Kumagawa-Suto method, A., ii, 439.

Ingersoll, L. R. See C. E. Mendenhall. Inghilleri, Giuseppe. See Arrigo Mazzucchelli.

Ingle, Harry. See Ernest Wake. Inglis, John Kenneth Harold, and (Miss) Lottic Emily Knight, the conductivities of the a-oximino-fatty acids, T., 1595; P., 191.

Inglis, John Kenneth Harold, and Fred Wootton, the electrolytic chlorination of the salts of organic acids, T., 1592; P., 174.

Inouye, Katsuji, formation of thymine by heating intestinal nucleic acid, A.,

Katsuji, and Hiizu Ito, a Inouye, colour reaction of bile acids with vanillin and sulphuric acid, A., ii, 999.

Inouye, Katsuji, and K. Kondo, formation of dextrorotatory lactic acid in autolysis. III. In muscle, A., ii, 209.

Ipatieff, Wladimir N., catalytic reactions at high temperatures and pressures. XIII. Reduction of aromatic amines and quinoline in presence of nickel oxide, A., i, 332.

catalytic reactions at high temperatures and pressures. XIV. Reduction of benzaldehyde and benzyl alcohol in presence of iron, A., i, 347.

catalytic reactions at high temperatures and pressures. XXII. Catalytic decomposition of acids, A., i, 386.

catalytic reactions at high temperatures and pressures. XVI. Function of oxides in catalysis, A., ii, 266.

catalytic reactions at high temperatures and pressures. XX1. The decomposition of alcohols in presence of metallic oxides, A., ii, 472.

reduction and oxidation of nickel oxide under the ordinary and high pressures, A., ii, 594.

Ipatieff, Wladimir N., W. Jakowleff, and L. Rakitin, catalytic reactions at high temperatures and pressures. XV. Reduction of anthracene and phenanthrene in presence of nickel oxide, A., i, 330.

Ipatieff, Wladimir N., and O. Philipoff, catalytic reactions at high temperatures and pressures. XVI. Reduction of aromatic ethers, esters, and acids in presence of nickel oxide, A., i, 342.

Irmscher, Camillo. See Ernst von Meyer.

Irvine, James Colquhoun, and Robert Gilmour, the constitution of glucose derivatives. Part I. Glucose-anilide, -oxime, and -hydrazone, T., 1429; P., 186.

Irvine, James Colquhoun, and David McNicoll, the condensation of benzoin with methyl alcohol, T., 950; P., 119.

the formation of ethers from compounds of the benzoin type, T., 1601; P., 191.

Irvine, James Colquhoun, and (Miss) Agnes Marion Moodie, derivatives of tetramethyl glucose, T., 95.

Irving, Annie A., and Rita Hankinson, nitrate reducing enzyme in green plants, A., ii, 218.

Isaac, Eduard. See Arthur Binz.

Isaac, (Miss) Florence, the temperatures of spontaneous crystallisation of mixed solutions and their determination by means of the index of refraction; mixtures of sodium nitrate and lead nitrate, T., 384; P., 30.

Isaac, (Miss) Florence. See also Henry

Alexander Miers. See also Henry

Isaac, S. See Ulrich Friedemann.

Isham, Helen, and Joseph Aumer, direct combustion of steel for carbon and sulphur, A., ii, 898.

sulphur, A., ii, 898.

Ishizaka, Tomotoro, artificial melanins, and the natural melanin of the cockchafer, A., i, 280.

Isküll, Wold., rhodusite from Asskys River, Siberia, A., ii, 401.

Isnard, E., some reactions of terpin, A., ii, 908.

Issoglio, Giovanni, new isomeride of conline from 5-cyano-2:2:4-trimethyl-dihydro-6-pyridone, A., i, 1009.

Itallie, Emile Isidore van, some citrates, A., i, 854.

Ito, Eizaburo, the Japanese dyewood "doss," A., i, 441.

Ito, Hiizu. See Katsuji Inouye.

Ivanoff, Sergius, carbohydrates of Coelococcus and Phytelephas, A., ii, 1064. Iwanoff, W. N., thiocyanoselenious acid; new method for estimating selenium, A., i, 513; ii, 530.

Iwanowski, D., causes of the displacement of absorption bands in the leaf, A., ii, 57.

Izar, G. See M. Ascoli.

J.

Jabiczyński, Casimir, catalysis in heterogeneous systems; decomposition of chromous chloride by means of platinum, A., ii, 680.

kinetics of successive reactions; reduction of chromic acid by oxalic

acid, A., ii, 935.

relation between the velocity of reaction and the velocity of stirring in non-homogeneous systems, A., ii, 1020.

Jaboulay, *Emile*, estimation of sulphur in iron and steel, A., ii, 223.

Jabs. A. See Richard Lorenz.

Jackson, Charles Loring, and P. W. Carleton, some derivatives of tetrachloro-o-benzoquinone, A., i, 427.

Jackson, Charles Loring, and H. A. Flint, tribromomethoxy-o-benzoquinone methylhemiacetal, A., i, 191.

Jackson, Charles Loring, and R. W. Peakes, mercury salts of the three nitroanilines, A., i, 523.

Jackson, Charles Loring. See also Latham Clarke.

Jackson, Colin Gyrth. See Harry Medforth Dawson.

Jackson, D. E., and Samuel A. Matthews, the sensory nerves of the heart and vessels as a factor in determining the action of drugs, A., ii, 313.

Jackson, Holmes Condict, post-mortem autolysis, A., ii, 407.

Jacobj, Carl, and Golowinski, action of caffeine on frogs, A., ii, 1061.

caffeine on frogs, A., ii, 1061.

Jacobs, Walter A. See Phoebus A.

Levene.

Jacobsen, Jules, action of silver nitrate on chloroauric acid and the preparation of fulminating gold, A., ii, 601.

Jacobsohn, Felix, assay of Sulphur antimonii auratum, A., ii, 540.

analysis of oxidised antimony and lead sulphide compounds, A., ii, 989.

Jacobson, C. A. See Harry Clary Jones. Jacobson, Paul [Heinrich], and L. Huber, formation of indazole derivatives from orthomethylated anilines, A., i, 298.

Jacoby, Ernst. See Ferdinaud Blumenthal and Otto Diels.

Jacoby, J. See Carl Johann Blacher.

Jacoby, Martin, ferments and anti-ferments. VI., A., i, 236.

the action of resorbed salicylic acid in blood serum, A., ii, 512.

ferments and anti-ferments. VII. Detection of trypsin, A., ii, 743.

Jacoby, Martin, and Albert Schütze, the influence of resorbed salicylic acid on the opsonic functions of the serum, A., ii, 511.

arsenic and trypanosomes, A., ii, 771. the mechanism of the action of arsenic preparations on trypanosomes in the animal organism. II., A., ii, 973.

Jaeger, Frans Maurits, the crystal form of halogen derivatives of open-chain hydrocarbons with reference to the Barlow-Pope theory of structure, T., 517; P., 29.

the question of the miscibility and form-analogy in aromatic nitro- and nitroso-compounds, A., i, 147.

crystallography of some cyclic organic compounds, A., i, 413.

tri-p-halogen substitution products of triphenylmethane and triphenylcarbinol, **A**., **i**, 523.

Jaeger, Frans Maurits. See also P. J. Montagne.

Jaeger, L. de, the reactions of urine, A., ii, 630.

Jänecke, Ernst, reciprocal salt-pairs. I., A., ii, 808.

the reciprocal salt-pair, NaCl-K₂SO₄;

KCl-Na₂SO₄, A., ii, 841. **Jaffé**, *George*, ionisation of liquid dielectric media by radium rays, A., ii, 148.

Jaffé, Max, the regular occurrence of indole in the distillate of normal urine, A., ii, 1057.

Jahr, Max. See Paul Rabe.

Jakob, Fritz. See Hans Hofer.

W. See Wladimir Jakowleff, Ipatieff.

Jamada, Kando, and Alb. Jodlbauer, action of light on peroxydase; sensitisation by fluorescent substances, A., i, 239.

James, Charles, bromates of the rare earths. I. New method for the separation of the yttrium earths, A., ii, 190.

scheme for the separation of the rare earths, A., ii, 498.

Jamieson, George Samuel, H. L. Levy, and Horace Lemucl Wells, volumetric estimation of copper, A., ii, 634.

Jamieson, George Samuel. See also Henry Lord Wheeler.

Jamieson, James Sprunt, a delicate test for bromides alone or in solution with chlorides, P., 144.

Jannasch, Paul [Ehrhardt], separation of chlorine, bromine, and iodine by means of hydrogen peroxide in acid solution, A., ii, 730.

Jannasch, Paul, [with E. Heimann], new gravimetric processes. [Estimation of carbon dioxide; nitric acid; arsenic], A., ii, 430.

Jannasch, Paul, and W. Jilke, quantitative vaporisation of phosphoric acid from phosphates in a current of chlorine and carbon tetrachloride or of carbon

tetrachloride only, A., ii, 685. Jansen, B. C. P., qualitative centrifugal analysis, A., ii, 891.

Jantsch, Gustav, determination of atomic weight of europium, A., ii, 282.

Jantsch, Gustav. See also Georges Urbain.

Jappelli, A. See Filippo Bottazzi.

Jatar, S. B., volumetric estimation of iron and chromium by means of titanous chloride, A., ii, 778.

Javal, Adolphe, molecular concentration of pathological fluids, A., ii,

Javillier, Maurice, favourable influence of small quantities of zinc in the growth of Sterigmatocystis nigra, Λ ., ii, 124.

fixation of zinc by Sterigmatocystis nigra, A., ii, 317.

Javillier, Maurice. See also Gabriel Bertrand.

Javorsky, W., use of magnesium in place of zinc in the synthesis of alcohols of

the allyl series, A., i, 753.

Jean, Ferdinand, titration of tannin by means of iodine, A., ii, 76.

estimation of organically-combined iodine and chlorine in "erythrosine," A., ii, 129.

Jeancard, Paul, and Conrad Satie, observations on the analysis of lavender oils, A., ii, 232.

Jechel, Peter, spectrum of strontium in the orange and red, A., ii, 138.

See Frank Edwin Jeffreys, C. W. Weston.

Jentzsch, Felix, radioactivity of the Kissingen mineral springs, A., ii, 9, 143.

emission of electrons by heated metallic oxides, A., ii, 652.

Jerusalem, Ernst, a new process for the estimation of lactic acid in organs and animal fluids. I. Estimation of lactic acid in aqueous solutions, A., ii, 905.

a new process for the estimation of lactic acid in organs and animal fluids. II. Estimation of lactic acid in animal fluids, A., ii, 905.

Jerusalem, Ernst. See also Otto von Fürth.

Jerusalem, George, and William Jackson Pope, relation between the crystalline form and chemical constitution of the picryl derivatives, A., ii, 674.

Jessen-Hansen, H., Bang's method of estimating sugar, A., ii, 638.

Jessen-Hansen, H. See also Sören Peter Lauritz Sörensen.

Jessup, A. C., and A. E. Jessup, evolution and devolution of the elements, A., ii, 96.

Jessup, A. E. See A. C. Jessup. Jetzer, Max. See Fritz Fichter.

Jilke, W. See Paul Jannasch.

Jimbō, Kotora, Japanese zeolites, A., ii,

Jochheim, Hermann. See Carl Gustav Schwalbe.

Jodlbauer, Alb. See O. Harzbecker, Kando Jamada, T. Kudo, and M.

Jörgensen, Gunner, adsorption compounds, A., ii, 261.

Johannsen, Otto. See Alfred Stock.

Johns, Carl Oscar, pyrimidines. XXXVII. Synthesis of 4-methylcytosine, A., i, 917.

Johns, Carl Oscar. See also Henry Lord Wheeler.

Johnson, A. See Alfred Wohl.

Johnson, Benjamin L., and Charles Hyde Warren, mineralogy of Iron Mine Hill, Rhode Island, A., ii, 202.

Johnson, Charles M., estimation of carbon in steel, ferro-alloys, and plumbago by means of an electric furnace, A., ii, 630.

Johnson, Frederick Murray Godschall, vapour pressure of dry sal ammoniac, A., ii, 157.

Johnson, Frederick Murray Godschall, and K. Buch, gas current pressure regulator, A., ii, 270.

Johnson, Frederick Murray Godschall, and Norman Thomas Mortimer Wilsmore, electrode potential in liquid ammonia, A., ii, 455.

Johnson, J. M. See Salomon Farby

Johnson, Treat Baldwin, pyrimidiues. XXIX. Separation of thymine from uracil, A., i, 692.

action of nitric acid on 2:6-dioxypyrimidines; nitrohydroxyhydrothymine. XXX., A., i, 739.

Johnson, Treat Baldwin, and Samuel Hopkins Clapp, pyrimidines. XXXIV. Action of diazobenzenesulphonic acid on thymine, uracil, and cytosine, A., i, 931. Johnson, Treat Baldwin, and Samuel Hopkins Clapp, [with N. A. Martin], pyrimidines. XXXIII. Synthesis of N-alkyl derivatives of cytosine, thymine, and uracil, A., i, 835.

Johnson, Treat Baldwin, and John H. Derby, jun., pyrimidines. XXXVIII. Syntheses of some benzyl derivatives of uracil and thymine, A., i, 1018.

of uracil and thymine, A., i, 1018.

Johnson, Treat Baldwin, and Frederick
W. Heyl, pyrimidines. XXVIII.
Synthesis of 4-methyluracil-5-acetic
acid, A., i, 59.

Johnson, Treat Baldwin, and Walter F. Storey, [with Elmer V. McCollum], pyrimidines. XXXV. Action of potassium thiocyanate on some imide chlorides, A., i, 837.

Johnson, William A., proposed method for the routine valuation of diastase preparations, A., ii, 743.

Johnston, John, dissociation pressures of some metallic hydroxides and carbonates, A., ii, 358.

free energy changes attending the formation of certain carbonates and hydroxides, A., ii, 812.

Johnston, Samuel M., boiling and freezing points of concentrated aqueous solutions and the question of the hydration of the solute, A., ii, 661.

Johnston-Lavis, Henry J., and Leonard James Spencer, chloromanganokalite, a new Vesuvian mineral, A., ii, 395.

Jolibois, Pierre, zinc phosphides, A., ii, 1037.

Jolibois, Pierre. See also Paul Lebeau. Jolkowsky (Madame). See H. Cantoni. Jolles, Adolf [F.], estimation of pentoses in urine, A., ii, 235.

the degree of acidity of urine, A., ii, 970. a new reaction for bile acids, A., ii, 998.

Joly, John, the radioactivity of sea-water, A., ii, 246.

radium content of deep-sea sediments, A., ii, 649.

Jona, Temistocle, action of sulphuric acid on calcium cyanamide, A., i, 143. preparation of aminodicyanodiamidine, A., i, 964.

Jones, Bernard Mouat, the spontaneous crystallisation of solutions of some alkali nitrates, T., 1739; P., 196.

Jones, Bernard Mouat. See also Harold Hartley.

Jones, George Cecil. See Arthur Robert Ling.

Jones, Harry Clary, and C. A. Jacobson, conductivity and ionisation of electrolytes in aqueous solutions as conditioned by temperature, dilution, and hydrolysis, A., ii, 1011.

Jones, Harry Clary, and J. N. Pearce, dissociation as measured by lowering of freezing point and by electrical conductivity; bearing on the hydrate theory; the approximate composition of the hydrates formed by a number of electrolytes. XIX., A., ii, 19.

Jones, Harry Clary, and Charles M. Stine, the effect of one salt on the hydrating power of another salt present in the same solution. XX., A., ii,

474.

Jones, Harry Clary, and W. R. Veazey, conductivity and viscosity of solutions of certain salts in water, methyl alcohol, ethyl alcohol, acetone, and binary mixtures of these solvents, A., ii, 259.

conductivity and viscosity of tetraethylammonium iodide in water, methyl alcohol, ethyl alcohol, nitrobenzene, and binary mixtures of

these solvents, A., ii, 260.

Jones, Humphrey Owen, resolution of optically active ammonium salts by means of tartaric acid, A., i, 257.

Humphrey Owen, and John Robertshaw Hill, the effect of constitution on the rotatory power of optically active ammonium compounds. Part II., T., 295; P., 28.
Jones, Humphrey Owen, and Hubert

Sanderson Tasker, note on oxalyl

chloride, P., 271.

Jones, Humphrey Owen. See also (Sir) James Dewar and Reginald William Everatt.

Jones, Lionel Manfred. See Thomas Slater Price.

Jones, Walter, identity of nucleic acids of thymus, spleen, and pancreas, A., i, 744.

Jones, Walter, and L. G. Rowntree, guanylic acid of the spleen, A., i, 487. Jonescu, D., and Otto Loewi, action of

the digitalis group on the kidneys, A.,

Jong, Anne Willem Karel de, does crystallisable cocaine occur in Java coca? A., i, 825.

presence of i-dimethylinosite in the latex of Melabeai from Sumatra, A.,

estimation of ecgonine in Java coca, A., ii, 239.

estimation of total alkaloids in coca leaves, A., ii, 440.

separation of benzoic acid and cinnamic acid, A., ii, 993.

assay of coca, A., ii, 997.

Jongkees, W. J. A., ininodiacetic acid and some derivatives, A., i, 959.

Jonker, W. P. A., sublimation of arsenic A., ii, 1033.

Jordan, Strowd. See Alvin Sawyer Wheeler.

Jordis, Eduard [Friedrich Alexander], the metallic form of metalloids, A., ii, 98.

silicates. VII., A., ii, 103.

metallic silicates. I. Preparation of metallic silicates by wet methods, A., ii, 291.

silicates. VIII. Alkali silicates, A., ii, 492.

theory of colloids, A., ii, 675, 820, 1023. Jordis, Eduard, and W. Hennis, metallic silicates. If. Interactions sodium silicate and metallic salt solutions, A., ii, 291.

Jordis, Eduard, [with W. Rosenhaupt], action of oxygen on copper, tin, zinc, and the alloys of tin and zinc with

copper, A., ii, 107.

action of oxygen on metals, A., ii, 172. Jorns, August, the catalases of bacteria, A., ii, 880.

Joshua, Walter Philip. See Martin Onslow Forster.

Jost, F., ammonia equilibrium, A., ii, 362, 761.

Jovanovits, Johann. See Alfred Werner. Jovitschitsch, Milorad Z., mysterious lack of carbon in the condensation products of ethylene and acetylene, A., i, 118.

condensation products obtained from ethylene and acetylene by means of the dark electric discharge, A., i, 118.

Jüptner [von Jonstorff], Hanns (Freiherr) von, vaporisation. I. and II., A., ii, 663, 810.

Jufereff, Wladimir, conductivity of solutions of ferric and ferrous chlorides and the structure of ferric chlorides, A., ii, 698.

Juman, Lucien, electrolytic extraction of copper from its ores, A., ii, 282.

Jungfleisch, Émile [Clément], and Marcel Godchot, new homologues of diglycollic

acid, A., i, 127.

Jungfleisch, Émile, and Henri Leroux, identity of ilicyl alcohol and α-amyrin, A., i, 1000.

Just, Gerhard, reaction between potassium ferricyanide and potassium iodide, A., ii, 825.

Just, J. See Julius Stoklasa.

K.

Kablukoff, Iwan A., preparation of aluminium bromide and its latent heat of fusion, A., ii, 499.

Kahan, (Miss) Zelda, the effect of heat on the alkyl iodides, T., 132. quantitative separation of barium from

strontium, A., ii, 133.

Kahlbaum, C. A. F., preparation of hydrogen peroxide, A., ii, 829.

Kahlenberg, Louis [Albert Berthold], passage of substances into the human system by osmosis, A., ii, 408.

Kahlenberg, Louis, and Robert K. Brewer, equilibrium in the system, silver nitrate and pyridine, A., ii, 469.

Kahlenberg, Louis, and Robert Koenig, latent heat of vaporisation and specific heat of methyl silicate, A., ii, 460.

Kahlenberg, Louis, and Francis of lithium Krauskopf, separation chloride from the other alkali chlorides and barium chloride, A., ii, 777.

Kahn, Robert. See Ludwig Benda.

Kailan, Anton, esterification of einnamic and hydrocinnamic acids by means of alcoholic hydrogen chloride, A.,ii,27. esterification of nitrocinnamic acids by means of alcoholic hydrogen chloride, Λ., ii, 27.

esterification of p-mandelic acid and benzoylformic acid, A., ii, 28. esterification of trichloroacetic acid,

A., ii, 936.

Kajiura, S. See Otto Rosenheim.
Kalaboukoff, (Mtlc.) L., and Émile
Terroine, influence of the products of reaction on the hydrolysis of fats by pancreatic juice, A., ii, 1050.

Kalandek, Stanislaw, absorption of light in solutions of aniline colours from the standpoint of optical resonance, Λ ., ii,

Kaljanoff. See Wassili Scharwin.

Kalle & Co., preparation of 3-hydroxy-(1)-thionaphthen, Λ., i, 360.

preparation of anthroxanic acid, Λ ., i, 421.

3-hydroxy-(1)-thiopreparation ofnaphthen-2-carboxylic acid, A., i, 451, 797.

preparation of dithioglycollic acid and arylthioglycollic [arvlthiolacetie] acids, A., i, 605, 940, 983.

preparation of anthroxanic acid, Λ ., i, 646.

preparation of a red colouring matter of the thionaphthen series, A., i.

preparation of the leuco-derivative of colouring matter obtained by oxidation from 3-hydroxy-(1)-thionaphthens, A., i, 785.

preparation of o-nitrosobenzyl alcohol and anthranil, A., i, 786.

preparation of anthranil, A., i, 828.

Kalle & Co., [preparation of diazoderivatives of 1-amino-β-naphtholsulphonic acids], A., i, 842.

preparation of a compound having the composition of nitrosobenzyl alcohol, A., i, 980.

preparation of o-carboxyphenylthioglycollic [a-carboxyphenylthiolacetic] acid, A., i, 984.

Kamerlingh Onnes. See Onnes.

Kametaka, Tokuhci, constitution of the so-called elæomargaric acid, A., i,

Japanese vegetable oils, Λ ., i, 850.

Kametaka, Tokuhci. See also Richard Willstätter.

Kampschulte, W. See Wilhelm Manchot.

Kanamori, S., agronomical equivalent of artificial magnesium carbonate, A., ii,

Kanomata, C., influence of didymium [and glucinum] on plants, A., ii, 616.

depression of growth by large amounts of calcium, A., ii, 624. Kanomata, C. See also I. Namba.

Kantorowicz, Hans. See Franz Sachs. Kapeller, Friedrich. See Erich Müller. Kappeler, Hans. See Fritz Fichter.

Kappen, Hubert, the influence of sterilisation on "Kalkstickstoff" solutions, A., ii, 414.

the decomposition of calcium evanamide, A., ii, 414.

absorption of calcium cyanamide in soil, A., ii, 728.

Adrica, triboluminescence οľ Karl, mineral substances, A., ii, 549. Karp, E. See Leo Pissarjewsky.

Karpiński, Adam, and Bronislaw Niklewski, influence of organic matter on nitrification in impure cultures, A., ii, 123.

Karslake, William Jay, detection of manganese and chromium in the presence of each other, A., ii, 635.

Karslake, William Jay, and Will J. Morgan, some derivatives of 2:6-dinitro-1:3-dimethylbenzene-4-sulphonic acid, A., i, 410.

Kasarnowski, H. See Reginald Oliver Herzog.

Kasten, W. See Daniel Vorländer.

Kastle, Joseph Hoeing, available alkali in the ash of human and cows' milk, A., ii, 714.

the use of nitrous acid, nitrites, and aqua regia in the estimation of the mineral constituents of urine, A., ii, 982,

Kastle, Joseph Hoeing, and Madison B. Porch, peroxydase reaction of milk, A., ii, 409.

Katayama, M., nature of iodide of starch, A., i, 9.

amalgam concentration cells, chemical cells, and Daniell cells, constructed with solid electrolytes, A., ii, 145.

anomaly of the strong univalent electrolytes, A., ii, 926.

Katayama, M. See also Richard Lorenz. Kato, Yogoro. See Arthur Amos Noyes. Kauffmann, Hugo [Josef], fluorescence and chemical constitution, A., ii, 5. electron theory and valency, A., ii,

Kauffmann, Max, condensation of cyclopentanone with benzaldehyde, A., i,

Kaufler, Felix, explanation of supertension. II., III., and IV., A., ii, 558, 1008.

Kaufler, Felix. See also Richard Lorenz. Kaufmann, Adolf, and Hans Hüssy, nitration of quinoline and its mononitro-derivatives. II., A., i, 565.

Kaufmann, H. See Leopold Spiegel. Kaufmann, Ludwiy,triphenylstibine sulphide, A., i, 1031.

Kautzsch, Karl. See Emil Abderhalden. Kawamura, Shin-ichi, coagulation of colloidal aluminium hydroxide by electrolytes, A., ii, 949.

Kay, Francis W., resolution of α-methylisoserine into its optically active components, A., i, 772.

synthesis of polypeptides. XXVI. 2. Derivatives of \$\beta\$-aminobutyric acid and of a-methylisoserine, A., i, 773.

Kaya, R. See Julius Morgenroth. Kayser, E., and A. Demolon, formation

of acetaldehyde in alcoholic fermentation, A., i, 317.

Keane, Charles Alexander, and Harry Burrows, the autolysator, an apparatus for the automatic estimation of carbon dioxide, A., ii, 735.

Kedesdy, Erich, gall-iron inks, A., ii, 642.

K. lesdy, Erich. See also Friedrich Willy Hinrichsen.

Keen, Wm. Herbert, volumetric estimation of zinc, A., ii, 431.

Keetman, B. See Willy Marckwald. Kehrmann, [Johann August Ludwig] Friedrich, constitution and colour, A., i, 699, 993.

Kehrmann, Friedrich, and R. Brunel,

azonium compounds and azines from 7-hydroxy-\$-naphthaquinone, A., i, 579.

Kehrmann, Friedrich, and O. Dengler, carboxonium dyes. I. The chromogen of fluorescein and the simplest rosamine, A., i, 1002.

Kehrmann, Friedrich, and R. Schwarzenbach, prasindones, A., i, 297.

Kehrmann, Friedrich, and K. L. Stern, constitution of rosindone and isorosindone, A., i, 220.

Keim, Paul. See Hans von Liebig.

Keiser, Edward Harrison, and Sherman Leavitt, preparation and composition of the hydrogen carbonates of calcium and barium, **A., ii,** 1037.

Keiser, Edward Harrison, and LeRoy McMaster, detection of ozone, nitrogen peroxide, and hydrogen peroxide in gas mixtures, A., ii, 222.

composition of the hydrogen carbonates of calcium and barium, A., ii,

Keiser, Franz. See Gustav Keppeler. Keller, Oscar, alkaloids of the species of Nigella, A., i, 283.

Kellner, Oscar [Johann], nutritive value of non-proteins in hay, A., ii, 220.

Kemmerer, George I., atomic weight of palladium, A., ii, 1046.

Kempf, Richard, apparatus for demonstrating the synthesis of water, A., ii, 480.

practical studies in vacuum sublimation, A., ii, 929.

Kempf, Richard, and Ed. Oehler, reaction between ammonium persulphate and sodium peroxide, A., ii, 764.

Kempner, Felicja. See Rudolf Höber. Kendall, E. C., and Henry Clapp Sherman, detection and identification of certain reducing sugars by condensation with p-bromobenzylhydrazide, A., ii, 903.

Kennaway, Ernest Laurence. See Edward Provan Cathcart.

Kennedy, W. T. See J. C. McLennan. Kenner, James. See Emil Knoevenagel. Keppeler, Gustav, and Joh. D'Ans, thermal dissociation of the anhydrous sulphates of iron, A., ii, 289.

Keppeler, Gustav, [with Joh. D'Ans, Ivar Sundell, and Frank Keiser], the iron oxide contact process, A., ii, 482.

Keppeler, Gustav, and Albert Spangenberg, protective action of colloids on clay suspensions, A., ii, 60.

Kerbosch, M., destruction of organic substances, A., ii, 981. Kernbaum. See Charles

Miroslaw. Eugène Guye.

Kernot, Giuseppe, E. D'Agostino, and M. Pellegrino, influences of solubility, A., ii, 568.

Kerschbaum, Fritz. See Robert Kre-

Ketner, C. H., estimation of phosphoric acid in basic slags by Grete's method, A., ii, 64.

Khotinsky, Eugen, and Basile Seregenkoff, action of Grignard reagents on ethyl orthosilicate, A., i, 1032.

Kien, Peter, flame spectrum of cupric chloride, A., ii, 1001. **Kijner**, Nicolai M., menthazine, A., i, 91.

conversion of the azine of 1-methyl-cyclohexon-3-one into 1-methylcyclohexyl-3-hydrazine, A., i, 106.

transformations of cyclobutyldi-methylcarbinol. II., A., i, 530. hydrogenation of cyclobutanecarb-

oxylic acid, A., i, 532.

isomeric changes in the transformation of cyclobutyldimethylcarbinol, A., i, 864.

Kiliani, Heinrich, saccharinic acids, A., i, 128, 246.

 C_5 sugars from meta- and parasaccharin, A., i, 135.

digitoxonic acid, A., i, 245.

formulæ of polysaccharides, A., i, 320. products of the reaction between lactose and calcium hydroxide, A., i, 715.

action of thiosulphate on permanganate in alkaline solution, A., ii, 982.

King, Percy Edgar. See Arthur George Green.

Kinoshita, S., condensation of the actinium and thorium emanations, A., ii, 652.

oshita, Tōsaku, comparative investigations on various reduction Kinoshita, processes for the estimation of dextrose, A., ii, 437.

a modification of the cryoscopic methodfor investigating small quantities of liquid, A., ii, 810.

Kinsky, Jeno, conduction of electricity by metals and amalgams, A., ii, 754.
Kionka, Heinrich, gout, A., ii, 972.
Kipper, H. B. See Henry Augustus

Torrey. FredericKipping, Frederic Stanley, organic derivatives of silicon. Part VI. The optically active sulphobenzylethyl-

propylsilicyl oxides, T., 457; P., 47. Kipping, Frederic Stanley. See also Bernard Dunstan Wilkinson Luff, Herbert Marsden, and Robert Robison.

Kircher, A. See Ernst Schmidt.

Kirchhoff, G. See Wilhelm Steinkopf. Kirmreuther, H. See Karl A. Hofmann. Kirpal, Alfred, decomposition of 3methyl 2-hydrogen quinolinate, A., i, 565.

Kirpal, Alfred, new betaines of the pyridine series, A., i, 679. quantitative estimation of methoxyland methylimino-groups,

Kistiakowsky, Władimir A., measurement of electrode potentials, A., ii,

Klaber, William. See Marston Taylor Bogert.

Klarfeld, H. See Roman Zaloziecki.

Klason, Peter, chemical composition of pine-wood. I., A., i, 717.

Klason, Peter, and Oscar Fagerlind, chemical composition of pine-wood.

II., A., i, 717.

Klason, Peter, Gust. von Heidenstam, and Evert Norlin, theoretical investigations on the charring of wood. I. Dry distillation of cellulose, A., i, 717.

investigations on the charring of wood. II., A., i, 955.

Klatte, Fritz. See Eduard Buchner.

Klaye, R. See Ernst Berl.

Kleeman, R. D., different kinds of γ-rays of radium and the secondary γ -rays which they produce, A., ii, 553.

Klein, F. See Hermann Ost.

Klein, Joseph, santonin, A., i, 423.

Kleiner, Israel S. See Frank Pell Underhill.

Kleinschmitt, A., hydrolysis of hordein, A., i, 69.

Kleinstück, Martin. See Ernst von Meyer.

Klemann, Emil. See Carl Bülow.

Klemensiewicz, Z., antimony trichloride as ionising solvent, A., ii, 1043.

Klever, Helmut W. See Hermann Staudinger.

Kliegl, Alfred, synthesis of o-nitrotriphenylmethane, A., i, 82.

condensation of o-nitrobenzaldehyde with aromatic hydrocarbons in presence of concentrated sulphuric acid, A., i, 549.

Kling, K., p-tolylacetaldehyde and its derivatives, A., i, 188.

o-, m-, and p-tolylethyl alcohols, A., i, 980.

Klingen, Mej. I. M. P. See Wilhelm Eduard Ringer.

Klobb, [Constant] Timothée, glucosides of Linaria, A., i, 903.

Klobbie, Eduard August, and H. L. Visser, detection of potassium perchlorate in potassium chlorate, A., ii, 627.

Klöppel, S., manurial experiments on mangolds with calcium cyanamide and sodium nitrate, A., ii, 619.

Klopfer, Theodor. See Ernst Beckmann. Klostermann, Wilhelm. See Karl Fries. Knaffl-Lenz, Erich von, the relations between lipoid liquefaction and cytolysis, A., ii, 610.

Knecht, Edmund, three lecture experiments, A., ii, 270.

volumetric process for the estimation of chlorates, A., ii, 627. Knight, (Miss) Lottic Emily.

See John Kenneth Harold Inglis.

Knight, Nicholas, estimation of ferrous iron, A., ii, 323.

decomposition of dolomite, A., ii, 506.

Knoch, Max. See Otto Ruff. Knoevenagel, Emil, and James Kenner, preparation of sulphinic acids, A., i, 970.

Knoevenagel, Emil, and Lco Polack, sulphinic anhydrides, A., i, 971.

Knoll & Co., preparation of narcotin derivatives, A., i, 285.

preparation of a-chloroisovalerylearb-

amide, Λ., i, 399.
preparation of α-iodoisovalerylcarbamide, Λ., i, 769.
preparation of neutral esters from

sandal wood oil, A., i, 1000.

preparation of α-bromoisovalerylquinone, A., i, 1004.

Knoop, Franz, a colour reaction of histidine, A., ii, 642.

the oxidation of fatty acids, A., ii, 720. Knopf, A., and Waldemar Theodore Schaller, two new boron minerals of contact-metamorphic origin, A., ii, 507.

Knorr, Ludwig, and Heinrich Hörlein, morphine. XVI. Newchlorocodide, A., i, 41.

XVII. Relationship of morphine. isocodeine to codeine, A., i, 42.

morphine. XVIII. Hydrolytic products of α - and β -chlorocodide, A., i,

Knorr, Ludwig, and Felix Raabe, morphine. XIX. Relationship between ψ apocodeine and apomorphine, A., i,

Knorre, Georg [Karl] von, separation of tungstic acid from phosphoric acid, A., ii, 231.

separation of tungsten from chromium; estimation of tungsten in steel containing chromium, A., ii, 779.

Knowles, Robert Edward. See Benjamin Moore.

Knox, Joseph, sulphur anion and complex sulphur anions, A., ii, 830.

Kobayaski. See Riko Majima.

Kober, Philip Adolph, apparatus for the quantitative distillation of ammonia, A., ii, 776.

Kober, Philip Adolph, ammonia distillation in the presence of magnesium or calcium salts, A., ii, 893.

Kobert, Karl, reaction of phloroglucinolhydrochloric acid with essential oils, A., ii, 72.

Koch, Alfred, J. Litzendorff, F. Krull, and A. Alves, fixation of nitrogen in soil by free bacteria, and its importance for the nutrition of plants, A., ii, 56.

Koch, Hugo, volumetric estimation of lead [as sulphide], A., ii, 227.

Koch, M. See Fritz Foerster. See Herman Decker. Koch, Otto.

Koch, Waldemar, sulphur compounds of the nervous system, A., ii, 52.

Koch, Waldemar, and Sidney A. Mann, composition of human brain at different ages, A., ii, 307.

Koebner, Max, estimation of tannins in white wines, A., ii, 240.

Koelker, Arthur H. See Emil Abderhalden.

Koenig, Adolf. See Fritz Haber.

König, [Franz] Josef, estimation of crude fibre and separation of cellulose, lignin, and cutin, A., ii, 236.

König, Josef, Julius Hasenbäumer, and H. Grossmann, some properties of the organic matter in the soil; the osmotic pressure of the soil moisture, A., ii, 888.

Koenig, Robert. See Louis Kahlenberg. Koeniger, P. See A. Bezdzik.

Koenigs, Wilhelm, and Karl Bernhart, 1-p-hydroxybenzylpiperidine, A., i,

Köppe, Ernst. See Herbert Gorke. Köppen, A. See Alfred Wohl.

Körner, H., derivatives of dithiocarbaminoacetic acid, A., i, 509.

Koerner, Theo., preparation of alcohol from substances containing cellulose, A., i, 955.

Körner, Wilhelm, and Belasio, iodination of m-nitroaniline by means of iodine and potassium iodate, A., i, 778.

Körner, Wilhelm, and Angelo Contardi, action of bromine or of sodium hypobromite on m-nitroaniline and some of its halogen substitution derivatives, A., i, 523.

Körösy, Kornel von, absorption of protein, A., ii, 960.

Kötz, [Friedrich] Arthur, [and, in part, Arthur Bieber, Leopold Hesse, and Adolf Schwarz], syntheses by means of the carboxylic esters of cyclic ketones. VII. Influence of the alkyl groups on the synthesis and degradation of 1-alkyleyclohexane-2-one-1carboxylic esters, A., i, 24.

Kötz, Arthur, and C. Götz, transitions from hydroaromatic to aromatic compounds. I. Phenol and salicylic acid from hydrobenzene derivatives, A., i,

Arthur, and Adolf Schwarz, Kötz, syntheses of optically active p-menth-

one, A., i, 37.

Kof, K., and Hugo Haehn, detection of very small quantities of mercuric chloride, A., ii, 69.

Kofler, Martin, measurements of the absorption coefficients of radium emanation in solutions and mixtures, A., ii, 80.

Kohler, Elmer Peter, triphenylindene and some of its derivatives, A., i, 777.

Kohlrausch, Friedrich [Wilhelm Georg], temperature-coefficients of ionic mobilities in water as a function of the mobilities, A., ii, 264.

electrochemical equivalent of silver, especially in reference to the socalled anode liquid, A., ii, 657.

saturated aqueous solutions of sparingly soluble salts. II. The amounts dissolved and their alteration with temperature, A., ii, 814.

Kohlrausch, Friedrich, and Rudolf II. Weber, electrochemical equivalent and

temperature, A., ii, 82.

Kohlschütter, [Johannes] Volkmar, the reduction of silver oxide by hydro-

gen; colloidal silver, A., ii, 182. cathodic volatilisation of metals in attenuated gases, A., ii, 799, 800. chemical or physical theory of volatilisation (of cathodes), A., ii, 925.

Kohlschütter, Volkmar, and Th. Goldschmidt, cathodic pulverisation of metals in attenuated gases, A., ii, 457. Kohn, Moritz, aminolactones from di-

acetone alcohol, A., i, 819.

aminopyrrolidone derivatives from mesityl oxide and from benzylidineacetone, A., i, 829. new double salt of thallium, A., ii,

two observations relating to the decomposition of mercuric iodide, A.,

simple method for the estimation of the halogen in mercuric chloride and mercuric bromide, A., ii, 892.

Kohn, Moritz, and Otto Morgenstern, δ-amino-β-methylamino-β-methylpentane, A., i, 769.

Kohn, Richard. See Josef Herzig.

Kohn, S., possibility of determining the mass of suitable precipitates by observation of their rates of settling, A., ii, 92.

Kohn, S., titration of phosphoric acid in superphosphates, A., ii, 531,895.

Kohn-Abrest, Emile. See Jules Ogier. Kok, B. R. See Conrad Willgerodt.

Kolb, Adalbert, and A. Feldhofen, estimation of mercury by reduction with hydrogen peroxide, Å., ii, 69.

Kolb, Adalbert, and R. Formhals, action of potassium iodide and hydrochlorie acid on antimonic acid, A., ii, 599. volumetric estimation of antimony,

A., ii, 636.

Gustav, receiver for vacuum distillation, A., ii, 575.

Kolbeck, Friedrich, an old occurrence of argyrodite at Freiberg, A., ii, 703.

Alexandre. See Koleniew. Bielecki.

Komarowsky, Abram, rapid estimation of sulphur in coals, A., ii, 892.

Komppa, Gustav, dimethylcampholide, A., i, 352.

Komppa, Gustav, and S. V. Hintikka, dehydrocamphenylic acid, A., i, 852.

Kondakoff, Iwan L., thujene and carvestrene dihydrohaloids, A., i, 195. phellandrene from water fennel oil, A., i, 665.

Kondo, K. See Katsuji Inouye.

Koninck, Lucien Louis de, safety apparatus for ovens, baths, &c., A., ii, 681. Koninck, Lucien Louis de, and E. ron

Winiwarter, estimation of carbon in irons, A., ii, 320.Konowaloff, Michael I., action of nitric

acid on saturated hydrocarbons. XIII. Nitration of saturated hydrocarbons containing two isopropyl groups, A., i, 241.

Konowaloff, Michael I., and K. Müller, spontaneous transformation of benzophenoneoxime, A., i, 277.

Konschegg, Artur, the estimation of the total sulphur in urine, A., ii, 628. Konstantinoff, N. S., phosphorus com-

pounds of nickel, A., ii, 855. Konstantinoff, N. S. See also Nicolai

S. Kurnakoff.

Koppel, Iwan, and M. Cahn, equilibrium in the system, potassium oxalate, oxalic acid, water, A., i, 852.

Korczyński, Antoni, abnormal salts, A., i, 977.

Korschun, Georg, preparation of methyl a-chloropropyl ketone, A., i, 502. synthesis of ethyl 2:5-dimethyl-3ethylpyrrole-4-carboxylate, 564.

Kostanecki, Stanislaus von, [and, in part, J. W. Engelsohn, and M. Wurzelmann], two monohydroxy-anaphthaflavonols, A., i, 359. Kostanecki, Stanislaus von, and Victor Lampe, catechin, A., i, 86.

elimination of the methoxy-group, A., i, 442.

studies in the coumaran group. I., A., i, 442.

brazan from naphthalene, A., i, 671. brazanquinones, A., i, 907.

Kostanecki, Stanislaus von. See also J. Heller and Felicia Zwayer.

Kostytscheff, S., anærobic respiration without the formation of alcohol. II., A., ii, 416.

Kotake, Y., decomposition of caffeine by extract of ox-liver, A., ii, 1055.

Kowalski, Joseph de, phosphorescence at

low temperatures, A., ii, 79.

Koźniewski, Tad., and Leon Marchlewski, conversion of phyllotaonin into phytrhodins, A., i, 668.

Koźniewski, Tad. See also Józef Buraczewski.

Krämer, Adolf. See Emil Fischer. Krafft, [Wilhelm Ludwig] Friedrich [Emil], fractional distillation of higher normal paraffins from lignite in the vacuum of the cathode light, A., i, 1.

use of a vacuum for drying salts containing water of crystallisation, A., ii, 29.

Krafft, Friedrich. See also F. Damm. Krafft, P. See Heinrich Ley.

Kraft, Friedrich, crystalline hydro-

ergotinine sulphate, A., i, 203. Krassusky, K., the order of the addition of ammonia to organic as-a-oxides, A., i, 139.

Kraus, Charles August, solutions of metals in non-metallic solvents. Formation of compounds between metals and ammonia, A., ii, 486.

solutions of metals in non-metallic solvents. III. Apparent molecular weight of sodium dissolved in liquid ammonia, A., ii, 834.

solutions of metals in non-metallic solvents. IV. Material effects accompanying the passage of an electric current through solutions of metals in liquid ammonia; migra-

tion experiments, A., ii, 835. Kraus, Edward Henry, and I. D. Scott, American pyrites crystals, A., ii, 115. Krauskopf, Francis C. See Louis

Krauss, Ludwig. See Ernst Schmidt. Krauss, M. See Aladar Skita.

Kahlenberg.

Kreidl, Alois, and Alfred Neumann, milk curdling in the infant's stomach, A. ii, 606.

reis, Hans, testing the purity of salicylaldehyde, A., ii, 234. Kreis,

Kremann, Robert [Konrad], catalytic ester exchanges. II., A., i, 120.

saponification of glycerides during ester exchanges in homogeneous systems, A., ii, 1021.

Kremann, Robert, and Fritz Kerschbaum, solubility of potassium iodide in water, and of water in potassium iodide at low temperatures, A., ii, 37.

Kremers, Edward, isoterpenes

Flawitzky, A., i, 484.

Kretschmer, W., physiological action of adrenaline, A., ii, 55.

Kreutz, Adolf, new method for the estimation of fat in cocoa, A., ii, 641.

Krimberg, R., extractives of muscle.

IX. Constitution of carnitine, A., i, 41.

extractives of muscle; relationship of oblitine to carnitine, A., i, 842. extractives of muscle. X., A., ii, 609.

Kron, Arthur. See Walter Dieckmann. Kropp, Walter. See Emil Fischer. Kršnjavi, B. See Karl Drucker.

Krüger, Wilhelm, and Berthold Heinze, fallow, A., ii, 61.

Krull, F. See Alfred Koch.

Kruyff, E. de, composition of the milk and ferments of the fruit of Cocos nucifera, A., ii, 526.

Kruyt, Hugo R., dynamic allotropy of sulphur. I., A., ii, 1028.

Kryloff, J. de, steels containing phosphorus, A., ii, 698.

Krzemieniewska, (Mme.) Hélène, nutrition of nitrogenous bacteria, A., ii, 722. Krźiżan, Richard, blackberry-seed oil. A., ii, 239.

Kubli, Heinrich. See Richard Willstätter.

Kudielka, H., α-amino-n-hexoic acid [leucine], A., i, 511.

Kudo, T., and Alb. Jodlbauer, action in the dark of fluorescent substances on proteins, toxins, and ferments, and its reversibility, A., ii, 867.

Kügelgen, Fr. von, preparation of alkaline-earth metals, A., ii, 379.

compounds of arsenic Hugo,sulphates with potassium, calcium, and lead sulphates, A., ii, 36. stannic acids, A., ii, 198.

Kühling, Otto, phenacyl-dialuric acid, -tartronuric acid, and -isohydantoic acid, A., i, 571.

Kühling, Otto, and O. Berkhold, influence of addition of chloride on the reaction between barium carbonate, carbon, and nitrogen, A., i, 143.

Kühn, Gustav. See Carl Paal.

Künkler, A., and H. Schwedhelm, behaviour of fats and oils towards calcium carbonate, A., i, 494.

Küster, William, [with Karl Fuchs], hæmatin, A., i, 585.

Küster, William, [with F. Lacour and A. Nicole], hæmatin; salts, esters, and aniline derivatives of the hæmatic acids, and condensation products of the esters, Λ., i, 303.

Kuhara, Mitsuru, molecular rearrangement of N-benzylaldoxime, A., i,

900.

Kuhn, F. See Walter Herz.

Kuhn, Otto, are the stoicheiometric laws intelligible without the atomic hypothesis? A., ii, 98, 826.

Volhard's copper titration, A., ii, 1072. **Kulka**, Wilhelm, an apparatus for extraction by hot ether, A., ii, 937.

Kullgren, Carl Fredrik, influence of sulphuric acid in nitration; especially of cellulose, A., i, 768.

Kumagai, T., and Richard Wolffenstein, action of potassium persulphate on

p-cresol, A., i, 159.

Kumagawa, Muneo, and Kenzo Suto, estimation of fat and unsaponifiable matter in tissues, together with a critical examination of the methods now in use, A., ii, 331.

Kunckell, Franz [Edward], 3-chloro-6-chloroacetyltoluene [5-chloro-o-tolyl chloromethyl ketone] and two chlorodinitrotoluic acids, A., i, 729.

dinitrotoluic acids, A., i, 729.

Kunckell, Franz, [and F. Flos], the three chloroacetylbenzyl cyanides [chloroacetylphenylacetonitriles] and their derivatives, A., i, 890.

Kuntze, F., chloral alcoholates; connexion with the constitution of ψ -ammonium bases, A., i, 322.

Kuntze, Max, essential oil of Brassica Rapa var. rapifera, A., i, 196. essential oil of Cardamine amara, A., i, 196.

volumetric estimation of mustard oil, A., ii, 440.

[Kuratorium der Georg und Franziska Speyerschen Studienstiftung], preparation of acyl derivatives of paminophenylarsinic acid, A., i, 591.

preparation of derivatives of p-aminophenylarsinic acid, A., i, 747.

Kurbatoff, W. A., significance of the atomic hypothesis, A., ii, 97. the solid state, A., ii, 660. specific heat of mercury, A., ii, 807. the Avogadro-Guldberg law, A., ii, 812.

Kurbatoff, W. A., dependence of colour on temperature, and the importance of this phenomenon for the theory of colours and of radiation, Λ., ii, 4. new polymorphous forms of iodine, Λ., ii, 31.

Kurbatoff, W. J. See also Iwan I. Shukoff.

Kuriloff, Basil B., principle of evolution in chemistry, Λ., ii, 477.

Kurnakoff, Nicolai S., and N. S. Konstantinoff, antimonides of iron and cadmium, A., ii, 391.

Kurnakoff, Nicolai S., and S. F. Schemtschuschny, hardness of solid solutions of metals and of definite chemical compounds, A., ii, 932.

Kurovski, E. K. See Sebastian M. Tanatar.

Kurzmann, M. See Hermann von Tappeiner.

Kusumoto, Chasaburō, excretion of ethereal sulphates after giving salicin to normal and diabetic dogs, A., ii, 613.

the influence of tolylene-2:4-diamine on the secretion of cholesterol in the bile, A., ii, 970.

Kutscher, Friedrich. See D. Ackermann.

Kuzma, Bohumil. See Jiri Baborovský. Kyes, Preston, lecithid formation, A., ii, 215.

L.

Laar, [Peter] Conrad, formal types of structural isomerides, A., i, 749.

Laar, Johannes Jacobus van, aluminium in the potential series, A., ii, 248, 558.

vapour pressure of dry and of ordinary sal ammoniac, A., ii, 353, 569.

melting-point and freezing-point curves of binary systems when the solid phase is a mixture (amorphous solid solution or mixed crystals) of the two components, A., ii, 808.

velocity of reaction, A., ii, 824, 934. osmotic pressure, A., ii, 1018. Labhardt, Hans. See Fritz Ullmann.

Labhardt, Hans. See Fritz Ullmann. Laborde, J., origin of the colouring matter of red grapes and of other plant organs. A., ii. 774.

plant organs, A., ii, 774. transformations of the chromogenic matter of grapes during maturation,

A., ii, 1064.

Laby, T. H., Landolt's experiments on change of weight in chemical transformation, A., ii, 170.

supersaturation and nuclear condensation of certain organic vapours, A., ii, 797. Laby, T. H., separation of iron from nickel and cobalt by lead oxide, A.,

recalculation of the vapour pressure of mercury, A., ii, 1039. 7, T. H. See also Douglas Mawson.

Laby, T. H.Lacour, F. See William Küster.

Lacroix, [Antoine François] Alfred, sodium fluoride in nepheline-syenite from Los Islands, A., ii, 200.

a new mineral from the French Congo,

A., ii, 508.

a new mineral occurring with tourmaline in Madagascar, A., ii, 705. fumaroles of Etna; boric acid in the

fumaroles of Vesuvius, A., ii, 765. lavas of the recent eruption of Etna,

A., ii, 766.

Lacy, Burritt S., the luminosity of the Bunsen flame, A., ii, 1033.

Ladenburg, Albert, chemistry of silicon, A., i, 492.

Ladenburg, Albert, and W. Herrmann, partial racemism. VII., A., i, 364.

Ladisch, Carl. See Alfred Einhorn. La Forge, Frederick B. See Hermann

Leuchs. La Franca, Schastiano, gaseous metabolism in uræmie dogs,

Lagers, G. H. G., Pemberton's method for the estimation of phosphoric acid, A., ii, 896.

Laible, I. See Erich Harnack.

Laidlaw, Patrick Playfair, and John H. Ryffel, metabolism in a case of coma under rectal feeding, A., ii, 311.

Lalin, Leonid. See Otto Diels. Laloue, G. See Eugène Charabot.

Lambrecht, W. See Emil Fromm. Lami, Pio, control and estimation of atomic complexes in drugs, A., ii,

the polyiodide molecule, A., ii, 762.

Lampe, Victor. See Stanislaus von Kostanecki.

Lamplough, Francis Edward Everard, the determination of the rate of chemical change by measurement of the gases evolved, P., 29.

Lancien, André, molybdo-uranic compounds, A., ii, 699.

alkalescence and Landau, A nastazy,acidosis of the blood. Part II. On the influence of alkalis on the alkalescence of normal blood, and of blood in cases of endogenous acidosis, A., ii, 304.

A nastazy, \mathbf{a} nd MieczyslawLandau, Halpern, cerebro-spinal fluid, A., ii,

Landolf, Fr., milk-serum, A., ii, 714.

Landolt, Hans [Heinrich], the development of inorganic chemistry in the last forty years, A., ii, 31.

supposed alteration in the total weight of substances taking part in a chemical reaction, A., ii, 366.

See Augustin Landtwing, August. Bistrzycki.

Lane-Claypon, Janet Elizabeth, hæmolytic factors in milk, A., ii, 970.

Lang, Walther, preparation of aldehydes and quinones, A., i, 350.

Lang, William Robert, John Francis Mackey, and Ross Aitken Gortner, some esters of arsenious acid, T., 1364;

P., 150. Lang, William Robert, and John Obins

Woodhouse, the volumetric estimation of silver, T., 1037; P., 122.

Lange, A. E., determination of alkalinity by electrochemical means, A., ii, 534.

Lange, M. See Alfred Wohl.

Lange, Martin, replacement of the sulphonic by the cyano- and carboxylgroups in azo-compounds, A., i, 300. preparation of 2-hydroxydihydro- and 1-alkyl-2-ketodihydro-quinoxalines, A., i, 839.

Langheld, Kurt, behaviour of cholic acid towards ozone, A., i, 316. constituents of ox bile. I., A., ii, 211.

Langley, John Newport, contraction of muscle and receptive substances, A., ii, 120, 769, 874.

Langley, Ralph W., estimation of small amounts of barium in rocks, A., ii, 985.

Langmuir, Irving, velocity of reactions in gases moving through heated vessels, and the effect of convection and diffusion, A., ii, 1020.

Lapworth, Arthur, an examination of the conception of hydrogen ions in catalysis, salt formation, and electrolytic conduction, T., 2187; P., 275.

saponification of ethyl formate by water in presence of acids as catalytic agents, P., 100.

ester hydrolysis and theories of esterification, P., 152.

Lapworth, Arthur. Barrett, Reginald See also Ernest WilliamClarke, and Edward Fitzgerald.

ruier des Bancels, J., physical modifications of gelatin in the Larguier presence of electrolytes and nonelectrolytes, A., i, 233.

the influence of alkaline ferro- and ferri-cyanides on blood-coagulation, A., ii, 958.

La Roche & Co. See Hoffmann, La Roche & Co.

Lassar-Cohn, and Josef Löwenstein, rule in benzoylation of aromatic hydroxyacids and their esters, A., i, 984.

PeterLatham, Wallwork, complete hydrolytic decomposition of eggalbumin at 180°, A., i, 709. the synthesis of living albumin, A., i,

709.

formation of lactic acid and carbon

dioxide in muscle, A., ii, 609. Latschenko, specific heat of barytes, witherite, and fused lime, A., ii, 758. Lattès, Ch., polonium rays, A., ii, 796. Lattes, Leone. See Gustav Embden.

Lau, Erich, composition of the air in

soils, A., ii, 888.

Lauer, L., and Gustav Tammann, torsional elasticity of liquids, A., ii,

Laurie, Arthur Pillans, electromotive force of iodine concentration cells in water and alcohol, A., ii, 1007.

Laval, L. See F. Wüst.

Lavalle, Francisco P., detection of boric acid in foods by means of turmeric paper, A., ii, 896.

Lavaux, James, various cases of the simultaneous production of 1:6- and 2:7-dimethylanthracenes, A., i, 150. simultaneous production of 1:6- and 2:7-dimethylanthracenes in

action of methylene dichloride, chloroform, or acetylene tetrabromide on toluene in the presence of aluminium chloride, A., i, 256.

Law, Douglas J., acetylation, A., i, 321. Herbert Drake, and Frederick Mollwo Perkin, oxidation of hydrocarbons of the benzene series. Part II. Substances containing a negative

radicle, T., 1633; P., 195.

La Wall, Charles H., and Henry A., Bradshaw, estimation of benzoic acid in ketchup, A., ii, 438.

Lawroff, D., coaguloses. III., A., i, 844.

Lazareff, P. P., decoloration of pigments in the visible spectrum, A., ii, 4.

Leach, (Miss) Mary F., chemistry of the Bacillus coli communis, A., ii, 56.

Leather, John Petty. See Raymond Ross.

Leathes, John Beresford, higher fatty acids in the liver after removal, A., ii,

Leathes. John Beresford. See also Edward Provan Cathcart.

Leavenworth, Charles Samuel. See Lafayette Benedict Mendel.

Leavitt, Sherman, and Joseph Arthur Le Clerc, loss of phosphoric acid in the incineration of cereals, A., ii, 428.

Leavitt, Sherman, and Joseph Arthur Le Clerc, estimation of phosphorus in ash analysis, A., ii, 531.

Leavitt, Sherman. See also Edward Harrison Keiser.

Le Bas, Gervaise, the unit-stere theory; demonstration of a natural relation between the volumes of the atoms in compounds under corresponding conditions and that of combined hydrogen. II., A., ii, 667.

Lebeau, Paul, [Marie Alfred], some physical properties of butane and iso-

butane, A., i, 749.
Lebeau, Paul, and Robert Bossuet, mag-

nesium silicide, A., ii, 184. Lebeau, Paul, and Pierre Jolibois, definite compounds of silicon and palladium, A., ii, 602.

Lebedeff, A. F., assimilation of carbon

in bacteria which oxidise hydrogen, A., ii, 56.

humous carbonate soils and their conversion into grey sand soils, A., ii,

Lebedeff, Alexander, the influence of the alternating current on the rate of hydrolysis of starch by diastase and mineral acids, A, i, 321.

occurrence of formaldehyde in cellfree fermentation, A., i, 747.

action of alternating currents of high frequency on the decomposition of hydrogen peroxide by colloidal platinum, A., ii, 166.

Lebedeff, Sergius, formation of molasses, A., i, 606.

Le Blanc, Max [Julius Louis], the unimolecular course of the decomposition of ammonia by the silent discharge, A., ii, 819.

Le Blanc, Max, and John H. Davies, does the law of the action of mass hold for the silent electrical discharge? A., ii, 653.

Le Chatelier, Henri [Louis], austenite, A., ii, 490.

precipitated silica, A., ii, 1033. Le Chatelier, Henri, and S. Wolog-dine, density of graphite, A., ii, 177.

Lecher, Ernst, measurement of the variation of specific heat with temperature, A., ii, 83.

Le Clerc, Joseph Arthur. See Sherman

Leavitt.

Leder, F., the absolute distribution of intensity in the continuous background of the spectra of the alkali metals; the radiation of the Hefner lamp and of osmium, A., ii, 5.

Lederer, R. See Carl Schwarz.

Leduc, [Sylvestre] Anatole, atomic weights of nitrogen, oxygen, and carbon, A., ii, 271.

Leefhelm, Ludwig. See Max Busch. Leemann, H., estimation of nitrogen by Dumas' method, A., ii, 629.

Leemann, H., and Eugène Grandmougin, 2:4:2':4':6'-pentanitroazobenzene, A., i, 478.

s-hexanitroazobenzene, A., i, 478.

Leers, Otto, photomethæmoglobin, A., i, 843.

Leersum, E. C. van, amino-acids in the

urine during pregnancy, A., ii, 715.

Lefebvre, Charles, application of biochemical methods for the detection of sugars and glucosides in plants of the tribe, Taxeæ, A., ii, 57.

Lefèvre, K. U., and Bernhard Tollens, estimation and colour reactions of glycuronic acid, A., ii, 74.

Lefmann, G., poisonous substances in blood, A., ii, 522.

creatinine metabolism, A., ii, 1050. **Léger**, Eugène, transformation of barbaloin into an isomeride, \$\beta\$-barbaloin; existence of the latter in several aloes, A., i, 40.

2:4:6-trichlorophenol and its transformation into chlorinated benzoquinones, A., i, 335.

aloesol, a complex phenol prepared from certain aloes, A., i, 980.

Legler, Ludwig, estimation of lactic acids in musts and saccharine liquids, A., ii, 438.

Légrady, Elisabeth, so-called Moser rays, A., ii, 142.

Lehfeldt, Robert Alfred, electrochemical equivalents of oxygen and hydrogen, A., ii, 559.

Lehmann, Erich, relation of absorption and sensitiveness in photographic preparations, A., ii, 789.

See also August Lehmann, Erich. Michaelis.

See Erwin Rupp. Lehmann, F.

Lehmann, Hermann. See Ernst von

Lehmann, J. E. See F. A. Young.

Lehmann, Karl Bernhard, corrosion of tinned containers of preserved food by acids and by the contents, A., ii, 389.

Lehmann, KarlBernhard, Joseph Wiener, Johannes Willke, and Jiro Yamada, absorption of certain poisonous gases by the respiratory tract, A., ii, 771.

Lehmann. M. See Otto Wiegand. Lehmann, Otto, liquid crystals, A., ii, 1023.

Leidler, P., estimation of gold by means of sucrose or dextrose, A., ii, 327.

Leithäuser, G., and Robert Pohl, influence of ozone on the condensation of water vapour, A., ii, 372.

Leithäuser, G. See also Emil Warburg.

Leitmeier, Hans, relations between quartz, chalcedony, and opal, A., ii, 954.

Lemaire, P., differentiation between arbutin and quinol, A., ii, 328. colour test for alypine and various other local anæsthetics, A., ii, 784.

Lemcke, N., electrical conductivity and internal friction, A., ii, 251.
Lemoine, [Clément] Georges, decomposition of alcohols under the catalytic influence of charcoal (braise), A., i, 595.

Lemoine, Paul. See Jean Chautard.

Lemoult, Paul [Aimé Louis], action of hydrogen phosphide on mercuric chloride or bromide, PHg₃Cl₃ and $P_{2}Hg_{5} Br_{4}$, A., ii, 35.

Lenher, Victor, homogeneity of tellurium, A., ii, 483.

Lenher, Victor, [and, in part, Raymond C. Benner], yttrium earths, A., i, 385.

Lenher, Victor, [with C. W. Hill], action of various anhydrous chlorides on tellurium and on tellurium dioxide, A., ii, 484.

Lenher, Victor, and A. W. Homberger, estimation of tellurium, A., ii, 426.

Lenz, Wilhelm, the Carrasco-Plancher method of estimating carbon and hydrogen in organic substances, A., ii, 65.

Leonard, Alfred Godfrey Gordon, the absorption spectrum of triphenylmethane, P., 93.

the quantitative spectra of molybdenum, tungsten, thorium, and zirconium, A., ii, 645.

Leonard, Alfred Godfrey Gordon. See also Walter Noel Hartley and James Holms Pollok.

Leonardi, Battista. See Amedeo Colombano.

Nicolaus, Lepeschkin, sesquiterpene occurring together with cadinene in "Oleum Cadinum," A., i, 278. isomerisation phenomena during the preparation of cadinene, A., i, 557.

Lépine, Raphael, and Raymond Boulud, the total sugar of the blood, A., ii,

Lepkowski, W. von, influence of the rate of cooling on the composition of saturated mixed crystals, A., ii, 810.

Le Pla, (Miss) Margaret. See James Frederick Spencer.

Leprince, M., chemistry of mistletoe (Viscum album), A., ii, 58.

Leroide, J. See Eugène Tassilly.

Le Rossignol, Robert, simple regulator

for high pressure gas, A., ii, 827.

Le Rossignol, Robert. See also Fritz

Haber and Samuel Smiles.

Leroux, A. See K. Friedrich.

Leroux, Henri. See Emile Jungfleisch. Le Roy, G. A., detection of tartaric acid

in cider, A., ii, 237.

Les Établissements Poulenc Frères & Ernest Fourneau, preparation of the esters of the amino-a-hydroxy-acids, A., i, 937.

Lespieau, Robert, syntheses of r-erythric acid and of inactive erythritol, A., i,

hydrate and iodo-derivatives of propargyl alcohol (propinol), A., i, 496. stand for apparatus for cryoscopic measurements, A., ii, 564.

Lespieau, Robert, and Pariselle, propar-

gylearbinol, A., i, 496.

Lespieau, Robert, and Viguier, γ-hydr-

oxytetrolic acid, A., i, 125. **Lesser**, Ernst J., chemical processes in

the earth-worm, A., ii, 309. Lesser, Ernst J., and Ernst W. Ta-

schenberg, the ferments of the earthworm, A., ii, 309.

Le Sueur, Henry Rondel, the action of heat on α-hydroxycarboxylic acids. Part IV. Racemic αα'-dihydroxyadipic acid and meso-aa'-dihydroxyadipic acid, T., 716; P., 70.

Letellier, reducing properties of the organo-metallic compounds, A., i, 242.

Leuchs, Hermann, Strychnos alkaloids. I. New method of oxidising brucine and strychnine, A., i, 563.

Leuchs, Hermann, and Heinrich Felser, hydroxyprolines, A., i, 510.

Leuchs, Hermann, and Walter Geiger, anhydrides of a-amino-N-carboxylic acids and of a-amino-acids, A., i, 541.

Leuchs, Hermann, and Frederick B. La Forge, isomerism of carbethoxydiglycylglycine ester and the stability of N-carboxylic acids, A., i, 723.

Leuchtenberger, Carl. See Alexander Tschirch.

Levallois. See Louis Bouveault.

Levene, Phoebus A., cleavage products of nucleic acid, A., i, 931.

Levene, Phoebus A., and Walter A. Jacobs, the preparation of isoleucine from the hydrolysis products of proteins, A., i, 375.

inosic acid, A., i, 931.

Levene, Phoebus A., and John A. Mandel, the origin of cytosine, obtained by the hydrolysis of nucleic acids of animal origin, A., i, 376.

XIII., A., i, 586. nucleic acids.

the nucleo-protein of the liver. Guanylic acid, A., i, 587.

constitution of thymonucleic acid, A., i, 587.

Levene, Phoebus A., and Donald D. van Slyke, distillation of esters of aminoacids by means of the Geryk pump, A., i, 509.

hydrolysis of Witte's peptone, A., i, 932.

plastein, A., i, 932.

Levene, Phochus A. See also J. E. Sweet.

Levi, Mario Giacomo, and E. Migliorini, oxidation of the ammonia in ammonium persulphate, A., ii, 835.

Levi, Mario Giacomo, E. Migliorini, and Guido Ercolini, action of metals on aqueous solutions of the persulphates, A., ii, 581.

Levi, Mario Giacomo. See also Raffaelo Nasini.

Levi, R. See Aladar Skita.

Levi-Malvano, Mario, derivatives of a complex chloride of gold and phosphorus, A., i, 774.

Levin, Max, radiation of uranium X, A., ii, 919.

Levin, Max, and Rudolf Ruer, action of potassium salts on photographic plates, Ā., ii, 448.

Levison, Louis A. See Ernst Fuld.

Levites, A., filter for filtering solutions of definite concentration at a temperature either above or below that of the surrounding medium, A., ii, 576.

Levites, A. See also Leo Pissarjewsky. Levites, S. A., the process of gelatinisation, A., ii, 161, 264, 476. digestion of fat. III., A., ii, 960.

Levy, L. H. See George Samuel Jamie-

Levy, Leonard Angelo, the fluorescence of platinocyanides, T., 1446; P., 178.

platinocyanides, A., i, 252.

Lewin, Louis, spectrophotographic investigations on the action of hydrocyanic acid on blood, A., ii, 1048.

Lewin, Louis, A. Miethe, and E. Stenger, spectroscopic properties of yolk of egg, A., ii, 1054.

Lewinski, Johann, the limits of hippuric acid formation in man, A., ii, 518.

Lewinsohn, Arnold. See Ernst Deussen. Lewis, D. H. See Charles Hugh Neilson.

Lewis, Gilbert Newton, outline of a new system of thermodynamics, A., ii, 16.

osmotic pressure of concentrated solutions and the laws of the perfect solution, A., ii, 465.

estimation of the hydration of ions from measurements of electromotive forces, A., ii, 805.

Lewis, J. B., apparatus for the quantitative electrolysis of hydrochloric acid, A., ii, 350.

Lewis, Samuel Judd. See Edgar Wedekind.

Lewis, Warren Kendall, a method for the calculation of ionic concentrations from measurements of potential in concentration cells, A., ii, 657.

Lewis, William C. M., preparations of sodium glycocholate, A., i, 326.

experimental examination of Gibbs' theory of surface-concentration, regarded as the basis of adsorption, with an application to the theory of dyeing, A., ii, 357.

Lewkonja, Kurt, alloys of cobalt with tin, antimony, lead, bismuth, thallium. zinc, chromium, and silicon, A., ii, 853.

Lewkowitsch, Julius, conversion of optically inactive triolein into an optically active glyceride and an optically active acid, A., i, 116. ochoco fat, A., ii, 885.

Ley, Heinrich, and K. von Engelhardt, change of the colour of fluorescence with the solvent, A., ii, 746.

ultra-violet fluorescence of cyclic compounds, A., ii, 911.

Ley, Heinrich, and O. Erler, formation of salts and complex salts with organic acids containing the hydroxyl group, A., i, 177.

conductivity of the sodium salts of the isomeric hydroxybenzoic acids; the question of the mobilities of isomeric

anions, A., ii, 21.

Ley, Heinrich, [and, in part, F. Müller and P. Krafft], striking fluorescence phenomena in picryl compounds, A., i, 570.

Leyden, P. See Gustav Heller.

Leyson, Lewis Thomas. See Gerald Tattersall Moody.

Lezé, R., estimation of fat in skimmed milk, A., ii, 75.

Lhoták von Lhota, Camill, action of digitalis on the vagus, A., ii, 521.

Liddle, Leonard M. See Henry Lord Wheeler.

Lidholm, Johann H., preparation of acetylene di- and tetra-chlorides, A., i, 933.

Lidoff, Alexander P., detection of phosphoric acid in stones, ores, and other minerals, A., ii, 894*.*

Lieber, D., indolinones, A., i, 681.

Liebermann, Carl [Theodor], theory of mordant dyes, A., i, 441.

Liebermann, Carl, and Simon Lindenbaum, xanthophanic acid, A., i, 548.

Liebermann, Carl, and K. Roka, an old derivative of benzanthrone, A., i, 427.

Liebermann, Hans. See Max Siegfried. Liebermann, Leo von, hæm-agglutination and hæmolysis, A., ii, 865.

hæmolysis, A., ii, 959.

detection of proteins by means of formaldehyde, A., ii, 998.

Liebig, *Hans von*, preparation of benzilic acid, A., i, 540.

tritancarboxylic acids, A., i, 540. combination of benzilic acid with

amines, A., i, 646.

new synthesis of derivatives of anthracene, A., i, 727.

Liebig, Hans von, [with Paul Keim and Otto Herb], tritan series, A., i, 445.

See Richard Lorenz. Liebmann, A. Liechtenhan, Carl. See Hans Rupe. Lieck, Albert. See Siegmund Gabriel.

Liesche, Otto. See Ernst Beckmann. Liesegang, Raphael Ed., gelatose as colloid producer, A., ii, 476.

Life, Andrew Creamore. See James Francis Abbott.

Lifschütz, Isaac, origin and formation of cholesterol, Λ., i, 263.

spectroscopic reaction for oleic acid, A., i, 754.

colour reaction of cholesterol on oxida-

tion, A., ii, 233.
Lilienfeld, J. E., Wehnelt cathode in high vacuum, A., ii, 248.

Lilienfeld, Leon, preparation of indoxyl and its homologues, Λ ., i, 371, 797.

Lillie, Ralph S., the rôle of calcium salts in the mechanical inhibition of the Ctenophore swimming-plate, A., ii,

Limmer, Fritz, estimation of commercial silicon; separation of silica and silicon, A., ii, 131.

Linck, Gottlob Eduard, heteromorphic (allotropic) modifications of the [elements of the] phosphorus-arsenic group, A., ii, 176.

the phosphorus-arsenic group, A., ii, 373.

Linck, Gottlob Eduard, and P. Möller, red phosphorus, A., ii, 487.

Lincoln, Azariah T., and G. C. Bartells, jun., electrolytic corrosion of brasses in synthetic sca-water, A., ii, 1039.

Linden, Maria (Gräfin) von, influence of the amount of carbon dioxide in the respired air on the changes in weight of butterfly pupe, A., ii, 605.

Lindenbaum, Simon. See Carl Liebermann.

Linder, Ernest, metanil yellow; its use as a selective indicator, A., ii, 627.

Lindner, Bernhard. See Julius Tröger. Lindsay, Dorothy E. See Diarmid Noël Paton.

Ling, Arthur Robert, and George Cecil Jones, volumetric estimation of reducing sugars. II. The limits of accuracy of the method under standard conditions, A., ii, 541.

Ling, Arthur Robert, and Theodore

Rendle, volumetric estimation of reducing sugar. III. Estimation of sucrose and invert sugar in mixtures, A., ii, 542.

Lingner, K. A., preparation of dimenthyl dimethylene ether, A., i, 351.

Linn, Karl. See Otto Diels.

Linne, Balthasar. See Br. Pfyl.

Lintner, Carl Joseph, polarimetric estima-

tion of starch, A., ii, 1077. Lipman, Jacob G., and Percy E. Brown, inoculation experiments with Azoto-

bacter, A., ii, 615. Lipman, Jacob G. See also Edward Burnett Voorhees.

Lippich, Fritz, carbamido-acids. II. and III., A., i<u>,</u> 861.

Lippmann, Edmund Oskar von, occurrence of quercitol, A., ii, 124.

Littlebury, William Oswald. See Robert Howson Pickard.

Litzendorff, Jakob, employment of nitron for determining nitrates in soils and plants, A., ii, 130.

Litzendorff, Jakob. See also Alfred

Liversedge, Samuel G., rapid method for the estimation of mercuric salts in aqueous solution, A., ii, 634.

Llewellyn, William G., effect of heating yellow phosphorus in ammonia gas, A., ii, 103.

Lloyd, Stewart J., preliminary note on the constitution of gallotannic acid and of tannins in general, A., i, 347.

cuprous ammonia halides, A., ii, 847.

Lobeck, Martin. See Max Guthzeit. Locher, Fr. See Hermann von Tappeiner. Lochhead, James, and Wilhelm Cramer, the glycogenic changes in the placenta and the feetus of the pregnant rabbit; a contribution to the chemistry of growth, A., ii, 710.

Lochmann, R., detection of arsenic by means of mercuric chloride solution, A., ii, 532.

Locke, Frank Spiller, and Otto Rosenheim, consumption of dextrose by

mammalian cardiac muscle, A., ii, 120.

Lockemann, Georg, and E. Weiniger, action of halogens and hydrogen halides on phenylhydrazine, A., i, 916.

Lockemann, Georg. See also Hans Reckleben.

Lockyer, (Sir) Joseph Norman, presence of sulphur in some of the hotter stars, A., ii, 173.

Locquin, René. See Louis Bouveault. Loczka, Josef, mineral chemistry, A., ii,

Löb, Albert, signification of so-called alternating current passivity, A., ii,

Loeb, Jacques, the difference between isosmotic and isotonic solutions in artificial parthenogenesis, A., ii, 710.

Löb, Walther, action of the silent electric discharge on moist methane, A., i, 117.

the fission of sugars [sucroclasm]. I. Action of zinc carbonate on form-

aldehyde solutions, A., i, 715. the seission of sugars [sucroclasm]. II. The action of zinc dust and iron on formaldehyde solutions; the action of zinc dust on dextrose, A., i, 764.

formation of hydrogen peroxide by the silent electric discharge, A., ii,

estimation of catalases and oxydases in blood. I., A., ii, 999.

Walther, and Paul Löb, Mulzer, estimation of catalases and oxydases in blood. II., A., ii, 958.

See Arthur Rosen-Loebel, Heinrich. heim.

Felix, and N. Löhnis. K. nitrogen-fixing bacteria. III., A., ii,

Löhnis, Felix, and A. Sabaschnikoff, decomposition of calcium cyanamide, A., ii, 220.

Loevenhart, ArthurSolomon. See Samuel Amberg.

Loevy, Julius, dry lead and silver assays in ores, A., ii, 323.

Loew, Oscar [Carl Benedict], theory of chemical energy in the living cell, A., ii, 710.

physiological action of dicyanodiamide, A., ii, 775.

Loew, Oscar, and Keijirō Asō, changes of availability of nitrogen in soils, A., ii, 621.

Löwensohn, Martin, condensation of y-picoline with o-nitrobenzaldehyde, A., i, 51.

Löwenstein, Josef. See Lassar-Cohn.

Loewi, Otto, a new function of the pancreas and its relation to Diabetes mellitus, A., ii, 712.

Loewi, Otto, and E. Neubauer, influence of diuretics on phloridzin diabetes, A., ii, 718.

Loewi, Otto. See also Alfred Fröhlich and D. Jonescu.

Loewy, Adolf, Charles George Lewis Wolf, and Emil Österberg, action of hydrocyanic acid on protein katabolism, A., ii, 312.

Loewy, Adolf. See also W. Glikin.

Lohmann, Alfred, the antagonistic action of adrenaline and choline in the suprarenal glands, A., ii, 407.

Lohmann, Wilhelm, Zeeman phenomena, A., ii, 152.

Zeeman effect for the helium lines, A., ii, 243.

Lohr, Friedrich. See Robert Behrend.

London, E. S., chemistry of digestion. XVII. Digestion and absorption of proteins rich in bases, A., ii, 870. chemistry of digestion. Further investigations of the laws of digestion and absorption in the alimentary tract, A., ii, 870.

London, E. S., and J. D. Pewsner, chemistry of digestion. XVIII. The importance of the mouth in gastric

digestion, A., ii, 870.

London, E. S., and W. W. Polowzowa, chemistry of digestion. XVI., A., ii, 50.

chemistry of digestion. XXIII. Digestion and absorption of carbohyd-

rates, A., ii, 870.

chemistry of digestion. XXVI. The behaviour of different proteins in the stomach and upper duodenum of the dog, A., ii, 960.

chemistry of digestion. XXVII. Relationship of concentration to absorption in the intestine, A., ii, 1050.

London, E. S., and E. Riwkind, chemistry of digestion. XXV. Com-

position, digestion, and absorption of tubercle bacilli, A., ii, 870.

London, E. S., and F. Sandberg, chemistry of digestion. XX. Laws of digestion and absorption in the

alimentary tract, A., ii, 870.

London, E. S., and Th. Sulima, chemistry of digestion. XIX. Digestion and absorption of heat in the intestine, A., ii, 870.

London, E. S., and M. A. Wersilowa, chemistry of digestion. XXIV. Fatsplitting in the alimentary canal, A., ii, 870.

London E. S. See also Emil Abderhalden.

Long, John Harper, the stability of lecithin, A., i, 385.

Long, John Harper, and Frank Gephart, behaviour of emulsions of lecithin with metallic salts and certain nonelectrolytes, A., i, 385. behaviour of lecithin with bile salts

and the occurrence of lecithin in

bile, A., ii, 872.

Longinescu, George G., polymerisation and dissociation of molecules in the liquid state, A., ii, 931.

Loon, J. Potter van, the transformation

of hydrazotoluene into tolidine, A., i, 831.

orenz, Norbert von, estimation of phosphoric acid, A., ii, 777. Lorenz,

Lorenz, Richard, and M. G. Fox, change of free energy accompanying the formation of some fused salts of the heavy metals, A., ii, 656. thermodynamics of cells with fused

electrolytes, A., ii, 656. Lorenz, Richard, H. Frei, and A. Jabs, densities of some fused salts and their mixtures at various temperatures, A., ii, 156.

Lorenz, Richard, and M. Katayama, thermodynamics of cells with solid substances, A., ii, 249.

Lorenz, Richard, and Felix Kaufler, [and, in part, A. Liebmann], molecular state of molten salts, A., ii, 1023.

Losanitsch, M. S. See Alfred Wohl. Losanitsch, Sima M., electro-syntheses [with ethylene and acetylene], A., i, 2.

absorption of oxygen by electro-condensation products, A., i, 846.

electro-syntheses, A., i, 866; ii, 32. Lottermoser, [C. A.] Alfred, [action of some electrolytes on collodial silver solutions; the process of coagulation], A., ii, 365.

formation of colloidal phosphorus, A.,

ii, 1032. Lottermoser, Alfred, and A. Rothe, process of formation of hydrosol and hydrogel. II. Adsorption of silver nitrate and potassium iodide by amorphous silver iodide, A., ii, 364.

Lovelace, B. F. See Harmon Northrop Morse.

Lovén, Johan Martin, optically active thiolactic acids and thiodilactylic acids, A., i, 714.

Low, Albert H., estimation of lead in

ores, A., ii, 536.
owry, Thomas Martin, and Egbert Lowry, Hockey Magson, studies of dynamic isomerism. Part VI. The influence of impurities on the mutarotation of nitrocamphor, T., 107.

studies of dynamic isomerism. Part VII. Note on the action of carbonyl chloride as an agent for arresting isomeric change, T., 119.

Lubenau, C., formation of acid by the diphtheria bacillus, A., ii, 722.

Luc, A. de. See Frédéric Reverdin. Lucas, Keith, temperature-coefficient of

rate of conduction in nerve, A., ii, 711. Luchmann, E. See Hermann Bollenbach.

Luckhardt, A. B. See Anton J. Carlson

Ludwig, W., the action of heat on the lecithin-phosphoric acid contained in pastry, Å., ii, 744.

Lüppo-Cramer, some oxides as tanning material, A., i, 377.

blue erythrosin silver, A., i, 669.

latent photographic image as a colloidal compound, A., ii, 378.

simplest method of preparing Carey Lea's photo-haloids, A., ii, 691.

the silver hydrogel in photographic

films, A., ii, 841, 945, 1024. **Luff**, Bernard Dunstan Wilkinson, and Frederic Stanley Kipping, organic derivatives of silicon. Part VII. The synthesis of dl-sulphobenzylethylisobutylsilicyl oxide, T., 2004; P., 224.

organic derivatives of silicon. VIII. The resolution of dl-sulphobenzylethylisobutylsilicyl oxide and the properties of the optically active

acids, T., 2090; P., 236.

Lumière, Auguste, Louis Lumière, and Alphonse Seyewetz, phenomena of the "precipitation" and "insolubilisation" of gelatin, A., i, 710.

See Auguste Lumière. Lumière, Louis. Lummel, H. van. See Charles Marius

van Deventer.

Lundén, Harald, hydrolysis of the salts of weak acids and weak bases and its variations with the temperature, A., ii, 164.

Lunjak, Andreas I., condensation products of aliphatic aldehydes with

phenol, A., i, 416. Lusby, S. G., and T. Ewing, rate of decay of the excited radioactivity from the atmosphere in Sydney, A., ii, 916. ask, Graham, "specific dynamic Lusk, Graham,

action" of protein, A., ii, 514.

Lusk, Graham, influence of cold and exercise on sugar exerction in phloridzin glycosuria, A., ii, 612. production of sugar from glutamic

acid ingested in phloridzin glycosuria, A., ii, 612.

Lussana, Filippo. See Emil Abderhalden.

Robert [Thomas Diedrich], Luther, addition of indigo in titrations with methyl- or ethyl-orange, A., ii, 62.

a laboratory pump, A., ii, 270.

Luther, Robert, and F. H. MacDougall, kinetics of the reaction between chloric and hydrochloric acids; a reaction of the eighth order, A., ii,

Luther, Robert, and Joh. Plotnikoff, pseudo-reversible photochemical processes; photochemical cyclic acid, A.,

Luther, Robert, and F. Pokorný, electrochemical behaviour of silver and its

oxides, A., ii, 277.

Lutz, Oscar, synthesis of optically active dibenzylaspartie and dibenzylmalamic acids, A., i, 345.

use of borax, &c., beads in analysis, A., ii, 226.

Lutze. See August Michaelis.

Lux, Paul, structure of retene, A., i, 873.

Luzzatto, Riccardo, a case of chronic pentosuria, A., ii, 1059.

Luzzatto, Riccardo. See also Roberto Ciusa.

Lwoff, A., reaction between diazo-compounds and azo-dyes, A., i, 483.

Lyford, E. F. See Alpheus Grant Woodman.

Lyman, John F., chemistry of muscle and liver of reptiles, A., ii, 769.

Lynch, Jordan Roche. See Nathaniel Henry Alcock.

Lyons, Albert Brown, hæmatoxylin as an indicator in the titration of phosphoric acid, A., ii, 532.

Lyons, Robert Edward and G. C. Bush, di-a-naphthyl selenide and telluride, Λ., i, 417.

Lyons, Robert Edward, and Campbell C. Carpenter, chemical examination and calorimetric test of Indiana peats, A., ii, 890.

M.

Maas, Johanna, and Julius Sand, hexathiocyano-salts of molybdenum, A., i, 397, 513, 961.

Maas, Johanna. See also Julius Sand. Maass, Emil, cytisine, A., i, 563.

Mabery, Charles Frederic, and Joseph Howard Mathews, viscosity and lubrication, A., ii, 741.

Macadie, William, a rapid and delicate method of detecting bile-pigments in urine, A., ii, 743.

McCarthy, Ellen S. See Louis Monroe Dennis.

McCay, David, hæmosozic value of bloodserum, A., ii, 403.

McCay, Leroy Wiley, action of hydrogen sulphide on alkaline solutions of zinc salts, A., ii, 431.

McClelland, John A., secondary β -rays, A., ii, 650.

McCollum, Elmer V., and Edwin Bret Hart, a phytin-splitting enzyme in

animal tissues, A., ii, 713.

McCollum, Elmer V. See a

Baldwin Johnson. See also Treat

McCoy, Herbert Newby, two new methods for the determination of the secondary ionisation constants of dibasic

acids, A., ii, 466. relation between the ionising power and the dielectric constants of solvents, A., ii, 657.

McCoy, Herbert Newby, and W. H. Ross, specific radioactivity of uranium, A., ii, 80.

specific radioactivity of thorium and the variation of the activity with chemical treatment and with time, A., ii, 81.

William, catalysis. McCracken, Catalysis of imino-esters, Λ., ii,

McCrea, R. H., isomerism of ethyl acetoacetate, A., i, 759.

McCrudden, Francis H., effect of castration on metabolism, A., ii, 405.

McDole, Guy R. See Samuel Avery. McDonald, David Paterson. See Thomas Stewart Patterson.

Macdonald, John Smyth, contraction of striated muscle, A., ii, 712.

MacDougall, F. H. See Robert Luther.

MacEwen, Basil. See Otto Flaschner. McGuigan, Hugh, utilisation of sugars by the tissues, A., ii, 406.

glycolysis, A., ii, 406. McIntosh, Douglas, basic properties of oxygen, A., i, 596. heat of formation of quadrivalent

oxygen compounds, A., ii, 355.

McIntosh, Douglas. See also P. H. Elliott.

McKee, James L. See Emil Fromm. McKee, Ralph Harper, and Elvin J. Berkheiser, water of crystallisation as affected by light, A., ii, 1003.

Alexander, McKenzie, and George William Clough, the displacement of halogen in I-phenylchloroacetic acid by hydroxy- and methoxy-groups; a contribution to the chemistry of the Walden inversion, T., 811; P., 91; discussion, P., 92.

McKenzie, Alexander, and Henry Wren, the preparation of l-benzoin, $\tilde{\mathbf{T}}$., 309; P., 25; discussion, P., 25.

Mackenzie, Arthur Stanley. Jermain M. Creighton.

Mackenzie, John Edwin, and Hugh Marshall, the trithionates and tetrathionates of the alkali metals. Part I., T., 1726; P., 199.

Mackenzie, Thomas D. See Frederick Soddy.

Mackey, John Francis.
Robert Lang. See William

McLean, F. C. See Anton J. Carlson.

MacLean, Hugh, the quantitative recovery of choline from lecithin, A., i, 396.

a mono-amino-diphosphatide in eggyolk, A., ii, 963.

amount of choline in the lecithin of heart muscle, A., ii, 967.

McLennan, J. C., radioactivity of ordinary metals and the penetrating radiation from the earth, A., ii, 648.

McLennan, J. C., and W. T. Kennedy, radioactivity of potassium and other alkali metals, A., ii, 750.

Macleod, John James Rickard, experimental glycesuria. II. Glycogenolytic fibres in the great splanchnic nerve, A., ii, 770.

Macleod, John James Rickard, and H. O. Ruh, experimental glycosuria. III. Influence of stimulation of the great splanchnic nerve when the liver is deprived of its blood supply, A., ii, 770:

McLester, James S. See Emil Abderhalden.

McMaster, LeRoy. See Edward Harrison Keiser.

McMillan, Andrew. See Thomas Stewart Patterson.

McNicoll, David. See James Colquboun Irvine.

McPherson, William, and Wilbur L. Dubois, action of a-benzoylphenylhydrazine on halogen derivatives of quinones, A., i, 461.

Macri, V. See August Chwala.

McWhorter, John E. See John Livingston Rutgers. Morgan.

MacWilliam, John A., action of certain oxidising agents on blood pigments, A., i, 585.

Maddalena, L., new vein of nephelitic basalt containing nosite (nosean) in Vincentino, A., ii, 864.

Madsen, John Percival Vissing. William Henry Bragg.

Maggiacomo, F. See Francesco Carlo Palazzo.

Magli, Gennaro. See Arnaldo Piutti. Magnus, Rudolf, the constipating action of morphine, Λ ., ii, 412.

Magson, Egbert Hockey. See Thomas Martin Lowry.

Mahoux, J. See H. Astruc.

Maige, A., and G. Nicolas, influence of the concentration of sugar solutions on respiration [of seedlings], A., ii, 773.

Maignon, F., general mechanism of the transformation of glycogen into dextrose in the muscles and tissues, A., ii, 53.

Mailhe, Alphonse. See Paul Sabatier. Maillard, Louis C., non-existence of urocarmine as a new and definite

colouring matter, A., i, 486. the distribution of nitrogen amongst the various products in human urine, A., ii, 1056.

Mair, William, survival of Bacillus typhosus in soil, A., ii, 315.

Mair, William. See also James Lorrain

Maire, M_{\cdot} , reactions of β -chloroethyland vinyl-ketones, A., i, 247.

action of nitrogen-containing reagents on the carbonyl group of B-chloroethyl- and alkyl vinyl-ketones, A., i, 290.

Maire, M. See also Edmond Émile Blaise.

Majima, Riko, [with Kobayaski], condensation of alkylguanidines with ethyl acetoacetate, &c., A., i, 222.

Majima, Riko. See also Carl Dietrich Harries.

Makoshi, K., the alkaloids of Chinese corydalis tubers, A., i, 825.

protopine of Japanese corydalis roots (Corydalis Vernyi), A., i, 908.

Makovetzki, A. E., pressure and composition of the vapours of aqueous solutions of the ether of ethylene glycol, A., i, 753.

vapour pressure of aqueous acetone

solutions, A., ii, 353.

Makower, Walter, and Sidney Russ, decay of radium B and C at high temperatures, A., ii, 449.

Makowka, Oskar, metallic acetylene compounds, A., i, 328.

osmium, A., ii, 393.

Malden, Walter. See Walter Ernest Dixon.

Malenück, W. D., chemistry of protamines. I. Protamine from the spermatozoa of the Caspian sturgeon, Accipenser Guldenstädtii, A., i, 1030.

Malfatti, Hans, iron sulphide, A., ii, 192.

method for the estimation of ammonia in urine, A., ii, 531.

Malfitano, G., and Leopold Michel, hydrolysis of ferric chloride. II. Action of hydrochloric acid, A., ii,

hydrolysis of ferric chloride; effect of the valency of the negative ions, A., ii, 288.

hydrolysis of ferric chloride; influence of neutral salts, A., ii, 1042.

Mallet, John William, interaction of mercury with alloys of other metals, A., ii, 187.

Mallison, Heinrich. See Otto Wallach. Malvezin, Philippe, origin of the colour of red grapes, A., ii, 887.

Mameli, Efisio, position of the iodine in the two known iodoguaiacols, A., i,

cubebin. I., A., i, 20.

Mameli, Efisio, and Giuseppe Pinna, piodoguaiacol, A., i, 263.

Mameli, Eva, and Gino Pollacci, recent

researches on chlorophyllian photosynthesis, A., ii, 881.

Mamlock, Leonard. See Richard Wolffenstein.

Manchot, Wilhelm, formation of oxides of nitrogen in the ozone generator, A., ii, 272.

Wilhelm, and H. Fischer, Manchot, silicon chains, A., ii, 46.

Manchot, Wilhelm, and John Albert Newton Friend, cuprous compounds of carbon monoxide, A., ii, 375.

Manchot, Wilhelm, and W. Kampschulte, acid properties of ozone, A., ii,

Manchot, Wilhelm, and P. Richter, aluminium titanide, A., ii, 40.

Mancini, Stefano, urochrome. III., A., i, 1028.

Mandel, Arthur R., xanthine as a cause of fever, A., ii, 54.

Mandel, H. See Ernst Friedmann.

Mandel, John A., and Carl Neuberg, glucothionic acid, A., i, 1029. naphtharesorcinol as a reagent for

certain aldehyde- and keto-acids, A., ii, 993.

Mandel, John A. See also Phoebus A. Levene.

Mandl, Alfred, and Franz Russ, irregularities in the combination of nitric oxide and oxygen, A., ii, 272.

Mann, Sidney A. See Waldemar Koch. Mannich, Carl, and V. H. Hâncu, preparation of adipic acid from cyclohexanol, A., i, 245.

tautomerism of cyclic monoketones, A., i, 275.

Mannich, Carl, and H. Priess, detection of boric acid in foods, A., ii, 429.

Mannich, Carl, and F. Zernik, "neuronal" (bromodiethylacetamide), A., i. 399.

Mannino, A., and L. di Donato, preparation of halogenated anilides, A., i, 826.

Mannino, A. See also Guido Bargellini. Manuel, E. V. See Willis Boit Holmes. Manuelli, Camillo, utilisation of leucite, A., ii, 386.

Wilfred H. See Emil Manwaring, ${f A}$ bderhalden.

Maquenne, Léon, the properties of pure starch, A., i, 249.

composition of starch grains, A., i, 320.

Marantonio, M. See Guido Bargellini. Robert, crystallisation Marc, aqueous solutions, A., ii, 160.

Marcelet, H., estimation of carbon monoxide, especially in tobacco smoke, A., ii, 533.

Marchetti, Guerriero. See Angelo Angeli and Eugenio Morelli.

Marchlewski, [Paul] Leon [Theodor], phylloxanthin, A., i, 99.

the chlorophyll group, A., i, 199. nearest acid derivatives of the chloro-

phyllins, A., i, 560. blood-pigment. IX., A., i, 843. carrotene from carrots, A., ii, 886.

Marchlewski, Leon, [with Piasecki], simple method of preparation of phylloporphyrin, A., i, 357.

Marchlewski, Leon, and J. Rettinger, blood pigment. VIII., A., i, 232. hæmopyrrole, A., i, 710.

Marchlewski, Leon. See also Lad. Hildt and Tad. Koźniewski.

Marckwald, Willy, atomic weight of tellurium, A., ii, 33. polonium, A., ii, 454.

radioactivity, A., ii, 550.

Marckwald, Willy, and B. Keetman, ionium, A., ii, 144.

Marcusson, Julius, the optically active constituents of mineral oil, A., ii, 394.

Marfori, Pio, absorption and assimilation of organic compounds of phosphorus, A., ii, 1052.

Marie, Charles, electrolytic reduction of oleic to stearic acid, A., i, 244, the oxidisability of platinum, A., ii, 299.

XCIV. II.

Marino, Luigi, new kind of dioxides. I., A., ii, 106.

structural isomerism; preparation of asymmetric selenites, A., ii, 833.

Marino, Luigi. See also Angelo Angeli. Marko, Demetrius, resolution of α-aminon-hexoic acid into its optical components, A., i, 772.

Markovits, Th. von. See Karl Auwers. Marle, Ernest Robert. See David Runciman Boyd.

Marlin, John R., influence of carbohydrates on protein metabolism, A., ii, 306.

Marples, Morris Edgar. See Arthur Walsh Titherley.

Marriott, W. McKim, and Charles George Lewis Wolf, protein metabolism in poisoning by bromobenzene, A., ii, 123.

Mars, G., apparatus for the estimation of carbide in steel and iron, A., ii,

Marsden, (Miss) Effic Gwendoline. See Edward Charles Cyril Baly.

Marsden, Fred., constitution of aniline-black, A., i, 226.

Marsden, Herbert, and Frederic Stanley **Kipping**, organic derivatives of silicon. Part IV. The sulphonation of benzylethylpropylsilicyl oxide and of benzylethyldipropylsilicane, T., 192; P., 12.

Marsh, James Ernest, and Robert de Jersey Fleming Struthers, double salts of potassium iodide with mercuric iodide and dimercuriodocamphor in organic solvents, P., 266.

the action of mercuric iodide on ketones in alkaline solution, P., 266.

the condensation of camphor with mercuric iodide, P., 267; discussion, P., 268.

Marshall, Charles Robertshaw, pharmacological action of certain lactones and the corresponding hydroxy-acids, A., ii, 1060.

Marshall, Hugh. See John Edwin Mackenzie.

Marsiglia, T, detection of nitrates in wine and must, A., ii, 894.

Martin, Friedrich. See Lothar Wöhler. Martin, N. A. See Treat Baldwin Johnson.

Martinez-Strong, Pablo, density, refractive index, surface tension, and viscosity of various mixtures of glycerol and water at 18°, A., i, 307.

Martinsen, Haavard, kinetics of the sulphonation reaction, A., ii, 572.

Martius, K. See Otto Wallach. Marx, Alfred. See Gustav Embden.

78

Marx, Karl. See Richard Meyer.

Mascarelli, Luigi, equilibria in ternary

systems, A., ii, 94.

equilibria in ternary systems; additive products of aromatic nitroderivatives and mercuric chloride, A., ii, 162.

Mascarelli, Luigi, and Ugo Pestalozza, mutual solubility of solid aromatic and the corresponding hexalydrogenated compounds (equilibrium in the system, phenol—cyclohexanol), A., i, 527.

Maschhaupt, J. G., violet coloration produced in glass by the influence of

light, A., ii, 1003.

Masing, H., composition of the vapour from mixtures of ethyl alcohol and water, A., i, 751.

Massol, Gustave, radioactivity of the gases of the thermal spring of Uriage (Isère), A., ii, 1004.

Mastbaum, Hugo, determination of the saponification number, A., ii, 439.

Mathers, Frank Curry, separation of iron from indium, A., ii, 434.

electrolytic formation of selenic acid from lead selenate, A., ii, 833.

Mathers, Frank Curry, and Carl G. Schluederberg, some new compounds of indium, A., ii, 386.

Mathews, Joseph Howard. See Charles Frederic Mabery and Theodore William Richards.

Mathewson, Walter E., estimation of gliadin, A., ii, 443.

Matignon, Camille, use of sodium as a desiccating agent for gases, A., ii, 377.

conditions of possibility of certain reactions forming monovariant systems, A., ii, 465.

explosion produced by an ordinary reagent, A., ii, 587.

Matsubara, Köichi, formation of 4oxycarbostyril from o-nitrobenzoylacetic acid, A., i, 915.

Matsui, Motooki, complex ferrimalonates, A., i, 853.

Matthaiopoulos, Georg Th., estimation of casein; determination of its molecular weight, A., ii, 783.

Matthes, Hermann, estimation of crude cacao fibre, A., ii, 236.

Matthes, Hermann, and Edwin Ackermann, unsaponifiable ingredients of cacao butter and their detection in butter, A., i, 637.

Matthes, Hermann, and O. Rammstedt, estimation of some alkaloids by means of picrolonic acid, A., ii, 75.

Matthes, Hermann, and O. Rohdich, cacao butter, especially its non-hydrolysable constituents, A., i, 199, 532.

Matthes, Hermann, and Heinrich Sander, "unsaponifiable matter" of laurel oil, A., i, 417.

Matthews, Samuel A. See D. E. Jackson.

Mauguin, Charles, action of bromine on ether; bromoacetaldehyde, A., i, 941.

Mauguin, Charles. See also Louis Jacques Simon.

Maurer, Ed., austenite, A., ii, 489. Mauri, L. See H. Cantoni.

Mauricheau-Beaupré, a new method for the preparation of pure hydrogen, A., ii, 829.

Mauther, Ferdinand, synthesis of trimethylgallaldehyde, A., i, 348. trimethylgallaldehyde [3:4:5-trimethoxybenzaldehyde]; synthesis of methylsinapic acid, A., i, 729.

synthesis of trimethylhomogallic acid (methyliridic acid), A., i, 986.

Mauzelius, Robert, estimation of ferrous oxide in rock analyses, A., ii, 538.

Mavrogordato, Anthony E. See Percival

Hartley.

Mawson, Douglas, and William Ternent

Cooke, phosphate minerals from Elder Rock, South Australia, A., ii, 397. Mawson, Douglas, and T. H. Laby,

preliminary observations on radioactivity and the occurrence of radium in Australian minerals, A., ii, 917.

May, Otto B. See Virgil Coblentz.

Mayer, André, and Edouard Salles, electrical transport of inorganic colloids, A., ii, 458.

Mayer, André, and Georges Schæffer, the production in vivo and in vitro of precipitins for ovalbumin by means of antigens of a chemically definite nature, A., ii, 868.

antigens of a chemically definite nature, A., ii, 868.

Mayer, André, Georges Schæffer, and E. F. Terroine, influence of the reaction of the medium on the size of colloidal granules, A., ii, 24.

physico-chemical investigations on soaps considered as colloids, A., ii, 264.

Mayer, Erwin W., modification of Volhard's method of estimating manganese, A., ii, 71.

Mayer, Erwin W. See also Richard Willstätter.

Mayer, M., and V. Altmayer, syntheses of methane by means of calcium hydride, A., i, 845.

relationships between nickel and hydrogen, A., ii, 950.

Mayer, Mario. See Mario Betti.

Mayer, Max. See Theodor Curtius. Mayer, Paul, chemistry of lecithin, A.,

i, 243.

the asymmetric conjugation of glycuronic acid, A., i, 393.

the physiological behaviour of inosite.

II., A., ii, 521.

Mayer, Rudolf. See Julius Tafel.

Mayrhofer, Josef, estimation of magnesium oxide in magnesites, A., ii,

Mazzotto, Domenico, correction of the ideal melting-point curves of binary alloys, A., ii, 660.

Mazzucchelli, Arrigo, and Giuseppe Inghilleri, complex ozo-salts of tungsten, A., i, 755.

Mdivani, B. See T. Warynski.

Mears, B. See Harmon Northrop Morse.

Mech, H., products of condensation of o- and p-nitrobenzyl chlorides with acetylacetone, A., i, 655.

Medigreceanu, Florentin. See Emil Abderhalden.

Meek, Walter J., relative resistance of cardiac muscle and nerve to drugs, A., ii, 308.

Meerburg, Pieter Adriaan, the ternary system, mercuric chloride, ammonium chloride, and water at 30°, A., ii, 676.

Meerwein, Hans, condensation reactions of a8-unsaturated aldehydes; formation of benzene rings, A., i, 89. condensation reactions of as-unsaturated aldehydes. II., A., i, 545.

See Reginald Oliver Herzog. Meier, A. eigen, Wilhelm, H. Garbs, W. Merkelbach, and G. Wichern, con-Meigen. densation products of chlorodinitrobenzene and amino-quinolines, A., i,

eigen, Wilhelm, and A. Spreng, carbohydrates of yeast, A., ii, 315. Meigen,

Meillère, G. [Jean], isolation of traces of mineral substances from saline mixtures; application to medical chemistry, toxicology, and hydrology, A., ii, 62.

Meisenbach, C. F. O., the red portion

of the calcium chloride arc spectrum,

A., ii, 645.

Meisenheimer, Jakob, behaviour of dextrose, levulose, and galactose dextrose, levulose, and galactose towards dilute sodium hydroxide, A., i, 319.

preparation of benzyl alcohol from benzaldehyde and potassium hydroxide, A., i, 417.

Meisenheimer, Jakob. See also Eduard Buchner.

Meiser, Wilhelm. See Walter Dieckmann.

Meissner, Richard, the decomposition and formation of lactic acid by microorganisms, A., ii, 414.
Meister, Fritz. See Otto Wallach.
Meister, Lucius, & Brüning.

Farbwerke vorm. Meister, Lucius, & Brüning.

Meitner, Lise. See Otto Hahn. Melacini, G. See Guido Bargellini.

Melcher, Arthur C. See Arthur Amos Noyes.

Meldola, Raphael, and James Gordon Hay, syntheses with phenol derivatives containing a mobile nitro-group. Part I. The interaction of 2:3:5-trinitro-4-acetylaminophenol and amines, T., 1659; P., 197. a molecular compound of trinitro-

acetylaminophenol and \$\beta\$-naphthol.

P., 210.

Meldrum, Andrew Norman, a B-lactonic acid from acetone and malonic acid, T., 598; P., 31.

complex nitrites containing potassium and lead; preliminary note, P., 97. the composition and formula of Wells' potassium lead periodide, P., 97.

Meldrum, Andrew Norman, and William Henry Perkin, jun., the cis- and trans-modifications of 1-methylcyclohexan-2-ol-4-carboxylic acid and their conversion into 1-methyl-Δ1-cyclohexene-4-carboxylic acid, T., 1416; P.,

Meldrum, Andrew Norman, and William Ernest Stephen Turner, the molecular complexity of amides in various solvents, T., 876; P., 98.

Mellanby, Edward, excretion of creatine and creatinine in hepatic disease, A.,

creatine and creatinine, A., ii, 308.

Mellanby, John, proteins of horse-serum, A., ii, 117.

muscle plasma, A., ii, 713. Mellet, Rudolf. See Heinrich Brunner.

Meltzer, Samuel J., and John Auer, antagonistic action of calcium and

magnesium, A., ii, 312, 519. the [physiological] action of strontium compared with that of calcium and magnesium, A., ii, 519.

Melzer, Wilhelm, silico-acids and their derivatives, A., i, 967.

Mendel, Joseph, the action of the zine ion on media for microbes, A., ii, 722.

Mendel, Lafayette Benedict, parenteral utilisation of carbohydrates, A., ii, 306. Mendel, Lafayette Benedict, and Charles Samuel Leavenworth, chemical studies on growth. V. Autolysis of embry-onic tissues. VI. Purines, pentose, and cholesterol of eggs. VII. Catalase in embryonic tissues. VIII. Lipase in embryonic tissues. IX. Embryonic muscular and nervous tissues, A., ii,

Mendel, Lafayette Benedict, and Tadasu Saiki, chemical studies on growth. 1V. Transformation of glycogen by enzyme action in embryonic tissues, A., ii, 207.

Mendelssohn-Bartholdy, Paul. See Otto Wallach.

Mendenhall, C. E., and L. R. Ingersoll, certain phenomena exhibited by small particles on a Nernst glower, A., ii, 151.

Ménière, P., new method of estimating mercury vapour in air, A., ii, 433.

Menozzi, Angelo, the cholesterol group. IV., A., i, 265.

Menozzi, Angelo, and A. Moreschi, presence of two paraffin hydrocarbons in the unsaponifiable portion of

chrysalidene oil, A., i, 241. the cholesterol group; bombicesterol a new member existing in the chrysalis of the silkworm, Bombyx mori. V., A., i, 265.

Menschutkin, Boris N., reciprocal displacement of the constituents of molecular compounds and their relative stability, A., ii, 170.

Mensio, Carlo, estimation of sulphur dioxide in wines, A., ii, 63.

Menz, W. See Walther Borsche.

Merck, [Carl] Emanuel, preparation of alkylaminoalkyl p-aminobenzoates, A., i, 266.

preparation of halogen derivatives of alkyl carboxylates, A., i, 419. preparation of sodium hydrogen per-

carbonates, A., ii, 180.

Merkel, Eduard, new reflux condenser for extraction apparatus, A., ii, 478. Merkelbach, W. See Wilhelm Meigen.

Merl, Th., detection of formic acid in honey, A., ii, 991.

Merling, Georg, conversion of carboxylic acids into their aldehydes, A., i, 653.

Mermod, Eric, and Hugo Simonis, phthalides and meconines, A., i, 342.

Merres, E. See Albert Stutzer. Merrill, Alden. See Miles S. Sherrill.

Merunowicz, J., and Jean Zaleski,
hæmins, A., i, 231.

Mestrezat, W., origin of the saccharify-

ing power of human saliva, A., ii, 605.

Mestrezat, W., malic acid in the production of wine; malo-lactic fermentations, A., ii, 723.

danger of employing salts of arsenic in agriculture, A., ii, 1069.

estimation of tartaric acid in wines by evaporation, A., ii, 1078.

Mestrezat, W. See also Jules Ville. Metcalfe, E. Parr. See Clive Cuthbert-

Metzger, Floyd Jay, and Hal Truman Beans, electrolytic estimation of bismuth, A., ii, 541.

Meunier, Jean [Alexis], combustion without flame and the inflammation of gases at the end of a metallic rod, A., ii, 276.

combustion of gases by incandescence in the presence of oxidisable and of noncombustible substances, A., ii,

combustion without flame, and its application to lighting with incandescent mantles, A., ii, 463.

Meunier, Jean. See also H. Couriot. Meunier, Louis, and Alphonse Seyewetz, a new method of tanning, A., i, 586.

Meuthen, A. See P. Oberhoffer. Meyer, André. See André Wahl.

Meyer, Diedrich. See Wilhelm Schneidewind.

Meyer, Ernst [Sigismund Christian] von, so-called formaldehyde-sodium hyposulphite, A., i, 132.

Meyer, Ernst von, [with Willy Schumacher, Hermann Lehmann, Martin Kleinstück, Wilhelm Henning, and Camillo Irmscher], bimolecular nitriles, A., i, 909.

Meyer, Fernand, action of sodium and barium peroxides on gold; aurates, A., ii, 47.

Meyer, Gustav, production of nitric acid during electric discharge in air, A., ii,

Meyer, Hans, acid-anilides, anilo-acids, and ψ -anilides, A., i, 25.

determination of the constitution of isomeric derivatives of o-keto-acids, A., i, 26.

the supposed phenylhydrazone of salicylic acid, A., i, 176.

arecaidine and arecoline, A., i, 202. Meyer, Hans. See also Hermann Hohlweg.

Meyer, Jean, electrolysis of copper solutions, A., ii, 803.

Meyer, Julius, theory of the inversion of sucrose, A. ii, 265

Meyer, Julius, and Emil Trutzer, ammonium nitrite, A., ii, 181.

Meyer, Kurt, influence of certain proteins and other colloids on hæmolysis, A., ii, 513.

the mechanism of hæmolysis by saponin, A., ii, 709.

Meyer, Kurt. See also Arthur Hantzsch.

Meyer, Kurt H., halochromism of quinones, A., i, 731.

Meyer, Richard [Emil], and Kurt Desamari, tribromoresoquinone [m-benzoquinone], A., i, 658.

Meyer, Richard, and Karl Marx, tautomerism of succinyl chloride, A., i, 602.

constitution of phthalein salts, A., i, 652.

Meyer, Richard, and Karl Witte, condensation products of quinol, A., i, 670

Meyer, Richard Josef, and Kurt Rötgers, dissociation temperatures of manganese dioxide (MnO₂) and dimanganese trioxide (Mn₂O₃) in air and oxygen, A., ii, 191.

Mezger, Robert. See Julius Schmidt.

Michael, Arthur, refractometric evidence for the constitution of carbon suboxide, A., i, 316.

desmotropy and merotropy, A., i, 943.

stereoisomerism and the law of entropy, A., ii, 137.

Michael, Arthur, and John Emery Bucher, constitution of phenylnaphthalenedicarboxylic acid; a reply to Stobbe, A., i, 89.

Michael, Arthur, and O. D. E. Bunge, stereochemical nature of the addition of chlorine to crotonic acid, A., i, 848

Michael, Arthur, and Philip H. Cobb, phenylcarbimide as reagent for determining the constitution of merotropic compounds, A., i, 947.

Michael, Arthur, and Harold Hibbert, the ammonia reaction for distinguishing between enolic and ketonic derivatives. II., A., i, 78.

supposed connexion between dielectric constant and isomerising power of organic solvents in keto-enol desmotrophy, A., ii, 455.

Michael, Arthur, and Arthur Murphy, jun., acetyl chloride and acetic anhydride as reagents for distinguishing between enolic and ketonic modifications, A., i, 949.

Michael, Arthur, and Howard D. Smith, addition of halogens to cinnamic acid and some of its derivatives, A., i, 168.

Michael, Arthur, and Howard D. Smith, tertiary amines as reagents for distinguishing between stable enolic and ketonic derivatives, A., i, 943.

Michaelis, [Carl Arnold] August, p-dimethylaminophenylarsonic acid (dimethylatoxyl), A., i, 590.

Michaelis, August, [with Erich Dulk, Erich Lehmann, and Robert Pander], thiopyrazolones, A., i, 688.

Michaelis, August, and F. Engelhardt, 4-keto-compounds of pyrines, A., i,

Michaelis, August, and Erich Hadanck, constitution of the acid derivatives of methylhydrazine, A., i, 1020.

Michaelis, August, and Georg Mielecke, [with Lutze], nitroso-compounds of ψ-pyrines, and 2-alkylanilopyrines, A., i, 61.

Michaelis, August, [with A. Stiegler and Walter Willert], 3-pyrazolones. III., A., i, 209.

Michaelis, August, and Walter Willert, 1:3-diphenyl-5-pyrazolone and its 1 nitro-derivative, A., i, 215.

Michaelis, K., preparation of triazans, A., i, 471.

Michaelis, Leonor, adsorption affinity of invertase from yeast, A., i, 235.

adsorption of ferments, A., i, 745. binary electrodes and electrochemical adsorption, A., ii, 655.

Michaelis, Leonor, and M. Ehrenreich, adsorption of ferments, A., i, 587.

Michaelis, Leonor, and Peter Rona, parenteral nitrogenous metabolism. I., A., ii, 206.

the sugar in blood, A., ii, 329.

estimation of the concentration of hydrogen ions by indicators, A., ii, 571.

Michaelis, Leonor. See also Peter Rona.

Michaud, Louis. See Gustav Embden. Michel, Leopold. See G. Malfitano.

Micheler, H. See Alexander Gutbier.

Micheli, Jules. See Ed. Sarasin. Micklethwait, (Miss) Frances Mary Gore.

See Gilbert Thomas Morgan.
Micko, Karl, composition of meat extract,

A., ii, 644. mono-amino-acids in meat extract, A.,

ii, 713.
Mielecke, Georg. See August Michaelis.
Mieli, Aldo, curves of instantaneous heat power determined from chemical re-

actions, A., ii, 153. new conception of the element, A., ii, 478.

Mieli, Aldo. See also Nicola Parravano and Emanucle Paternò.

Miers, Henry Alexander, crystallisation of potassium dichromate, A., ii, 388.

Miers, Henry Alexander, and (Miss) Florence Isaac, the spontaneous crystallisation of substances which form a continuous series of mixed crystals; mixtures of naphthalene and β -naphthol, T., 927; P., 125.

Miethe, A., spectrum of the ruby, A., ii, 139.

Miethe, A. See also Louis Lewin.

See Mario Giacomo Migliorini, E. Levi.

Mikusch, Hans, the system, zinc oxide -carbon dioxide—water, A., ii, 185.

Milbauer, Jaroslav, borax bead test for praseo- and neo-dymium salts, A., ii, 70.

colorimetric comparison of copper and nickel solutions, A., ii, 71.

Jaroslav, Milbauer, VladimirandStaněk, colorimetric estimation of copper, A., ii, 69.

Miller, C. W. See Alvin Sawyer Wheeler.

Miller, Ivy. See Richard B. Moore. Miller, Norman Harry John. See Alfred Daniel **Hall**.

Miller, O., behaviour of cellulose with sodium hydroxide, A., i, 78.

Miller, Oswald, and J. Smirnoff, reaction of indigotin with potassium permanganate, A., i, 468.

Millosevich, Federico, conditions formation of natural copper carbonates, A., ii, 282.

Mills, James E., molecular attraction. VII. Examination of seven esters, A.,

Mills, William Hobson, and (Miss) Sibyl T. Widdows, benzeneazo-2-pyridone, T., 1372; P., 174.

Milobendski, Thaddeus, oxygen derivatives of camphene, A., i, 92. titration of sodium thiosulphate, A.,

ii, 130.

Milrath, Hugo, conditions of formation of phenylsemicarbazide and of acetyl-

phenylhydrazine, A., i, 572. action of as-phenylbenzylhydrazine on carbamide, A., i, 581.

action of secondary as-hydrazines on carbamide, A., i, 1014.

urinary constituents precipitable by phenylhydrazine, A., ii, 716.

Milroy, Thomas H., chemical composition of the herring during the reproductive period, A., ii, 768. Mines, George Ralph, Munchi arrow

poison and strophanthin, A., ii, 522. Mines, George Ralph. See also Joseph

Barcroft.

Minguin, Jules, state in solution of the camphorcarboxylates of aliphatic and aromatic amines as revealed by the rotatory power, A., ii, 137.

Minovici, Stefan, cholesterol, A., i, 531. Mintz, Saul. See Charles Eugène Guye. Minz, A., toxolecithides, A., ii, 413.

Miolati, Arturo, and R. Pizzighelli, complex acids. I., A., ii, 595.

Míškovský, Oldřich, sarcinæ causing disease in beer, A., ii, 526.

Miškovský, Oldřich. See also Vladimir Staněk.

Misson, G., colorimetric estimation of phosphorus in steel, A., ii, 732.

Mitchell, Alec Duncan. See Clarence Smith.

Mitscherlich, E. A., a method of soil analysis for investigations in plant physiology, A., ii, 428.

Mixter, William Gilbert, heat of combination of acidic oxides with sodium oxide and heat of oxidation of chromium, A., ii, 929.

Miyama, Kisaburō, Japanese lacquer, Å., i, 437.

Modrakowski, Georg, physiological action of choline, A., ii, 974.

Möhlau, Richard, constitution of the acetylated condensation products of benzeneazo-a-naphthol and methyldiaminobenzhydrol, A., i, 374.

Möller, P. See Gottlob Eduard Linck. Möllhausen, G., diffusion of albumin into gelatin jellies, A., ii, 670.

Mörner, (Graf) Carl Thore, the organic

substance of the skeletal tissues of Anthozoa, A., ii, 310.

skeletal substances in Anthozoa. III. Cornicrystallin, A., ii, 517.

Mohr, Ernst, and Theodor Geis, benzoylaminoisobutyrolactimone, A., i, 339.

Mol, D., simple ester anhydrides of saturated dibasic organic acids, A., i,

Molinari, Ettore, action of ozone on compounds containing double and treble linkings, A., i, 244, 849.

Molinari, Ettore, and C. Barosi, products of the decomposition of oleic acid ozonide, A., i, 849.

Molinari, Ettore, and P. Fenaroli, triolein ozonide and its decomposition products, A., i, 849.

double linkings in phytosterol and cholesterol, A., i, 882.

a new reaction of petroleum, A., i, 933.

Moll, W. J. H., some infra-red spectra, A., ii, 241.

Moll van Charante, Jacob, substances which play a part in the synthesis of salicylic acid, A., i, 175.

Monaco, Ernesto, the application of leucite as manure, A., ii, 424.

Monnier, Alf. See Louis Duparc.

Montagne, P. J., [and Frans Maurits Jaeger], action of alcoholic potassium hydroxide solution on ketones, A., i, 988.

Montanari, Carlo, behaviour of bone and mineral phosphates in soil, A., ii, 128.

Moodie, (Miss) Agnes Marion. See James Colquhoun Irvine.

Moody, Gerald Tattersall, and Lewis Thomas Leyson, the solubility of lime in water, T., 1767; P., 202.

Moody, Seth E., the hydrolysis of

ammonium molybdate in the presence

of iodides and iodates, A., ii, 197.

Mooers, C. A., and H. H. Hampton, separation of clay in the estimation of humus, A., ii, 744.

Moore, Benjamin, and James Leonard Hawkes, action of heavy metals on Bacillus typhosus, A., ii, 772.

Moore, Benjamin, and Herbert Eldon Roaf, equilibrium between the cell and its environment, with special reference to red blood corpuscles, A., ii, 204

Moore, Benjamin, Herbert Eldon Roaf, and Robert Edward Knowles, effects of variations in inorganic salts and reaction on plants and animals, A., ii,

Moore, Burton E., resolution of the spectral lines of barium, yttrium, zirconium, and osmium in a magnetic field, A., i, 138.

Moore, Charles Watson, and Jocelyn Field Thorpe, the formation and reactions of imino-compounds. II. The formation of derivatives of hydrindene from o-phenylenediacetonitrile, T., 165; P., 12.

Moore, Ernest P., and James Watson Bain, loss of carbon during solution of steel in potassium cupric chloride.

A., ii, 899.

Moore, Forris J., and R. D. Gale, coloured salts of Schiff's bases; colour as related to chemical constitution, A., i, 368.

Moore, Forris J., and R. G. Woodbridge, jun., coloured salts of Schiff's bases. II. Hydrochlorides of bases formed by condensing phenyl-p-phenylenediamine with aromatic aldehydes, A., i,

Moore, Richard B., the densities of krypton and xenon, T., 2181; P., 272.

decay of radium emanation when dissolved in water, A., ii, 650.

Moore, Richard B., heavy constituents. of the atmosphere, A., ii, 840.

Moore, Richard B., and Ivy Miller, a separation of iron from manganese, A., ii, 434.

Moore, Richard B. See also Herman Schlundt.

Moore, T. W. See William White Taylor.

Moraczewski, Waclaw von, estimation of indole in fæces, A., ii, 441.

Morawitz, P. See Joseph Barcroft.

Morel, Albert. See Louis Hugounenq. Morelli, Eugenio, saponification of fats by means of hydroxylamine, A., i, **7**58.

Morelli, Eugenio, and Guerriero Marchetti, nitrosopyrroles, A., i, 363.

Morelli, Eugenio. See also Angelo Angeli.

Moreschi, A. See Angelo Menozzi.

Morgan, Gilbert Thomas, and Taylor Cook, apparatus for estimations involving distillation, A., ii, 424.

Morgan, Gilbert Thomas, and (Miss) Frances Mary Gore Micklethwait, derivatives of para-diazoimino-benzene, T., 602; P., 48; discus-

sion, P., 49. a study of the diazo-reaction in the diphenyl series, T., 614; P., 51.

organic derivatives of arsenic. Part Dicamphorylarsinic acid, T., 2144; P., 268; discussion, P., 269.

Morgan, John Livingston Rutgers, and Eric Higgins, weight of a falling drop and the laws of Tate; determination of molecular weights and critical temperatures of liquids by the aid of drop weights, A., ii, 668.

Morgan, John Livingston Rutgers, and John E. McWhorter, estimation of carbon monoxide in atmospheric air,

A., ii, 66.

Morgan, John Livingston Rutgers, and Reston Stevenson, weight of a falling drop and Tate's laws; determination of the molecular weights and critical temperatures of liquids by the aid of drop weights, A., ii, 356.

Morgan, Will J. See William Jay Karslake.

Morgenroth, Julius, and R. Kaya, the action of cobra venom in destroying complement, A., ii, 313.

Morgenstern, Otto. See Moritz Kohn.

Morozewicz, Józef A., composition of
nepheline, A., ii, 201.

Morse, Fred. W., effect of temperature

on the respiration of apples, A., ii, 616. Morse, H. V. See Harmon Northrop Morse.

•Morse, Harmon Northrop, and William West Holland, osmotic pressure of dextrose solutions at 10°, A., ii, 759.

Morse, Harmon Northrop, and B. F. Lovelace, improved manometers for measurement of osmotic pressure, Λ., ii, 1020.

Morse, Harmon Northrop, and B. Mears, osmotic pressure of sucrose solutions at 15°, A., ii, 1019.

improvement in cells for the measurement of osmotic pressure, A., ii, 1019.

Morse, Harmon Northrop, and H. V. Morse, osmotic pressure of sucrose solutions at 10°, A., ii, 671.

Moruzzi, G., the quantitative recovery of choline from lecithin, A., i, 395.

Moss, H. See Samuel Walter Johnson Smith.

Mossler, Gustav, fission of hydrogen cyanide from amides of α-bromofatty acids accompanied by the formation of an aldehyde or ketone, A., i, 133.

decomposition of chloroform by alcoholic alkali hydroxides, A., i, 750. decomposition of trichloroisopropyl alcohol by aqueous or alcoholic alkali hydroxides, A., i, 751.

Mott, William R. See Harrison Eastman Patten.

Motylewski, Sigmund, 3-hydroxy-1:2-dihydroquinoxaline and its derivatives, A., i, 370.

tives, A., i, 370.

Moulin, M., ionisation of gases by α-rays, and the hypothesis of initial recombination of the ions, A., ii, 921.

Mourelo, José Rodriguez, changes in the colour of calcium sulphide under the influence of light, A., ii, 140.

influence of light, A., ii, 140.

Mouren, Charles, and Robert Biquard, rare gases of thermal waters; gaseous outputs of some springs, A., ii, 277.

Moureu, Charles, and Amand Valeur, sparteine; application of Hofmann's reaction to sparteine; methylhemisparteilene, A., i, 43.

two isomeric methylsparteines, A., i, 44.

sparteine; isomerisation of α -methyl-sparteine, A., i, 44.

isosparteine, an isomeride of sparteine, A., i, 103.

constitution of α- and β-methylsparteine and of isosparteine, A., i, 206. sparteine. XII., A., i, 563.

Moussu, and Goupil, action of chlorine in the tubercle bacillus, A., ii, 123.

Mouton, Henri. See A. Cotton.

Moždženski, Leo von. See Felix Benjamin Ahrens. Mügge, Otto, Tschermak's method of preparing silicic acids from natural silicates, A., ii, 277, 688.

change of state in quartz at 570°, A., ii, 302.

Müller, Arthur, preparation of hydrosols of metallic hydroxides from hydrogels, A., ii, 286.

Müller, Erich, (Berlin). See Walter Cronheim.

Müller, Erich, (Stuttgart), explanation of supertension, A., ii, 802.

Müller, Erich, and Friedrich Kapeller, the reducing and oxidising power of salts of iron, A., ii, 192.

Müller, Ernst, ψ-diazoacetic acid, A., i, 922.

Müller, Ernst. See also Theodor Curtius.

Müller, Eugen, gas-generating apparatus for analytical purposes, A., ii, 129.

Müller, F. See Heinrich Ley.

Müller, Fritz. See Richard Willstätter. Müller, Gustav, circulation burette, A., ii, 626.

new burette clamp, A., ii, 1069.

Müller, Gustav, and O. Berchem,

automatic safety burette, A., ii, 775. **Müller**, *Johannes*, the utilisation of sugar during muscular activity, A., ii,

Müller, K. See Michael I. Konowaloff. Müller, Max, [nutritive value of non-proteins in hay], A., ii, 726.

Müller, Noc L. See Rudolf Wegscheider.

Müller, O. See Julius Tröger.

Müllermeister, Wilhelm, the absorption spectra of chlorophyll and its derivatives, A., i, 197.
Münter, F. See Wilhelm Schneidewind.

Münter, F. See Wilhelm Schneidewind. Müntz, Achille, and Auguste Trillat, origin and variations of sulphates in beer: interpretation of analytical results, A., ii, 782.

Münziger, A. See Paul Wagner. Muir, Matthew Moncrieff Pattison, volumetric estimation of iron in ferric compounds, A., ii, 228.

Muir, Robert, and Carl Hamilton Browning, bactericidal action of normal serum, A., ii, 959.

Muller, Joseph Auguste, acid energy of thiosulphuric acid and the decomposition of this acid, A., ii, 102.

volumetric estimation of mercury in its ores, A., ii, 227.

deduction of Gibbs' phase rule, A., ii, 466.

Muller, Paul Thiébaud, and H. Allemandet, alkali electrode, A., ii, 146.

Muller, Paul Thiébaud. See also Albin Haller.

Mulzer, Paul. See Walther Löb.

Mumm, Otto, kinetics of ethyl diazoacetate and the dilution law, A., ii,

Mummery, John Percy Lockhart, and William Legge Symes, duration of effect of pituitary extract on blood pressure, A., ii, 767.

Muñoz del Castillo, José, radioactivity of water from Castronionte and

Puertollano, A., ii, 550.

coefficient of absorption of radioactive emanations in different liquids, A., ii, 749.

radioactivity of the waters of Lerez, A., ii, 750.

radioactivity of water from Cucho, A., ii, 750.

extraordinary, radioactivity of water from a spring at Valdermorillo, A., ii, 1004.

radioactivity of three springs at Oña

(Burgos), A., ii, 1004.

Muñoz del Castillo, José, and Faustino Díaz de Rada, photographic impressions produced by radium emanation, A., ii, 749.

Charles Edward, Munroe, artificial hæmatite crystals, A., ii, 116.

Muraour, Henri, constant head of water for laboratories, A., ii, 479.

Muraro, F., solubility of true and false tannates of quinine, A., i, 451, 1004. Murphy, Arthur, jun. See Arthur Michael.

Murschhauser, Eans. See Wilhelm Prandtl.

Musselius, R., crystalline polymeride of isobutaldol, A., i, 761.

Muynck, R. de, conductivity of gaseous mixtures at the moment of explosion, A., ii, 345.

N.

Nabokich, A. J., the liberation of carbon dioxide by dead parts of plants, A., ii, 616.

Nacken, Richard, langbeinite and vanthoffite [K2SO4, 2MgSO4, and 3Na2SO4, MgSO₄], Å., ii, 692. Nádai, Géza. See Fritz Ullmann.

Nakamura, M., the most favourable ratio of lime to magnesia for the mulberry

tree, A., ii, 126.

Namba, I., behaviour of onions to

stimulants, A., ii, 618.

Namba, I., and C. Kanomata, efficacy of calcium cyanamide under different manuring conditions, A., ii, 623.

Nametkin, S. S., action of nitric acid on saturated hydrocarbons, A., i, 329.

Namias, Rodolfo, analyses of some alloys and slags, A., ii, 326.
Naquin, W. P. See Fritz Zerban.
Narbutt, J. von. See Karl A. Hofmann.

Nardelli, Giulio, new organo-mercury compounds; "iodoargyrum," A., ii, 715.

Nasini, Raffaelo, origin of the boric acid in the Soffioni of Tuscany, A., ii, 862.

Nasini, Raffaclo, and Mario Giacomo Levi, physico-chemical investiga-tion of the Springs of Fiuggi, near Anticoli, A., ii, 401. ozonisation of air by the action of

radium salts and emanation, A.,

ii, 793.

Nasmith, G. G., and E. Fidlar, the nitro-molybdate method for the detection of phosphorus in tissues, A., ii, 776.

Nawiasky, Paul, the decomposition of amino-acids by Bacillus proteus vulgaris, A., ii, 614.

Nazari, Vittorio, action of wines and of alcohols on the frog, A., ii, 973.

old and new nitrogenous fertilisers; calcium cyanamide, calcium nitrate, ammonia sulphate, and sodium nitrate, A., ii, 1068.

Nef, John Ulric, dissociation processes in the sugar group. I. Behaviour of carbohydrates towards Fehling's solution and other oxidising agents, A., i, 5.

Negro, C. See G. Costanzo.

Neilson, Charles Hugh, and D. H. Lewis, effect of diet on the amylolytic power of saliva, A., ii, 709.

Neilson, Charles Hugh, and Oliver P. Terry, effect of potassium iodide on

ptyalin, A., ii, 612.

Nelken, F., and Hugo Simonis, action of Grignard compounds on o-phthalaldehyde, A., i, 348.

Nelson, John Maurice. See Kaufman

George Falk.

Nelson, Louis, the composition of the protamine from salmon spermatozoa, A., i, 1030.

thymamine, a protamine from the

thymus gland, A., i, 1030.

Neminsky, W. W., and Wladimir A. Plotnikoff, electrolysis of the compounds of aluminium bromide with toluene and benzene, A., i, 407.

Neogi, Punchanan, reduction of Fehling's solution to metallic copper; decomposition of copper mirrors on glass, A., ii, 848.

Neovius, W. See Roland Scholl. Neresheimer, Heinrich. See Carl Dietrich Harries.

Nerking, Joseph, chemistry of bonemarrow, A., ii, 516.

the partition of lecithin in the animal organism, A., ii, 608.

Nerking, Joseph, and E. Haensel, the lecithin-content of milk, A., ii, 999.

Nernst, [Hermann] Walther, the development of general and physical chemistry in the last forty years, A., ii, 1.

Neubauer, E. See Otto Loewi and Otto Porges.

Neuberg, Carl, electrolysis of sugars, A., i, 128.

reduction of amino-acids to aminoaldehydes, A., i, 322.

the chemical changes in adrenaline produced by enzymes, A., i, 380.

the relation of the cyclic inosite to the

aliphatic sugars, A., i, 394. constitution of "phytin," A., i, 394. the depolymerisation of sugars, A., i, 765.

lipolysis, agglutination and hæmolysis. IV., A., ii, 708.

chemical changes produced by different kinds of rays. I. Catalytical reac-

tions of sunlight, A., ii, 915.

Neuberg, Carl, and B. Brahn, inosic acid, A., i, 1029.

Neuberg, Carl, and B. Rewald, l- and d-hexoic acids, \mathbf{A} ., \mathbf{i} , 310.

the colloidal and gelatinous salts of the alkaline earths, A., ii, 39, 495. Neuberg, Carl, and E. Rosenberg, fatty

acids of protein putrefaction and optically active valeric and hexoic acids, A., i, 116.

conversion of optically inactive triolein into an optically active glyceride and an optically active acid, A., i, 116.

Neuberg, Carl. See also Walther Brasch and John A. Mandel.

Neufeld, F., and Händel, hæmolytic poisons, especially bile salts and soaps, A., ii, 959.

Neumann, Alfred. See Alois Kreidl.

Neumann, Bernhard, silicon as a reducing agent for the oxides of refractory metals, A., ii, 377.

Neumann, C. See Max Siegfried.

Neumann, Franz. See Edmund Parow. Neumann, Walter, detection of small quantities of zinc by electrochemical means, A., ii, 67.

Walter. See also Herbert Neumann, Freundlich.

Neumüller, Theodor, substitution products of p-diaminodiphenylmethane and of p-diaminodiphenyl, A., i, 369.

Neustadt, J. See Richard Abegg.

Newton, H. D., volumetric estimation of titanium, A., ii, 325. estimation of iron by permanganate

after reduction with titanous sulphate, A., ii, 538.

Nicolardot, Paul, a new chromium sulphate, A., ii, 112.

new method of attacking ferro-compounds, particularly ferro-silicon, A., ii, 1074.

separation of tungstic acid from silica, A., ii, 1074.

Nicolas, G. See A. Maige.

Nicole, A. See William Küster.

Nicoll, Frank. See John Cannell Cain. Niemeyer, R., analysis of sodium peroxide, A., ii, 132.

Nierenstein, Maximilian, tannin, A., i,

constitution of tannin, A., i, 90, 897. glaucohydroellagic acid, A., i, 548.

Nierenstein, Maximilian, and T. A. Webster, a case of the inhibiting action of the carboxyl group, A., i, 89.

Nieszytka, Theodor. See Hugo Erdmann.

Nieuwland, C. H., detection of traces of arsenic in various substances and the sensibility of the usual methods, A., ii, 896.

Niklewski, Bronislaw, micro-organisms oxidising hydrogen. II., A., ii, 314.

Niklewski, Bronislaw. Sec also Adam Karpiński.

Nirdlinger, Sidney. See Salomon Farby Acree.

Noel. See Alphonse Seyewetz.

Noël Paton. See Paton.

Noelting, [Domingo] Emilio, and K. Philipp, colour bases of triphenylmethane dyes, A., i, 295. Nötzel, Otto. See Gustav Heller.

Nola, Ettore di. See Alberto Bianchi.

Noll, Hermann, estimation of the hardness, also of the free, semi-combined, and combined carbon dioxide in waters, A., ii, 435.

Nordenson, Ebba. See Hans von Euler. Nordmeyer, Paul, specific heat of some elements and salts between the temperature of liquid air and room temperature, A., ii, 353.

Norlin, Evert. See Peter Klason.

Novicky, A. See Boris Glasmann.

Noyes, Arthur Amos, William C. Bray, and Ellwood B. Spear, a system of qualitative analysis for the common elements. III. Analysis of the aluminium and iron groups, including glucinium, uranium, vanadium, titanium, zirconium, and thallium, A., ii, 538.

Noyes, Arthur Amos, and Yogoro Kato, equivalent conductivity of the hydrogen ion derived from transference experiments with nitric acid, A., ii, 346.

Noyes, Arthur Amos, [with Arthur C. Melcher, Hermon C. Cooper, G. W. Eastman, and Yogoro Kato], conductivity and ionisation of salts, acids, and bases in aqueous solutions at high temperatures, A., ii, 347.

Noyes, William Albert, boiling point of

isobutane, A., i, 305. atomic weight of hydrogen, A., ii, 100. choice of the most probable value for an atomic weight; atomic weight of hydrogen, A., ii, 367. Noyes, William Albert, and H. C. P.

Weber, atomic weight of chlorine, A.,

ii, 371.

0.

Oberhoffer, P., and A. Meuthen, specific heat of iron-carbon alloys, A., ii, 386.

Obermiller, Julius, influences governing orientation in the benzene nucleus, A., i, 146.

conditions of formation of phenolsulphonic acids, A., i, 260.

acidity of the different phenolsulphonic acids, A., i, 634.

Ochs, Felix. See Otto Diels.

Oddo, Bernardo, action of organo-magnesium pyridine compounds on aldehydes, A., i, 27.

magnesio-acetylene bromide. i, 748.

Oddo, Giuseppe, and E. Scandola, condition of substances in absolute sulphuric acid, A., ii, 353.

Oechsner de Coninck, [François] William, action of sulphur on acetylene. A., i, 750.

determination of the molecular weight of uranous oxide, A., ii, 501.

the part played by ionisation in certain chemical reactions, A., ii, 804.

Oechsner de Coninck, William, and L. Arzalier, action of soluble on insoluble substances, A., ii, 843.

Oechsner de Coninck, William, and Dautry, reactions of mercuric chloride with organic acids, A., i, 392.

Oechsner de Coninck, William, and Raynaud, selenium, A., ii, 483.

Oefele, Felix von, estimation of glycine in human fæces, A., ii, 439.

Oehler, Ed. See Richard Kempf. Österberg, Emil, and Charles George Lewis Wolf, estimation of the total sulphur in urine, A., ii, 426.

Österberg, Emil. See also Adolf Loewy and Charles George Lewis Wolf.

Oesterle, Otto A., and Eduard Tisza, morindin, A., i, 36.

trimethyl ethers of emodin from frangula and from aloes, A., i, 350. the hydrocarbon nucleus of frangula-

emodin, aloe-emodin, and rhein, A., i. 905. the root-bark of constituents of

Morinda citrifolia, A., ii, 527. Offer, Theodor Rob., chitin, A., i, 98.

Ogawa, Masataka, new element in thorianite, A., ii, 952.

new element allied to molybdenum, A., ii, 953.

Ogier, Jules, and Emile Kohn-Abrest, detection of small quantities of carbon monoxide in air, A., ii, 631, 632.

Ohlmer, W., influence of manures and soil moisture on the disposition and perfection of the ears and the club shape of Göttingen square-headed winter wheat, A., ii, 726.

Olie, J. See Ernst Cohen.

Olinger, Josef. See Emil Abderhalden. Olivi, G., hypothermolysin, A., ii, 49.

changes in the nitrogenous constituents of the liver when the kidneys are placed out of action, A., ii, 407.

Olson, George A., milk proteins and enzymes, A., i, 1031.

Omi, Kaoru, the behaviour of salicin in the normal and diabetic organism, A., ii, 613.

Onnes, Heike Kamerlingh, experiments on the condensation of helium by expansion, A., ii, 490.

liquefaction of helium, A., ii, 944. Onnes, Heike Kamerlingh. See also

Jean Becquerel. Opie, Eugene L., and Bertha L. Barker,

leucoprotease and anti-leucoprotease of mammals and birds, A., ii, 117.

Opitz, K., comparative investigation of the results of chemical soil analyses and of cultivation experiments, A., ii, 421.

Opolski, Stanislaus. See Arthur Hantzsch.

Oppé, Alfred, hydrolytic products of a-chloromorphide, A., i, 362.

Oppler, Berthold. See Emil Abderhalden.

Ordway, John M., waterglass. VI., A., ii, 37.

Ordway, Mabel D. See Arthur Everett Austin.

Orgler, Arnold, remarks on Aron and Sebauer's work on the nutritive value of calcium salts, A., ii, 606, 872.

Orloff, E. I., conversion of methyl alcohol into formaldehyde and the preparation of formalin, A., i, 77, 761.

constitution of sodium hyposulphite and formaldehydesulphoxylate, A.,

oxidation of ethyl, propyl, isobutyl, and amyl alcohols by a contact process, A., i, 306.

contact oxidation of hydrocarbons, A.,

contact oxidation of ethyl ether, A., i, 753.

method of obtaining resins from turpentine and the preparation from them of lacs, varnishes, &c., A., i, 815.

constitution of sodium hyposulphite, A., ii, 181.

contact oxidation of ammonia and organic bases, A., ii, 582.

Orloff, N. A., gold chromate, A., ii, 48. detection of ruthenium in platinum alloys, A., ii, 231.

Orthey, Max, estimation of carbon in pig-iron and steel, A., ii, 131.

estimation of sulphur in iron and steel, A., ii, 731.

estimation of manganese in iron and manganese ores, A., ii, 898.

Orton, Kennedy Joseph Previté, and Reginald William Everatt, the reaction of diazonium salts with monoand di-hydric $_{
m phenols}$ andnaphthols, T., 1010; P., 118.

Kennedy Joseph Previté, and (Miss) Constance Pearson, the wandering of bromine in the transformation of nitroaminobromobenzenes, T., 725;

Orton, Kennedy Joseph Previté. See also (Miss) Alice Emily Smith.

Osaka, Yūkichi, inversion of sucrose, A.,

Osann, [Carl] Alfred, enstatite-augite in diabase from Tasmania, A., ii, 48.

Osborne, R. W. See Isaac King Phelps. Osborne, Thomas Burr, and Samuel Hopkins Clapp, hydrolysis of the globulin from the almond (amandin); hydrolysis of the proteins of maize; hydrolysis of gliadin from rye, A., i, 115.

Osborne, Thomas Burr, and Frederick W. Heyl, pyrimidine derivatives in nucleic acid, A., i, 376.

hydrolysis of vignin, A., i, 744. hydrolysis of legumin from the vetch,

A., i, 843.

hydrolysis of legumelin from the pea (Pisum sativum), A., i, 928.

Osborne, Thomas Burr, and Frederick W. Heyl, hydrolysis of vicilin from the pea (Pisum sativum), A., i, 929.

hydrolysis of chicken flesh, A., ii, 967.

hydrolysis of fish muscle, A., ii, 1055. Ost, Hermann, and F. Klein, formic acid in glacial acetic acid, A., ii, 903.

Osthelder, F. See Hermann Tappeiner.

Ostrogovich, Adriano, and T. Silbermann, action of halogens on aromatic amines and their use in the synthesis of certain dyes, A., i, 373.

oxidation of aniline by halogen acids, A., i, 373.

explanation of the formation of induline, A., i, 373.

Ostromisslensky, Iwan von, action of dichloroacetic acid on aniline and its homologues. I. and II., A., i, 82, 888.

products of the nitration of o-chloronitrobenzene, A., i, 867.

structure of benzene. I. Polymorphic modifications of aromatic com-II. Homogeneity of the ortho- and of the meta-derivatives of benzene. III. The two chemically isomeric 2:4-dinitrophenols, A., i, 868.

action of glyoxylic acid and of diacetylglyoxylic acid on aniline and its homologues, A., i, 889.

optical isomerides, A., ii, 913.

Ostwald, Wolfgang, influence of electrolytes on the coagulation-temperature of egg-albumin, A., i, 375.

nature of the combination of gases in blood and its constituents; preliminary notice, A., ii, 509.

system of colloids, A., ii, 820. twald, Wolfgang, and Friedrich Goppelsroeder, time-law of the capill-Ostwald, ary rise of liquids and the relationship of velocity to the chemical constitu-tion, A., ii, 263. Ott, E. See Hermann Staudinger. Ott, K. See Karl A. Hofmann.

Otto, Andreas, detection of dextrose in urine, A., ii, 739.

Owen, Gwilym, and A. Ll. Hughes, molecular aggregations produced in gases by sudden cooling, A., ii, 565.

P.

Paal, Carl, and Leo van Gember, sec. aminoacetals, A., i, 511.

Paal, Carl, and Josef Gerum, catalytic actions of colloidal metals of the platinum group. III. Reduction catalysis with colloidal palladium and platinum, A., i, 599.

liquid hydrosol of palladium hydride,

A., ii, 392.

palladium hydride, A., ii, 392.

Paal, Carl, and Gustav Kühn, pyrid-V. Diphenylazine synthesis. pyridazine derivatives, A., i, 57.

colloidal sodium chloride, A., ii, 179. colloidal sodium bromide and iodide,

A., ii, 179.

Paal, Carl, and Karl Roth, catalytic actions of colloidal metals of the IV. platinum group. Reduction catalysis with colloidal palladium, A., i, 599.

Packard, Wales H., resistance of lack

of oxygen, A., ii, 402. Pacottet, Paul. See Géza Austerweil. Padé, Léon, estimation of sulphurous acid in gelatins and other foods, A., ii, 893.

Padoa, Maurice, nature of iodide of starch, A., i, 249. velocity of crystallisation of iso-

morphous mixtures, A., ii, 89. Padoa, Maurice, and C. Chiaves, catalytic action of finely-divided metals on nitrogen compounds, A., i, 104.

Padoa, Maurice, and Ugo Fabris, equilibrium of hydrogenation, A., i, 255,

Padoa, Maurice, and G. Scagliarini, catalytic action of finely-divided metals on compounds containing nitrogen, A., i, 828.

Paessler, [Ernst] Johannes, estimation of lactic acid in lactates, A., ii, 438.

Page, Frederick James Montague, obituary notice of, T., 2277.

Paine, H. H. See W. C. Dampier Whetham.

Palache, Charles, olivine in serpentine from Chester, Massachusetts, A., ii, 116.

Palache, Charles, and Charles Hyde Warren, kröhnkite, natrochalcite (a new mineral), and other sulphates from Chile, A., ii, 1047.

Paladino, Raffaele, spectroscopic and chemical behaviour of the pigment secretion of Aplysia punctata, A., ii,

Palazzo, Francesco Carlo, and F. Maggiacomo, constitution of phosphorous acid, A., ii, 488.

Palazzo, Francesco Carlo, and Giuseppe Scelsi, constitution of certain cyanogen compounds, A., i, 718.

Palladin, Wladimir N., rôle of the reductase in alcoholic fermentation, A., i, 589.

the respiratory pigments of plants, A., ii, 416.

Palmer, Howard E. See Philip Embury Browning and Isaac King Phelps.

Pander, Robert. See August Michaelis. Pannain, Ernesto, certain alloys of silver, A., ii, 495.

rapid analysis of copper-plating baths, A., ii, 537.

Panzer, Theodor, doubly-refracting substances from pathological organs, A., ii, 122.

detection of vegetable poisons in decomposed animal bodies, A., ii, 997.

Pappadà, Nicola, electrical nature of colloidal solutions, A., ii, 1024.

Pari, Giulio Andrea, the influence of nitrogen-free sources of energy on the rate of protein decomposition by the organism, A., ii, 961.

the influence of the thyroid gland on the rate of decomposition, A., ii, 962.

Paris, Giulio, lactic acid in wine, A., ii, 543.

Paris, Louis. See Jules Auclair.

Pariselle. See Robert Lespieau. Parker, L. E. L. See Marcus Seymour Pembrev.

Parmeggiani, Giovanni, [properties, detection, and estimation of] "saccharin," A., i, 267.

Parow, Edmund, and Franz Neumann, evaluation of commercial starch, A.,

Parr, Samuel Wilson, Parr's method of estimating the heat of combustion of coal, A., ii, 533.

sodium peroxide in certain quantitative processes, A., ii, 628.

Parravano, Nicola, and G. Calcagni, polyphosphates, A., ii, 838.

Parravano, Nicola, and Aldo Mieli,

acid phosphates, A., ii, 837. Parravano, Nicola, and A. Pasta, chromates, A., ii, 294.

Parrozzani, A. See Francesco Scurti.

Parsons, (the Hon.) Charles Algernon, and Alan Archibald Campbell Swinton, conversion of diamond into coke in high vacuum by cathode rays, A., ii, 275.

Parsons, Charles Lathrop, solution in a dissolved solid, A., ii, 89.

Parsons, Charles Lathrop, William O. Robinson, and C. T. Fuller, soluble basic sulphates of glucinium, A., ii, 105.

Partheil, Alfred, red leads and their examination, A., ii, 69, 227.

Pascal, P., some complex iron salts in which the iron is masked, A., ii, 193. a new series of ammonio-ferric salts in which the iron is masked, A., ii, 193. reducing power of ferropyrophosphates, A., ii, 500.

relation between magnetic and chemical properties of complex ferric salts,

A., ii, 756.

magnetic susceptibility of solutions, A., ii, 927. magnetic properties of the oxygenated

metallic radicles, A., ii, 1013. Paschke, F. See Edgar Wedekind. Pashsky, N. P. See Nicolai A. Pushin.

Pasta, A. See Nicola Parravano. Pastureau, J., formation of methylacetol

(acetylmethylcarbinol) in the acid fermentation of wines, A., ii, 136.

Patein, Gustave, the influence of the reaction of blood-plasma on the formation of fibrin, A., ii, 605.

Paternò, Emanuele, origins of stereo-chemistry, A., ii, 77.

Emanuele, and Masaniello Paternò, Cingolani, derivatives of epichlorohydrin, A., i, 308.

Paternò, Emanuele, and Aldo Mieli, densities of solutions of trimethyl-carbinol and phenol, A., i, 383. Paton, Diarmid Noël, the rate of eli-

mination of chloroform, A., ii, 970. Paton, Diarmid Noël, and Dorothy E.

Lindsay, the rate of elimination of chloroform, A., ii, 970.

Patten, Andrew J. See Walter G. Sackett.

Patten, Harrison Eastman, and William R. Mott, decomposition curves of lithium chloride in pyridine and in acetone; the effect of water, A., ii, 253.

Patten, Harrison Eastman. See also Frank Kenneth Cameron.

Patterson, S. W., calcium metabolism, A., ii, 205.

Patterson, Thomas Stewart, the influence of solvents on the rotation of optically active compounds. XIII. Ethyl tartrate in aromatic nitro-derivatives. Influence temperature-change on rotation in solution, T., 1836; P., 216.

rotatory power in solutions, A., ii, 77. a simple form of release for Victor Meyer's vapour-density apparatus,

A., ii, 156.

Patterson, Thomas Stewart, and David Paterson McDonald, the influence of solvents on the rotation of optically active compounds. Part XII. Ethyl tartrate in aromatic halogen derivatives, T., 936; P., 125.

Patterson, Thomas Stewart, and Andrew McMillan, the polarimetric study of intramolecular rearrangement in inactive substances, T., 1041; P.,

a new method for studying intramolecular change, A., ii, 266.

Patterson, Thomas Stewart, and David Thomson, the influence of solvents on the rotation of optically active compounds. Part XI. Ethyl tartrate in aliphatic halogen derivatives, T., 355.

Pauli, E. See Karl Bädeker.

Pauli, Wolfgang, and Hans Handovsky, changes in the physical state of colloids. VI. Compounds of salt ions with amphoteric protein, A., i, 707.

Pauly, Hermann, preparation of the cyclic carbonate of protocatechuic

acid, A., i, 423.

Pauly, Hermann, and O. K. Richter, condensation of benzaldehyde with cyclic acetone bases, A., i, 285.

Pavy, Frederick William, and Hubert W. Bywaters, formation of glycogen by yeast, A., ii, 56.

Paweck, Heinrich, preparation of radium from pitchblende, A., ii, 917.

Pawlewski, Bronislaw von, characteristic reaction of anthranilic acid, A., i, 638.

Pawloff, P. N., relation of melting point to the surface of the granules of a solid substance, A., ii, 927.

Bakes, R. W. See Charles Loring

Peakes, R. Jackson.

Pearce, J. N. See Harry Clary Jones. Pearson, (Miss) Constance. See Kennedy Joseph Previté Orton.

Pearson, W. A., estimation of alcohol in concentrated ethyl nitrite, A., ii,

Pedersen, P. O., surface tension of liquids investigated by the method of jet vibration, A., ii, 158.
Pedrina, S. See Giovanni Pellini.

Pélabon, *Henri*, compounds formed by silver selenide with the selenides of arsenic, antimony, and bismuth, A., ii, 587.

tellurides of arsenic and bismuth; cryoscopic constant of tellurium, A., ii, 687.

Pelacani, Luciano, the zeolites Montresta (Sardinia), A., ii, 864.

Pelet-Jolivet, Louis, dissociation by adsorbing substances of the compounds formed by basic and acidic dyes, A., ii, 18.

Pelet-Jolivet, Louis, and N. Andersen, influence of acids and bases on the absorption of acidic and basic dyes by wool, A., ii, 89.

Pelet-Jolivet, Louis, and N. Andersen, fixation of different derivatives of the same colouring matter and explanation of dyeing, A., ii, 1026.

Pelet-Jolivet, Louis, and V. Garuti, iodometric estimation of basic colours,

A., ii, 441.

volumetric estimation of dyes, A., ii,

Pelet-Jolivet, Louis, and L. Grand, hydrosulphides and thiohydrosulphides of dye bases, A., i, 226.

Pelet-Jolivet, Louis, and A. Wild, study of colouring matters in solution, A., ii,

Peli, Arrigo. See Ciro Ravenna.

Pellacani, Paul, and Folli, so-called antitoxic power of animal tissues towards strychnine, A., ii, 1062.

Pellegrino, M. See Giuseppe Kernot. Pellet, Henri [Jean Baptiste], normal tubes for saccharimeters, A., ii, 235.

Pellini, Giovanni, and S. Pedrina, selenium and iodine, A., ii, 833.

Pellizzari, Guido, and Angelo Repetto, action of cyanogen bromide on hydrazine; N-aminoguanazole (guanazine). III., A., i, 65.

Pelloux, A., mineralogy of Sardinia.
II., A., ii, 863.

Pelly, Russell George. ErnestSee

Goulding. Peltner, Erich. See Richard Wolffenstein.

Peltrisot, detection of rice starch in wheat flour, A., ii, 236.

Pember, F. R. See Burt Laws Hartwell.

Pembrey, Marcus Seymour, Cheyne-Stokes respiration, A., ii, 204.

Pembrey, Marcus Scymour, and F. Cook, influence of oxygen on respiration, A., ii, 706.

Pembrey, Marcus Seymour, and L. E. L. Parker, composition and energy value of the food of the soldier, A., ii, 306.

Pembrey, Marcus Seymour. Arthur Philip Beddard.

Pennington, (Miss) Mary Engle, bacterial growth and chemical changes in milk kept at low temperatures, A., ii, 409.

Pérard, J., action of magnesium phenyl bromide on the second methyl ester of p-dimethylamino-o-benzoylbenzoic acid, A., i, 422.

Perkin, Arthur George, note on mor-indin, P., 149.

Perkin, Arthur George, and Frederick Mollwo Perkin, the electrolytic oxida-tion of some hydroxybenzoic acids, T., 1186; P., 149.

Perkin, Frederick Mollwo, note on the formation of lead ethoxide, P., 179. electrolytic analysis, A., ii, 432.

Perkin, Frederick Mollwo, and Lionel Pratt, action of metallic calcium and calcium hydride on metallic oxides, sulphides, and halogen salts, A., ii, 379.

Perkin, Frederick Mollwo. See also (Miss) Mary Cunningham, Thomas Weatherill Harrison, Herbert Drake Law, and Arthur George Perkin.

Perkin, (Sir) William Henry, obituary

notice of, T., 2214.

rkin, William Henry, jun., and William Jackson Pope, experiments on the synthesis of 1-methylcyclo-Perkin, hexylidene-4-acetic acid,

 $\text{CHMe} < \begin{array}{c} \text{CH}_2 \cdot \text{CH}_2 \\ \text{CH}_2 \cdot \text{CH}_2 \\ \end{array} > \text{C:CH} \cdot \text{CO}_2 \text{H}.$

Part I., T., 1075; P., 145.

Perkin, William Henry, jun., and Robert Robinson, brazilin and hæmatoxylin. Part VIII. Synthesis of brazilinic acid, the lactones of dihydrobrazilinic and dihydrohæmatoxylinic acids, anhydrobrazilic acid, &c. The constitution of brazilin, hæmatoxylin, and their derivatives, T., 489; P., 54. Perkin, William Henry, jun., Robert Robinson, and [in part] Maurice Russell

Turner, the synthesis and constitution of certain pyranol salts related to brazilein and hæmatein, T., 1085;

P., 148.

Perkin, William Henry, jun. See also Paul Engels, Kenneth Fisher, Victor John Harding, Walter Norman Haworth, and Andrew Norman Meldrum.

Perkins, P. B., determination of the molecular weight of radium emanation by the comparison of its rate of diffusion with that of mercury vapour, A., ii, 552.

Perman, Edgar Philip, the direct action of radium on copper and gold, T., 1775; P., 214.

Perman, Edgar Philip, and Richard Henry Greaves, the decomposition of ozone by heat, A., ii, 480.

Perotti, Renato, microbiochemical formation of ammonia in soil, A., ii, 124.

natural factors in the dissolution of tricalcium phosphate in soil, A., ii, 527.

Perrier, Gustave, and H. Caille, formation of mixtures of isomerides of constant melting point in Friedel and Crafts' reaction, A., i, 349.

derivatives of phenyl \beta-naphthyl ketone, A., i, 656.

Perrin, Jean, the Bose-Guillaume phenomenon and contact electrification, A., ii, 754.

the size of molecules and charge of the electron, A., ii, 927.

Perrot, E., and Eugène Tassilly, "bourgou" (Panicum stagninum), a sacchariferous grass, A., ii, 726.

Perrot, François Louis. See Georges Baume.

Peset, J., electrolytic estimation of bismuth, A., ii, 780.
Pestalozza, Ugo. See Roberto Ciusa and

Luigi Mascarelli.

Peters, electrolytic inactivity of ferrie oxide, A., ii, 387.

Peters, Amos W., the cell and its medium. III. Inorganic salts of the protozoan cell and its medium, A., ii, 209.

chemical and physiological properties of a solution of hydrochloric acid and sodium chloride, A., ii, 411.

See W. Percy Peters, Ernst R. C. Wilkinson.

Peters, F., and Hugo Simonis, 4-methylcoumarin, A., i, 339.

Peters, Walter, a zirconium mercury double salt, A., i, 1032.

connexion between residual affinity and additivity, A., ii, 937.

Petrenko-Kritschenko, Pavel Iw., and Dementeyeff, tetrahydropyrone compounds, A., i, 560.

Petrenko-Kritschenko, Pavel Iw., and W. Petroff, condensation of acetonedicarboxylic esters with aldehydes under the influence of ammonia and amines. III., A., i, 564.
Petroff, W. See Pavel Iw. Petrenko-

Kritschenko.

Pewsner, J. D. See E. S. London. Pfannenstiel, Adolf. See Richard Willstätter.

Pfeiffer, Paul, stereochemistry of chromium. III., A., i, 79.

stereochemistry of chromium. The isomeric dibromo-salts, A., i, 79.

isomerism of chromium salts, A., ii, 594.

Pfeiffer, Paul, [with Th. Gassmann and H. Pietsch], stereochemistry of chrom-VII. Mixed luteo-salts, A., i, ium. 508.

Pfeiffer, Paul, [with Rudolf Prade and Richard Stern], stereochemistry of chromium. V. Stereoisomeric aquoand hydroxy-salts, A., i, 506.

Pfeiffer, Paul, and M. Tilgner, action of iodine on certain thiocyanates, A., i, 614.

Pfeiffer, Paul, [with W. Vorster and Richard Stern, stereochemistry of chromium. VI. Polynucleal chromium salts, A., i, 507.

Pfeiffer, [Franz WilhelmTheodor[Christian], Albert Hepner, and L. Frank, utilisation of nitrogen in the form of ammonium nitrate, A., ii, 980. Pflüger, Eduard [Friedrich Wilhelm],

glycogen in frogs during inanition, A., ii, 52.

the capacity of the liver to reverse the optical action of sugars, A., ii, 307.

precipitation of glycogen, A., ii, 329.

Pfyl, Balthasar, and Br. Linne, new pressure cylinder, A., ii, 270.

Pfyl, Balthasar, and W. Scheitz, constituents of saffron, A., ii, 979. process for the valuation of saffron, A., ii, 997.

Phelps, Isaac King, Howard E. Palmer, and R. Smillie, influence of catalytic agents in ester formation; effect of certain sulphates on benzoic and succinic acids, A., i, 790.

Phelps, Isaac King, M. A. Phelps, and Ernest A. Eddy, purification of esters, A., i, 756. influence of catalytic agents in ester

formation; hydrogen bromide and zinc bromide in the formation of ethyl benzoate, A., i, 789.

influence of catalytic agents in ester formation; esterification of benzoic acid with certain chlorides, A., i, 790.

Phelps, Isaac King, M. A. Phelps, and R. W. Osborne, esterification of benzoic acid, A., i, 166.

Phelps, Isaac King, and E. W. Tillotson, jun., esterification of malonic acid, A., i, 756.

conversion of ethyl cyanoacetate into ethyl malonate, A., i, 756.

influence of catalytic agents in ester formation; esterification of cyanoacetic acid, A., i, 756.

preparation of malonic acid or its ester from monochloroacetic acid, A., i,

preparation of cyanoacetic acid and its ester from monochloroacetic acid, A., i, 757.

Phelps, Isaac King, and L. H. Weed, use of certain organic acids and acid-anhydrides for the standardisation of alkali and acid solutions, A., ii, 730.

comparison between succinic acid, arsenious oxide, and silver chloride for the standardisation of solutions in iodimetry, alkalimetry, and acidimetry, A., ii, 730.

Phelps, Isaac King, L. H. Weed, and C. R. Housum, action of dry ammonia on ethyl oxalate, A., i, 11.

Phelps, M. A. See Isaac King Phelps.

Philip, James Charles, the refraction and dispersion of triazo-compounds, T., 918; P., 114; discussion, P., 115.

the dissociation constants of triazoacetic and a-triazopropionic acids, T., 925; P., 114; discussion, P., 115.

Philippff, O. See Wladimir N. Ipatieff. Philipp, K. See Emilio Noelting.

Philippi, Emil, formation of dolomite and the chemical precipitation of calcium carbonate from sea-water, A., ii, 302.

Phillips, Harry Edward William, the electrical conductivity of phosphoric acid, P., 239.

Phillips, Henry Ablett. See Oswald Silberrad.

Philoche, (Mlle.) Ch., physico-chemical investigation of amylase and maltase,

A., i, 712; ii, 470.

Philosophoff, Peter, estimation of carbon dioxide in electrolytic chlorine, A., ii, 132.

Piasecki. See Leon Marchlewski.

Piccard, Jean. See Richard Willstätter. Piccinini, Galeazzo, hydrolysis of oxyhydropyridine nitriles, A., i, 51, 679. certain o-amino- and o-hydroxy-keto-

hydropyridines. I., A., i, 908. Pick, Ernst Peter, and Friedrich Pineles, the relationship of the thyroid gland to the physiological action of adrenaline, A., ii, 875.

Pick, Hans. See Otto Sackur.

Pickard, Robert Howson, and William Oswald Littlebury, the isomeric menthols, P., 217.

Pickard, Robert Howson, and Joseph Yates, contributions to the chemistry of the cholesterol group. The action of hydrogen peroxide and of fused potassium hydroxide on cholesterol, T., 1678; P., 121, 199. contributions to the chemistry of the

cholesterol group. Part II. Some oxidation products of sitosterol, T., 1928; P., 227.

the action of fused potassium hydroxide and of hydrogen peroxide on cholesterol; preliminary note, P., 121.

Pickles, Samuel Shrowder, the constituents of Cyprus origanum oil; isolation of a new terpene (origanene), T., 862;

Pidduck, F. B. See E. W. B. Gill. Pier, Mathias, specific heat and dissociation of chlorine, A., ii, 352.

XCIV. ii.

Pieraerts, Joseph, detection of lævulose in presence of other natural sugars, A., ii, 542.

test for pentones with orcinol and hydrochloric acid, A., ii, 903.

Pierron, Paul, aromatic monatomic cyanamides, A., i, 925.

Pieszczek, Ernst, assay of red lead, A., ii, 228.

Pietsch, H. See Paul Pfeiffer.

Piettre, Maurice, glycocholic acid, A., i, 959.

bile and biliary pigments, A., ii, 408. Pignet, P. See Alfred Guyot.

Pigorini, Luciano, toxicity of silver salts to fishes, A., ii, 412.

behaviour of dextrosephenylosazone in the organism, A., ii, 876.

Pillai, N. K. See Felix Löhnis.

Pillow, Albert. See Otto Diels.

Pilz, Ferdinand, relation between the increased yield due to phosphatic manure and the amount of phosphoric acid in the soil, A., ii, 423.

Pincussohn, Ludwig, the influence of colloids on ferments, A., ii, 308.

Pineles, Friedrich. See Ernst Peter Pick. Pinna, Giuseppe. See Efisio Mameli.

Pinner, E. L., 4:6-dihydroxy-2-phenylpyrimidine, A., i, 1017.

Pinnow, Johannes, the reduction [of the photographic image] with persulphate and according to Farmer, A., ii, 245.

Pisovschi, Ilie J., a-anthramine and 1:4anthradiamine, A., i, 481.

Pissarjewsky, Leo, the atomic hypothesis and the energetic theory of the universe, A., ii, 478.

existence of different modifications of ordinary grey silver, A., ii, 494.

Pissarjewsky, Leo, and E. Karp, relation between the diffusion constant, internal friction, and electrical conductivity, A., ii, 566.

Pissarjewsky, Leo, and A. Levites, influence of the solvent on the equilibrium constant, A., ii, 570.

Pitoni, R., a lecture voltameter, A., ii,

Piutti, Arnaldo, maleic and fumaric derivatives of p-aminophenols, A., i, 783.

Piutti, Arnaldo, and Gennaro Magli, absorptive power for air of certain varieties of vegetable carbon, A., ii, 585.

Pizzighelli, R. See Arturo Miolati. Plant, O. H., absorption of fat from intestinal loops in dogs, A., ii, 1050.

Plato, Wilhelm, solidification phenomena exhibited by inorganic salts and salt mixtures, A., ii, 758.

79

Pleissner, Max, solubility of certain lead compounds in water, A., ii, 40.

Plimmer, Robert Henry Aders, the proteins of egg-yolk, T., 1500; P.,

sodium antimonyl tartrate, A., i, 129. Plimmer, Robert Henry Aders, and Frederick Hughes Scott, a reaction distinguishing phosphoprotein from nucleoprotein and the distribution of phosphoproteins in tissues, T., 1699; P., 200.

Plotnikoff, Joh., photochemical oxidation of hydrogen iodide by oxygen, A., ii,

Plotnikoff, Joh. See also Robert Luther. Plotnikoff, Wladimir A., compounds of dimethylpyrone and tribromoacetic acid, A., i, 281.

Plotnikoff, Wladimir A. See also W.

W. Neminsky. Plüddemann, W. See Lothar Wöhler. Plzák, Franz, and V. Rosický, fichtelite from Borkovic, Bohemia, A., ii, 395.

Poda, a water thermostat for the normal temperature of 15°, A., ii, 83.

practice of cryometric measurements, A., ii, 564.

Podkopéeff, N. I., alloys of platinum and tin, A., ii, 391.

Podreschetnikoff, E., new volumetric method of estimating sodium sulphide, A., ii, 66.

Pöschl, Viktor, artificial production of isomorphous silicate mixtures, A., ii, 400.

relationships between chemical composition, crystalline form, hardness, and density. I., A., ii, 673.

Pohl, Franz, dicyanodiamide, A., i, 575. Julius, quantitative researches on the exhalation of alcohols, A., ii, 1056.

Pohl, Robert, the unimolecular course of the decomposition of ammonia by the silent discharge, A., ii, 819.

Pohl, Robert. See also G. Leithäuser. Pokorný, F. See Robert Luther. Polack, Leo. See Emil Knoevenagel.

Polak, Julius. See Josef Herzig. Pollacci, Egidio, nature of the alkalinity of intestinal juice, A., ii, 50. spontaneous oxidation of sulphur and

sulphides, A., ii, 684. detection of thiocyanic acid by means of mercurous chloride, A., ii, 782.

Pollacci, Gino, combination of nitrogen with calcium carbide, A., ii, 836.

Pollacci, Gino. See also Eva Mameli. Pollak, Jacques, and H. Feldscharek, wandering of alkyl groups during the distillation of ether acids, A., i, 542.

Pollak, Jacques, and J. Goldstein, diethoxybenzoquinone, A., i, 554.

Pollard, William Branch, rapid method of qualitative analysis, A., ii, 1069.

Pollock, James Arthur, a simple form of Sprengel vacuum pump, A., ii, 938.

Pollok, James Holms, and Alfred Godfrey Gordon Leonard, the separation and quantitative spectra of cerium, lanthanum, and didymium, A., ii, 645. Polowzowa, W. W. Sce E. S. London.

Ponzio, Giacomo, [action of diazo-salts on phenyldinitromethane [ω-dinitrotoluene], A., i, 482. transformation of phenylnitromethane

[w-nitrotoluene] into phenyldinitromethane [di-ω-nitrotoluene], A., i,

constitution of the endoxypyrrodiazoles [4:5-oxy-1:2:5-osotriazoles], A., i, 1021.

Ponzio, Giacomo, and G. Charrier, halogen derivatives of dinitrohydrocarbons, A., i, 521.

action of diazo-salts on primary dinitrohydrocarbons, A., i, 582.

Ponzio, Giacomo, and R. Giovetti, transformation of benzhydroxamic acid into anilides, A., i, 726.

preparation of certain azines, A., i,

Ponzio, Giacomo, and E. Valente, \$phenylbenzylhydrazine, A., i, 458.

Pool, Johan F. A.See Alexander Tschirch.

Poole, Reginald Holliday. See Harold Hartley.

Pope, Frank George, colour and constitution of azomethine compounds. I., T., 532; P., 24; discussion, P.,

Pope, Frank George, and Robert Fleming, colour and constitution of azomethine compounds. Part II., T., 1914; P.,

Pope, William Jackson, and John Read, the optical activity of compounds having simple molecular structure, T., 794; P., 99.

Pope, William Jackson. See also Wil-

liam Barlow, George Jerusalem, and William Henry Perkin, jun.

Popielski, Leo, secretory activity of the pancreas under the influence of hydrochloric acid and intestinal extract, A., ii, 119.

action of barium chloride, adrenaline, and peptone on the vaso-motor

apparatus, A., ii, 1059.

Popovici, Joan, the reaction between potassium cyanide and o-nitrobenzaldehyde, A., i, 550.

Popovici, Joan, fluorides of gadolinium, neodymium, and praseodymium, A., ii. 283.

Popowsky, Nikolaus, estimation organic carbon in waters, A., ii,

Popp, Max, action of organic nitrogen manures as compared with sodium nitrate, A., ii, 727.

Porch, Madison B. See Joseph Hoeing Kastle.

Porcher, Charles, [symptomatic] significance of urinary indoxyl; detection of indole in pus, A., ii, 769.

Porges, Otto, and E. Neubauer, physicochemical researches on lecithin and

cholesterol, A., ii, 90.

Porges, Otto, and Egon Přibram, influence of calcium on diuresis, A., ii, 718.

chemistry of phosphorus poisoning, A., ii. 721.

Porter, Alfred W., osmotic pressure of compressible solutions of any degree of concentration. Part II. Cases in which both solvent and solute are volatile, A., ii, 670.

Portevin, A., equilibrium of the system, nickel—bismuth, A., ii, 45.
Portheim, Leopold (Ritter) von, and Emil Scholl, formation and chemistry of anthocyanins, A., i, 905.

Portheim, Leopold von. See also Viktor Grafe.

Posner, Theodor, [with Robert Baumgarth], unsaturated compounds. V. Addition of mercaptans to unsaturated acids, A., i, 21.

Posselt, Josef. See Alfred Werner. Potdar, G. N., the partition of silver between zinc and lead, 945.

Potter, Henry N., [preparation of silicon monoxide], A., ii, 277.

Potter, M. C., bacteria as agents in the oxidation of amorphous carbon, A., ii,

Potter van Loon. See Loon.

Pouget, Isidore, and D. Chouchak, estimation of carbon, A., ii, 225.

Pouget, Isidore. See also D. Chouchak. Poulenc Frères. See Les Établissements Poulenc Frères.

Poulsson, E., action of radium emanations [in diabetes], A., ii, 1057.

Power, Frederick Belding, and Harold Rogerson, chemical examination of Ipomæa purpurea, A., ii, 725.

Power, Frederick Belding, and Arthur Henry Salway, the constituents of the expressed oil of nutmeg, T., 1653; P., 197,

Power, Frederick Belding, and Arthur Henry Salway, chemical examination of Micromeria Chamissonis (Yerba Buena), A., ii, 418.

Power, Frederick Belding, and Frank Tutin, the constituents of olive leaves, T., 891; P., 117.

the constituents of olive bark, T., 904; P., 117.

Lippia scaberrima (Beukess Boss), A., ii, 59.

examination of Grindelia. II., A., ii, 526.

Pozzi-Escot, Marius Emmanuel, detection of nickel as double nickel ammonium molybdate, A., ii, 133.

separation and estimation of cobalt and nickel, A., ii, 229.

detection and estimation of nickel in presence of cobalt, iron, and man-

ganese, A., ii, 229. estimation of nickel in the presence of a very large excess of cobalt, A., ii, 324.

method for the rapid estimation of nickel in the presence of cobalt, A., ii, 539.

separation and estimation of nickel in the presence of cobalt and all other elements which are not precipitated by hydrogen sulphide in acid solution, A., ii, 540.

use of phenolphthalein as indicator in the titration of acids in the presence of sulphurous acid, A., ii, 628.

estimation of nickel, A., ii, 635.

rapid estimation of nickel in the presence of all elements of groups 4, 5, and 6, A., ii, 635.

absorption bulbs for use with bottles containing standard solutions, &c., A., ii, 729.

estimation of tartaric acid in argol and wine lees, A., ii, 740.

detection of sucrose, A., ii, 740.

qualitative and quantitative separation of metals, A., ii, 892.

detection and estimation of nickel and cobalt, A., ii, 899.

detection of chromium, A., ii, 900. new method of estimating the fixed

and volatile acids in wine, A., ii, 904. detection of cobalt in the presence of

large quantities of nickel, A., ii, 988. method of estimating succinic acid in fermented liquids containing other fixed and volatile acids, A., ii, 993. molybdates of nickel and cobalt, A.,

ii, 1042. apparatus for the estimation of carbon

dioxide, &c., A., ii, 1071. estimation of malic acid, A., ii, 1078. Prade, Rudolf. See Paul Pfeiffer.

Prandtl, Wilhelm, and Hans Murschhauser, spitting of the acid vanadates of univalent metals, A., ii, 46.

Pratt, Lionel. See Frederick Mollwo Perkin.

Prause, Georg. See Otto Fischer.

Pregl, Fritz, the cleavage products of the egg-shell of Scyllium stellare, A., ii, 609.

Prescott, Basil, ilvaite from Shasta Co., California, A., ii, 705.

Preti, Luigi. See Giuseppe Franchini.

Přibram, Egon. See Otto Porges. Price, Thomas Slater, and Slater, and Lionel Manfred Jones, the preparation of diselenides; dibenzyl diselenide; preliminary note, P., 134.

Price, Thomas Slater, and Douglas Frank Twiss, the preparation of disulphides. Part II. The action of alkalis on sodium alkyl thio-sulphates, T., 1395; P., 179.

the preparation of disulphides. Part III. The nitrobenzyl disulphides, T., 1401; P., 185.

the preparation of disulphides. Part IV. Esters of dithiodiglycollic and dithiodilactylic acids, T., 1645; P., 198.

Prideaux, Edmund Brydges Rudhall, the atomic volumes of phosphorus. Phosphorus and bromine, Part II. P., 214.

Priess, H. See Carl Mannich.

Pring, John Norman, the formation of some carbides, T., 2101; P., 240.

Pringal, Erich, influence of traces of nitrous gases on the condensation of water vapour, A., ii, 798.

Pringle, Harold, and Wilhelm Cramer, assimilation of protein introduced

enterally, A., ii, 709.

Pringsheim, Hans, the influence of the chemical constitution of the nitrogenous nutriment on the fermentative action and growth of certain fungi, A., ii, 316.

formation of fusel oil by certain fungi,

A., ii, 316.

the depression of fusel oil formation, and the part played by bacteria in the formation of the higher alcohols during fermentation, A., ii, 723.

de-amidising ferments of fungi, A., ii, 773.

Pringsheim, Josef, tolerance to alcohol, A., ii, 767.

Prinsen Geerligs. See Geerligs.

Prior, George Thurland, and Ferruccio Zambonini, struverite and its relation to ilmenorutile, A., ii, 398.

Pritze, Max. See Arthur Rosenheim. Prochnow, Adolf. See Julius Tröger. Prost, A. See Philippe Barbier. Prschevalsky, E. S. See Nicolai D.

Zelinsky.

Prud'homme, Maurice, semi-electrolytes, A., ii, 20.

Prunier, Georges, esterification of phosphoric acid by glycerol, A., i, 2.

Puckner, William August, and Willis Stose Hilpert, detection and estimation of hexamethyleneamine in pharmaceutical mixtures, A., ii, 996.

Purvis, John Edward, absorption spectra of some compounds obtained from pyridine and collidine, A., ii, 745.

Purvis, John Edward, and R. M. Courtauld, limitations of the copper-zinc couple method in estimating nitrates, A., ii, 776.

Purvis, John Edward, and W. H. Foster, absorption spectra of collidine and nonachlorocollidine, A., ii, 244.

Purvis, John Edward. See also (Miss) Annie Homer.

Pusch, H., sodium hypochlorite properties of the electrolytic bleaching solution, A., ii, 492.

Pushin, Nicolai A., and N. P. Pashsky, nature of palladium lead alloys, A., ii. 860.

Ernesto,Puxeddu. condensation of aminohydroxy-acids with aromatic aldehydes. I., A., i, 286.

Pyman, Frank Lee, relation between chemical constitution and physiological action in certain substituted aminoalkyl esters, T., 1793; P., 208.

Pyman, Frank Lee, and William Colebrook Reynolds, aromatic arsonic and arsinic acids, T., 1180; P., 143; discussion, P., 144.

meteloidine, a new solanaceous alkaloid, T., 2077; P., 234.

Pyman, Frank Lee. See also Marma-duke Barrowcliff.

Q.

Quincke, G. See A. Heiduschka.

Quincke, Georg Hermann, foam structure [cellular structure] of sulphur and its influence on double refraction, dichroism, electrical properties, and formation of crystals, A., ii, 823.

Quinet, P., formation of compounds in

solutions of tartaric acid and sodium

molybdate, A., i, 713.

Raabe, Felix. See Ludwig Knorr. Rabaut, Charles. See Jules Aloy. Rabe, Franz, preparation of alcoholic potassium hydroxide solution which will keep, A., ii, 689.

Rabe, Otto, oxides of thallium. IV., A., ii, 498.

Rabe, Paul, [with Otto Buchholz], cinchona alkaloids. VIII. Constitution of cinchonine, A., i, 100.

Rabe, Paul, [with Richard Ehrenstein and Max Jahr], 1:5-diketones. III.,

A., i, 553.

Rabe, Paul, and Wilhelm Schneider, [with Fritz Braasch], acid properties

of amino-ketones, A., i, 361.

Rabe, Paul, [with David Spence and Richard Ehrenstein], tautomerism. IV., A., i, 530.

Raben, Emil, direct estimation of phos-

phoric acid as ammonium phosphomolybdate, A., ii, 896.

Race, Joseph, estimation of alcohol and extract in spirits by means of the refractometer, A., ii, 738.

Rackwitz, H. See Alexander Tschirch.

Rada. See Díaz de Rada.

Radlberger, Leopold, salts of guanidine, dicyanodiamide, and melamine with acid dyes, A., i, 1001.

Radulescu, Dan, muconic acid derivatives; constitution of dichloromuconic acid, A., i, 604.

Raffo, M., colloidal sulphur, A., ii, 683. Ragg, Manfred, xanthic acid, A., i,

Rahe, Alfred H. See Bertram Henry Buxton.

Rainer, Josef, nitrobenzovlbenzoic acids, A., i, 539.

m-nitro-o-benzoylbenzoic acid, A., i, 647.

Bakitin, L. See Wladimir N. Ipatieff. Rakowsky, Adam W., dimorphism of potassium calcium chromate, A., ii, 674.

Rakowsky, Adam W. See also Antony G. Doroschewsky.

Rakusin, Michael A., optical investigation of the Bibieibat naphtha, A., ii,

optical investigation of Ramanin

naphtha, A., ii, 394.
Rammstedt, O. See Hermann Matthes. Ramsay, A. Alexander, formation of formaldehyde in solutions of sugar, A., ii, 994.

Ramsay, (Sir) William, presidential address, T., 774; P., 87.

percentage of the inactive gases in the atmosphere; a correction to previous calculations, A., ii, 688.

search for possible new members of the inactive series of gases, A., ii, 840.

Ramsay, (Sir) William, and Alexander Thomas Cameron, lithium in radio-

active minerals, A., ii, 247.

Ramsay, (Sir) William. See also Alexander Thomas Cameron.

Randolph, C. P. See James R. Bailey. Ranken, Clerk, and William White Taylor, viscosity of solutions. I., A., ii, 87.

Rankin, Daniel J., potential energy of

the elements, A., ii, 680.

Rankin, Irvine Giles, and Sidney Montagu Revington, the sulphides and oxysulphides of silicon, P., 131; discussion, P., 131.

Rankin, Irvine Giles. See also Sidney Montagu Revington.

Rapin, A. See Heinrich Brunner.

Rappeport, H. See Paul Dutoit.

Raquet, D. See Hubert Caron.

Rasch, Ewald, and Friedrich Willy Hinrichsen, a relation between ionic mobility and temperature-coefficient, A., ii, 148.

a relation between electrical conductivity and temperature, A., ii, 149.

Raschig, Fritz, lecture experiments with inorganic nitrogen compounds, A., ii, 30.

estimation of m-cresol in cresol mixtures, A., ii, 233.

preparation of hydrazine, A., ii, 1029. Rasenack, Paul, sweet substances from Eupatorium Rebaudianum and liquorice, A., i, 818.

Raske, Karl. See Emil Fischer. Rassbach, W. See Rudolf Schenck.

Rassow, Berthold, and R. Bauer, action of zinc or magnesium on mixtures of esters of oxalic and of a-brominated fatty acids; new syntheses of as-dialkylmalic and dialkyloxalacetic esters, A., i, 316.

Rassow, Berthold, and Waldemar von Bongé, action of anhydrous nitric and sulphuric acids on cellulose, A., i, 394.

Rath, Julius, hydrolytic fisson of acetylated hydroxycarboxylic acids, A., ii,

Raubitschek, Else, erepsin, A., ii, 517. Rausch von Traubenberg. See Traubenberg.

Ravenna, Ciro, and Arrigo Peli, hydrogen cyanide and the assimilation of nitrogen in green plants, A., ii, 217.

Ravenna, Ciro. See also Giacomo Luigi Ciamician.

Rây, Prafulla Chandra, molecular volumes of the nitrites of silver, mercury, and the alkali metals, T., 997; P., 75.

Rây, Prafulla Chandra, lithium nitrite and its decomposition by heat, P.,

the molecular volumes of the nitrites of barium, strontium, and calcium, P., 240.

Raymond, Edg., volumetric estimation of manganese in iron and steel, A., ii, 323.

apparatus for the estimation of sulphur in iron and steel, A., ii, 628.

Raynaud. See William Oechsner de Coninck.

Read, John. See William Jackson rope.
Rebenstorff, H., preparation of normal hydrochloric acid with gaseous hydrochloric acid, A., ii, 221.

currents in water due to the dissolution of carbon dioxide, A., ii, 490.

application of a deduction from the Boyle-Mariotte law, A., ii, 565. Reboul, G., application of the kinetic

theory to the metals, A., ii, 934. Reckleben, Hans, and Georg Lockemann, action of arsenic hydride on solutions of halogens, halogen acids, and other oxidising agents, A., ii, 176.

estimation of arsenic hydride in gaseous mixtures, A., ii, 224.

purification of hydrogen from arsenic, A., ii, 271.

Reckleben, Hans, Georg Lockemann, and Alfred Eckardt, action of arsine on solutions of some metallic salts, A., ii, 36.

Reclaire, A., hydrazones of sugars, A., i, 1013

Record, Frederick, apparatus for simultaneously extracting a solid and filtering the solutions so obtained, A., ii,

Recoura, Albert, colloidal barium sulphate, A., ii, 692.

Redgrove, Herbert Stanley, constitution of the carbon molecule from the standpoint of thermochemistry, A., ii, 177.

calculation of thermochemical constants, A., ii, 463, 564.

forthermochemical evidence von Baeyer's strain theory, A., ii, 758. calculation of thermochemical constants. V. Calculation of the thermal constants of aromatic substances, A., ii, 812.

Reeb, M. See Wolfgang Heubner.

Reed, Harry S., detection and estimation of benzoic acids in ketchups, fruits, and

ciders, A., ii, 74.
Reed, Howard Sprague. See Oswald Schreiner.

Reeder, Grant S. See A. A. Wells.

Reh, Alfred, polypeptidephosphoric acid (paranucleic acid) from caseinogen, Ā., i, 69.

Reich, R., estimation of essential oils in spices, A., ii, 1075.

Reichard, Albert, action of formaldehyde on starch, A., i, 606.

C., reactions Reichard, alkaloid (tropacocaine), A., ii, 643.

the importance of hygroscopy in

general analysis, A., ii, 891. Reichenheim, O. See E. Gehrcke. Reif, Georg. See Emil Fischer.

Reif, Johann, action of organo-magnesium compounds on crotonaldehyde and the optical behaviour of the products, A., i, 847.

Reimer. See Haarmann.

Reimer. Marie, and Grace Potter Reynolds, reactions of organic magnesium compounds with cinnamylidene II. Reactions with methyl a.phenylcinnamylideneacetate, A., i, 988.

Reischle, F. See Rudolf Friedrich Weinland.

Reissert, Arnold, some oximes of the o-nitrotoluene series and their changes, A., i, 983.

Reissig, J., ultra-microscopic observa-tions, A., ii, 933.

Remfry, Frederic George Percy, and Herman Decker, quinoline derivatives. III. Phenyl quinolyl ketone, A., i,

Remfry, Frederic George Percy. See also Marmaduke Barrowcliff.

Remondini, G., estimation of copper in

pyrites, A., ii, 323. emy, Theodor, action of calcium Remy, cyanamide on different kinds of soils, A., ii, 220.

Rendle, Theodore. See Arthur Robert Ling.

Rengade, Étienne, heats of dissolution of the alkali metals, and the heats of formation of their protoxides, A., ii, 155.

modified bomb calorimeter, A., ii, 255.

Rennie, Edward Henry, Alfred James Higgin, and William Ternent Cooke, the interaction of copper and nitric acid in presence of metallic nitrates considered with reference to the existence of hydrates in solution, T., 1162; P., 141; discussion, P., 142. Renouf, (Miss) Nora. See

ArthurWilliam Crossley.

Renshaw, Roemer Rex. Taylor Bogert. See Marston Rentschler, Mahlon. See Otto Wallach. Repetto, Angelo. See Guido Pellizzari. Répin, radioactivity of certain goitrigenie springs, A., ii, 796, 1058.

Repiton, Fernand, volumetric estimation of phosphoric oxide by uranium, A.,

ii, 320, 428. universal volumetric method for the estimation of magnesium, A., ii,

criticism of Joulie's process for estimating the acidity of urine, A., ii, 644.

detection of free acids in organic

liquids, A., ii, 781.

Report of a Joint Committee of the American Physiological Society and the American Society of Biological Chemists on protein nomenclature, A., i, 301.

Report of the Committee of the British Association on the applications of Grignard's reaction, A., i, 305.

on the study of hydroaromatic sub-

stances, A., i, 328.

on the study of isomorphous derivatives of benzenesulphonic acid, A., i, 330.

on the transformation of aromatic nitroamines and allied substances, and its relation to substitution in benzene derivatives, A., i, 332.

on dynamic isomerism, A., i, 351.

on wave-length tables of the spectra of the elements and compounds, A., ii, 334.

Report of the Council, T., 763; P., 82. Report of the International Committee on atomic weights, 1908, P., 2.

Reppert, Rudolf. See Hugo Erdmann. Resenscheck, Friedrich, the action of the electric current on yeast-juice, A., i, 491.

Retschinsky, T., influence of temperature and of the state of aggregation on the absorption spectra of molten salts, A., ii, 910.

Rettger, Leo F., further studies on putrefaction, A., ii, 215.
Rettinger, J. See Leon Marchlewski.

Reuning, E., magnesium-pectolite from the diabase of Burg, Hesse-Nassau, A., ii, 201.

Reverdin, Frédéric, 3:5-dinitro-4-hydroxybenzoic acid, A., i, 537.

Reverdin, Frédéric, and A. de Luc, nitration of methyl 3-nitro-4-dimethylaminobenzoate, A., i, 167.

Revington, Sidney Montagu, and Irvine Giles Rankin, a simple waterjet blower, A., ii, 30.

Revington, Sidney Montagu. See also Irvine Giles Rankin.

Rewald, B. See Carl Neuberg.

Reychler, Albert, preparation of esters, A., i, 119.

formaldehyde, A., i, 130.

action of chlorodimethyl ether on the phenoxides of the alkali metals, A., i, 158.

action of chlorodimethyl ether on magnesium phenyl bromide, A., i,

[general method for the preparation of fatty or aromatic primary ethers], A., i, 383.

coumarin derivatives, A., i, 441.

some reflections on radiology, A., ii, 1003.

Reynolds, Grace Potter. See Marie Reimer.

Reynolds, Henry, manganese and the periodic law, A., ii, 41.

volumetric estimation of tin by means of potassium dichromate, A., ii,

JamesReynolds, Emerson, silicon researches. Part XI. Silicotetrapyrrole, P., 279.

silicon researches. Part XII. The action of silicochloroform on potassium pyrrole, P., 279.

silicon researches. Part XIII. Silicon halides and pyridine, acetonitrile, &c., P., 280.

WilliamColebrook. Reynolds, Frank Lee Pyman.

Rey-Pailhade, Joseph de, philothion, A., i, 72.

the enzymic rôle of philothion towards oxygen, A., i, 238.

Rhodin, Sigurd, have manganese salts, employed as stimulants, a favourable influence on vegetation? A., ii, 980.

Rich, (Miss) Elizabeth Mary, isomeric chromous chlorides, P., 215.

Richards, Alfred Newton, and George Barclay Wallace, the influence of potassium cyanide on protein metabol-

ism, A., ii, 214.
Richards, Theodore William, and Joseph relationships Howard Mathews. between compressibility, surface tension, and other properties of substances, A., ii, 158. use of electrical heating in fractional

distillation, A., ii, 828.

Richards, Theodore William, and Allan Winter Rowe, new method for determining the specific heats of liquids, A., ii, 806.

Richards, Theodore William, and Franz transition temperature of Wrede. manganous chloride, A., ii, 16.

Richardson, Arthur, the reaction between calcium carbonate and chlorine water, T., 280.

Richardson, Owen Willans, specific charge of the ions emitted by hot substances, A., ii, 1009.

Richardson, William D., nitrates in vegetable foods, cured meats, and elsewhere, A., ii, 208.

estimation of total nitrogen, including nitrates, in presence of chlorides, A., ii, 426.

Richarz, Franz, theory of Dulong and Petit's law. I. and II., A., ii, 562, 659.

Richaud, A., and Bidot, reaction distinguishing between galenical preparations made from leaves and from other parts of plants, A., ii, 444.

Richet, Charles, action of small quantities of metals on lactic acid fer-

mentation, A., ii, 880.

Richmond, Henry Droop, studies in steam distillation and the recovery of amyl alcohol from the acid liquors obtained in the Gerber process, A., i, 495.

studies in steam distillation; formic and acetic acids, A., i, 754.

estimation of nitrogen, A., ii, 530.

Richter, O. K. See Hermann Pauly. Richter, P. See Wilhelm Manchot. Riecke, Eduard, certain properties of

the radium atom, A., ii, 6.

Riedel, Adolf, condensation of aldol and crotonaldehyde with malonic acid, A., i, 501.

action of ammonia and amines on cinnamenylacrylic [cinnamylideneacetic] acid and its methyl ester, A.,

Riedel, J. D., preparation of amino-alcohols, A., i, 250, 956.

preparation of eugenyl o- and m-aminobenzoates, A., i, 338. preparation of alkyl camphorates. A.,

i, 352, 809.

preparation of choline from lecithin, A., i, 395.

preparation of morphine alkyl bromides, A., i, 452.

preparation of the alkyl halides of dialkylaminodimethylethylcarbinol and their benzoyl derivatives, A.,

i, 607. preparation of santalyl camphorate, A., i, 664.

preparation of acylated aminoalkyl esters, A., i, 769.

action of ozone on thebaine, A., i, 1006.

Rieff, A. See Fritz Haber.

Ries, Chr., anomalous behaviour of selenium, A., ii, 343.

Riesenfeld, Ernst Hermann, and Alfred Wesch, higher oxidation products of chromium. IV. Chromium tetroxide compounds, A., i, 963.

decomposition of chromic acid by hydrogen peroxide, A., ii, 951.

Riess, L., poisoning with potassium chlorate, A., ii, 1062.

Riesser, O. See Peter Rona.

Riiber, C. N., oxidation of allocimamic acid, A., i, 639.

Rilliet, Auguste. See Emil Abderhalden.

Rimatori, Carlo, mineralogy of Sardinia. II., A., ii, 863.

Rimbach, [Friedrich] Eberhard, and Edmund Heiten, saccharin and alkali saccharinates, A., i, 394.

Rimele, Eugen. See Theodor Curtius. Rimini, Enrico, estimation of mercuric chloride in pastilles, A., ii, 433.

Rimpel, Chaim. See Heinrich Biltz. Rindl, M., and Hugo Simonis, the estimation of lead, copper, and silver in

complicated organic salts, A., ii, 432. Ringe, Oskar. See Franz Fischer.

Ringer, Wilhelm Eduard, and Mej. I. M. P. Klingen, nitrates, nitrites, and ammonia in sea-water, A., ii, 320. Rinne, Fritz, and H. E. Boeke, El Inca

meteoric iron, A., ii, 303.

Ripke, O. See Reginald Oliver Herzog. Ritz, W., spectra of the alkali [metals], A., ii, 445.

new law of series spectra, A., ii, 786.

Riwkind, E. See E. S. London. Roaf, Herbert Eldon, application of Barfoed's reagent to show the hydrolysis of disaccharides enzymes, A., i, 503.

separation of hippuric acid from urine, A., i, 534.

colorimetric method applicable to both peptic and tryptic enzymes, A., ii,

Roaf, Herbert Eldon. See also L. Adamson and Benjamin Moore.

Robel, J. See Lad. Hildt.

Robertson, Charles A. See William Jay Hale.

Robertson, Philip Wilfred, orthobromophenols and some bromonitrophenols, T., 788; P., 73.

the melting points of the anilides, ptoluidides, and α -naphthalides of the normal fatty acids, T., 1033; P.,

Robertson, T. Brailsford, applicability of the laws of amphoteric electrolytes to serum globulin, A., i, 929.

Robertson, T. Brailsford, influence of temperature on the solubility of casein in alkaline solutions, A., i,

dissociation of solutions of the basic caseinates [caseinogenates] of sodium and ammenium, A., i, 1027.

adsorption and the behaviour of casein in acid solutions, A., ii, 89.

the superficial layer of cells and its relation to their permeability and to the staining of tissues by dyes, A., ii, 120.

theory of adsorption, A., ii, 818.

Robertson, T. Brailsford, and C. L. A. Schmidt, part played by alkali in the hydrolysis of proteins by trypsin, A., i, 843.

Robin, Lucien, detection of benzoic acid in butter, A., ii, 1078.

Robinson, Robert. See Paul Engels and William Henry Perkin, jun.

Robinson, William O. See Kenneth Cameron and Charles Lathrop Parsons.

Robison, Robert, and Frederic Stanley Kipping, organic derivatives of silicon. Part V. Benzylethylsilicone, dibenzylsilicone, and other benzyl and benzylethyl derivatives of silicane, T., 439; P., 25.

Rödiger, Martin. See Edgar Wedekind.

Römer, Fritz. See Otto Fischer. Römer, Hermann. See Alfred Thiel.

See Emil Fromm. Roesicke, Adolf.

Rösing, Georg, new apparatus for showing the ammonia-condensation power of soils, A., ii, 620.

Roesler, A., [preparation of vanillin from guaiacol], A., i, 348.

See Richard Josef Rötgers, Kurt. Meyer.

Rogerson, Harold. See Frederick Belding Power.

Rogovsky, E., change in the hydrogen spectrum under the prolonged action of strong electric discharges, A., ii,

Rogozinski, Felix, the protein peptones. III. and IV., A., i, 487.

Rohdich, O. See Hermann Matthes. Rohland, Paul, physico-chemical processes in the production of soil, A., ii, 59, 620.

Dulong and Petit's law, A., ii, 459. relation of changes of solubility of calcium sulphate and its rate of hydration, A., ii, 842.

Rohner, Josef, [reactivity of diazo-salts of 2:5-dichloroaniline], A., i, 482.

Roka, K. See Carl Liebermann. Rolker, H. F. See John Bishop Tingle.

aminophenylthiocarbamide, A., i, 473. Rolle, Johannes. See Richard Wolffenstein.

Rolla, Luigi, aminophenylcarbamide and

Rollett, Adolf. See Johann Feigl.

Roloff, Max, analysis of natural mineral waters, A., ii, 231.

Romburgh, Pieter van, lupeol, A., i, 39. Rona, Peter, and Leonor Michaelis,

sugar in blood, A., ii, 117. Rona, Peter, and O. Riesser, hippomelanin. I., A., i, 1028.

Rona, Peter. See also Leonor Michaelis. Ronchèse, A., estimation of ammonia in

water, A., ii, 320. estimation of ammonia in urine, A., ii, 983.

Ronnet, Léon, estimation of potassium in

soils, A., ii, 534.
Rorive, F. See Bernhard Tollens.
Roschdestvensky, M. S. See Antony G.

Doroschewsky.

Rosenberg, E. See Carl Neuberg. Rosenberg, Paul, condensation of formaldehyde and lactose, A., i, 320.

Rosenberg, T. See Alfred Gigon.
Rosenberger, Franz, inosite in animal tissues and fluids, A., ii, 873. inosite [in flesh], A., ii, 1055.

Rosenblatt, M. See Gabriel Bertrand. Rosenhain, Walter, with P. A. Tucker, I. The alloys of lead and eutectics. tin, A., ii, 1038.

Rosenhaupt, W. See Eduard Jordis. Rosenheim, Arthur, antimony thio-

glycollate; correction, A., i, 246.

Rosenheim, Arthur, and Abraham Garfunkel, halogen compounds of molybdenum and tungsten. IV. Thiocyanates of tervalent molybdenum, A., i,

Rosenheim, Arthur, Julian Hertzmann, and Max Pritze, complex gold sulphites, A., ii, 860.

Rosenheim, Arthur, and Heinrich Loebel. sulphate of tervalent uranium, A., ii,

Rosenheim, Arthur, and Max Pritze, molecular weight and hydrates of hypophosphoric acid, A., ii, 942.

Rosenheim, Otto, and S. Kajiura, proteins of rice, A., ii, 317.

Rosenheim, Otto, and M. Christine Tebb, protagon, A., i, 488.

optical activity of "protagon"; a new physical phenomenon observed with the optical in connexion activity of so-called "protagon," A., ii, 879.

Rosenheim, Otto. See also Frank S. Locke.

Rosenstein, M. See H. Cantoni.

Rosenstiehl, [Daniel] Auguste, hydrolysis of salts, A., ii, 164.

fermentation of malic acid in the production of wine, A., ii, 772.

influence of the sterilisation temperature of grape juice and of the fermentation temperature on the "bouquet" of wine, A., ii, 773.

Rosenthal, Isidor, decomposition of complex chemical compounds in a variable magnetic field, A., ii, 152.

Rosenthaler, Leopold, amygdalin, A., i, 197.

decomposition of amygdalin by emulsin, A., i, 817.

volumetric estimation of magnesium, A., ii, 67.

vanillin-hydrochloric acid as a test for albumin and tryptophan, A., ii, 76. decolorising action of charcoal, A., ii,

barium arsenite and arsenate, A., ii, 322.

Rosenthaler, Leopold, and A. Siebeck, organic iron salts, A., i, 246.

Rosický, V. See Franz Plzák.

Roska, Johann. See Ernst Tezner.

Ross, H. C., the death of leucocytes; the vacuolation of leucocytes, A., ii, 868.

Ross, Raymond, and John Petty Leather, new gas analysis apparatus, A., ii, 626.

Ross, W. H. See Herbert Newby McCoy. Rossem, C. van, the system, chloral—water, A., i, 501.

influence of slow dissociation on the equilibrium between phases, A., ii, 361.

Rosset, Georges. See Adolphe Besson. Rossi, Paolo, radioactivity of Vesuvian cotunnite, A., ii, 9.

Rost, H. See Georges Darzens.

Rotarski, Th., azoxy-compounds, A., i, 374.

liquid crystals, A., i, 640; ii, 675.

Roth, George B. See Charles Wallis

Edmund.
Roth Heinrich See Alfred Wohl

Roth, Heinrich. See Alfred Wohl. Roth, Karl. See Carl Paal.

Roth, W. A., density and latent heat of fusion of ice, and the molecular depression of the freezing point in aqueous solutions, A., ii, 757.

Rothe, A. See Alfred Lottermoser.

Rothé, E., influence of pressure on ionisation produced in gases by the X-rays; the saturated current, A., ii, 1007.

Rothe, J., quantitative estimation of metals in organic substances, A., ii, 132.

Rothe, Rudolf. See Friedrich Hoffmann.

Rothenfusser, S., condensation of pphenylenediamine, \(\beta\)-naphthylamine, and \(\beta\)-naphthylhydrazine with aldehydes and ketones, \(\beta\). i, 52.

Rothmann, A., the behaviour of creatine in autolysis, A., ii, 967.

Rothmund, Victor, critical opalescence, A., ii, 669.

Rothmund, Victor, and Otto Flaschner, electrolytic reduction of hydroxylamine, A., ii, 583.

Rotinjanz, Léon, changes in the viscosity of liquid sulphur, A., ii, 463.

Rottsieper, W. See Walther Borsche.
Rouchy, Ch., influence of microbes on
the composition of waters, A., ii, 541.

bacterial formation of sulphates in sewage purification, A., ii, 1063.

Roure-Bertrand Fils, ethercal oils, material for the investigation of, A., i, 558.

ethereal oil from Salvia Sclarea, A., i, 903.

vegetation of odoriferous plants; successive conditions of plant constituents during the normal development of a perennial plant, A., ii, 417.

Rousset, H., normal tubes for the polarimetric estimation of sucrose, A., ii, 73.
 Roux, Jules, abnormal mobility of the

ions of some rare earths, A., ii, 149.

Rowe, Allan Winter. See Theodore William Richards.

Rowell, Herbert W., estimation of small quantities of bismuth, A., ii, 325.

Rowland, W. S., electrolytic corrosion of copper-aluminium alloys, A., ii, 381.Rowlands, John Sydney, renal calculi,

A., ii, 770.
Rowntree, L. G. See Walter Jones.

Roy, Charles Smart. See Oswald Silberrad.

Royds, T. See Ernest Rutherford. Rudolf, Leo. See Eugen Bamberger.

Rudolfi, Ernst, electrical conductivity of alloys and their temperature-coefficients, A., ii, 923.

Rügheimer, Leopold, and P. Schön, benzylaminoacetal and analogues, A., i, 153.

Ruer, Rudolf, passivity of platinum, A., ii, 601, 954.

dissociation of a compound in a state of equilibrium and a thermodynamic relation necessary to the validity of the law of constant proportions, A., ii, 819.

Ruer, Rudolf. See also Max Levin.

Ruff, Otto, and Fritz Eisner, titanium nitride and a new class of titanium compounds; the titaniumnitrogenhaloids, A., ii, 700.

Ruff, Otto, [and, in part, Emil Geisel], silicoiodoform, A., i, 966.

Ruff, Otto, and Hugo Graf, vapour pressure of sulphur at low temperatures, A., ii, 578.

Ruff, Otto, [with Max Knoch and Julian Zedner], fluorides and oxides of quinquevalent bismuth, A., ii, 298.

Ruff, Otto, [with Kurt Stäuber and Hugo Graf], compounds of arsenic and antimony pentafluoride with nitrosyl fluoride, A., ii, 584.

Ruff, Otto, and Julian Zedner, solutions of the alkali metals in liquid ammonia,

A., ii, 585. Ruh, *H.* O. See John James Rickard Macleod.

Ruhemann, Siegfried, the formation of 4-pyrone compounds from acetylenic acids. Parts I. and II., T., 431, 1281; P., 52, 177.

the action of mustard oils on the ethyl esters of malonic and cyanoacetic acids, T., 621; P., 53.

Rule, Alexander, the action of nitrous gases on dicyclopentadiene, T., 1560; P., 175.

Runge, Carl, spectra of the alkali [metals], A., ii, 78.

radioactivity of air over the open sea, A., ii, 80.

Rupe, Hans, turmeric oil, A., i, 95.

Rupe, Hans, and E. Busolt, &-phenyl- acid (\$\beta\$-diphenylacrylic cinnamic acid), A., i, 23.

Rupe, Hans, and A. **Ebert**, a hydrocarbon from isopulegone, A., i, 663.

Rupe, Hans, and F. Emmerich, action of magnesium methyl halides on carvone and dihydrocarvone, A., i, 433.

action of magnesium methyl iodide on carvenone and pulegone, A., i, 556.

Rupe, Hans, and E. Hinterlach, action of semicarbazide on unsaturated compounds. II., A., i, 12.

Rupe, Hans, and Carl Liechtenhan, condensations with cinenic acid, A., i,

Rupp, Erwin, acidimetric estimation of both mercury components in mercury oxycyanide, A., ii, 634.

preparation of carbon monoxide, A., ii, 943.

estimation of [organic] sulphur by Carius' method, A., ii, 982.

volumetric estimation of mercury by means of the thiocyanate, iodometric, and acidimetric processes, A., ii, 1073.

Rupp, Erwin, and S. Goy, mercuric oxycyanide, A., i, 770.

Rupp, Erwin, and S. Goy, preparation of mercuric cyanide, A., i, 863. Rupp, Erwin, and F. Lehmann, acidi-

metric assay of white precipitate, A., ii, 70.

complete analysis of mercury cyanides, A., ii, 70.

Rupp, Erwin, and W. F. Schirmer, estimation of mercuric volumetric oxide, A., ii, 1073.

Rupp, Erwin, and K. Seegers, indicators in the titration of cinchoua bases, A., ii, 239.

Rušnov, Peter von. See Rudolf Wegscheider.

Russ, Donald E. See Miles S. Sherrill. Russ, Franz. See Alfred Mandl.

Russ, Sidney, distribution in electric fields of the active deposits of radium, thorium, and actinium, A., ii, 552.

electrical charge of the active deposit of actinium, A., ii, 556.

Russ, Sidney. See also Walter Makower. Rutherford, Ernest, production and origin of radium, A., ii, 6.

experiments with radium emanation; volume of the emanation, A., ii, 791.

Rutherford, Ernest, and Hans Geiger, method of counting the number of a-particles from radioactive matter, A., ii, 555.

charge and nature of the a-particle, A., ii, 794.

Ernest, and T. Royds, Rutherford, spectrum of radium emanation, A., ii, 787.

action of the radium emanation on water, A., ii, 1006.

Rutherford, Thomas A., and Philip Bouvier Hawk, chemical composition of hair, A., ii, 53.

Ryan, Hugh, and George Ebrill, synthesis of glucosides; derivatives of xylose, A., i, 716.

Ryan, J. G. See Anton J. Carlson.

Ryffel, John H. See Patrick Playfair Laidlaw.

Ryn, Willem van, action of finelydivided metals on water, A., ii,

detection of arsenic in sodium fluoride by means of the Gutzeit and Flückiger reaction and the Marsh apparatus, A., ii, 224.

effect of glass and traces of organic substances on mercuric chloride solution, A., ii, 591.

Sabaschnikoff, A. See Felix Löhnis. Sabatier, Paul, and Alphonse Mailhe, direct hydrogenation of aromatic diketones, A., i, 36. direct hydrogenation of aromatic

quinones, A., i, 278.

hydrogenation of polyphenols, A., i, 529.

action of metallic oxides on primary

alcohols, A., i, 594.

action of metallic oxides on the alcohols primary (case of the reducible oxides), A., i, 594.

action of metallic oxides on the primary alcohols (irreducible oxides), A., i,

713.

Sabbatini, Luigi, physico-chemical considerations as to the pharmacological and toxicological action of mercury, A., ii, 718.

Sacerdoti, Luigi, volumetric estimation of manganese in steel, A., ii, 228.

Sacher, Julius Friedrich, assay of red lead, A., ii, 228.

Sachs, Franz, and Ernst Appenzeller, tetramethyl-2:4-diaminobenzaldehyde, A., i, 186.

new derivatives of m-phenylenetetra-

methyldiamine, A., i, 227.

Sachs, Franz, and Hans Kantorowicz, action of organo-magnesium companies and the same pounds on arsenious oxide, A., i, 1031.

Sachs, Fritz, hemolysis by soaps, A., ii,

Sachs, Fritz. See also Max Friedemann. Sackett, Walter G., Andrew J. Patten, and Charles W. Brown, solvent action of soil bacteria on the insoluble phosphates of raw bone-meal and natural raw rock phosphate, A., ii, 415.

Sackur, Otto, osmotic pressure of concentrated solutions of non-electrolytes,

A., ii, 931.

reaction between silver sulphide and silver sulphate; production of a dark-coloured glass, A., ii, 1036.

Sackur, Otto, and Hans Pick, coppertin alloys, A., ii, 496.

Sadtler, Samuel S., estimation of ash in graphite, A., ii, 225.

Saeland, Sem, photographic action of metals and hydrogen peroxide (socalled metallic radiation), A., ii, 789. Sage, M. W. See Maurice de Kay

Thompson.

Sahlbom, (Miss) Naima. See Hjalmar

Sjögren.

Sahmen, R., alloys of copper with cobalt, iron, manganese, and magnesium, A., ii, 187.

Saiki, Tadasu, non-striated mammalian muscle, A., ii, 712.

Saiki, Tadasu. See also Lafayette Benedict Mendel and Frank Pell Underhill.

Saillard, Emile, cultivation of sugarbeet; potassium manuring of beet

soils, A., ii, 618.

Salkowski, Ernst [Leopold], isolation of cholesterol from fats, A., i, 980.

sugar formation and other fermentative processes in yeast, A., ii, 215.

detection of arsenic in urine, A., ii, 734.

the behaviour of iron arseno-paranucleate and of arsenious acid in the organism, A., ii, 973.

detection of indican in urine, A., ii,

cholesterol in ox-bile, A., ii, 1055. Kjeldahl's method, A., ii, 1070.

Salles, Edouard, diffusion of gaseous ions, A., ii, 931.

Salles, Édouard. See also André Mayer. affinity constants of Salm, Eduard, organic acids determined with the help of indicators, A., ii, 677.

Salomone, Giovanni. See Zaccaria Treves.

Salomonsen, K. E., urochrome. II., A., i, 1028.

Salway, Arthur Henry. See Frederick Belding Power.

Samec, Maximilian, leucine from the Ligamentum nuchæ of oxen, A., i, 231.

Samuely, Franz, relation of glycine to uric acid, A., i, 226.

Sand, Henry Julius Salomon, the rapid electro-analytical deposition and separation of metals. Part II. Antimony and tin. The employment of a diaphragm, T., 1572; P., 189.

Sand, Julius, and G. Bökman, pentamminecobalt salts with several nuclei,

A., ii, 44.

Sand, Julius, and F. Grammling, mo-lecular weight of the greyish-blue hydrate of chromic chloride. I. Neutralisation of the salt by sodium hydroxide, A., ii, 293.

molecular weight of the greyish-blue hydrate of chromic chloride. Hydrolysis of the salt by potassium iodide and iodate, A., ii, 294.

Sand, Julius, and Johanna Maas, compounds of quadrivalent molybdenum, A., i, 11.

Sand, Julius. See also Johanna Maas. Sandberg, F. See E. S. London.

Sander, Heinrich. See Hermann Matthes.

Sanger, Charles Robert, and Otis Fisher Black, estimation of arsenic by the Gutzeit method, A., ii, 64.

estimation of arsenic in urine, A., ii,

Sano, Torata, the behaviour of the brain towards strychnine, A., ii, 974. action of strychnine and caffeine, A., ii, 974.

Sante de Grazia. See Grazia.

Santesson, Karl G., action of poisons on enzymatic processes, A., ii, 1061.

Santi, Luigi, quinine salts of anhydromethylenecitrylsalicylic acid, A., i,

Saporetti, Umberto, estimation of mer-

curic chloride in pastilles, A., ii, 133. Saposhnikoff, Alexis V., hardness of aluminium zinc alloys, A., ii, 284. hardness of tin and lead alloys, A., ii,

hardness of alloys. III., A., ii, 600.

Sarasin, Édouard, Charles Eugène Guye, and Jules Micheli, radioactivity of the waters of Lavey-les-Bains, A., ii, 143.

Sartorius, Albert, rapid preparation of antimony pentasulphide (golden sulphide), A. ii, 859.

Sasanoff, W., nitrification in black soils: influence of different factors on nitrification and the amounts of nitrates in the soil at different times of the year, A., ii, 614.

Satie, Conrad. See Paul Jeancard.

Satterly, John, amount of radium emanation in the atmosphere, A., ii, 918.

Sauton, Benjamin. See AugusteTrillat.

M.nucleo-protein Savarè. the placenta, A., i, 69.

Savariau, a method of preparation of cyclic aldehydes, A., i, 188.

Sawamura, Shin, composition of tea leaves at various stages of development, A., ii, 125.

Sawjaloff, W. W., plastein, A., i, 234.

Saxl, Paul, fat and ester hydrolysis in tissues, A., ii, 873.

Saxl, Paul. See also Leo Hess.

Saytzeff, Alexander M., action of zinc allyl iodide on the anhydrides of monobasic acids, A., i, 73.

Scaffidi, Vittorio, the iron of the liver, A., ii, 210.

action of cæsium on the normal and fatty heart, A., ii, 411.

antagonistic action of barium chloride and sodium sulphate on the heart action, A., ii, 520.

Scaffidi, Vittorio, the changes in gaseous metabolism after exclusion of the hepatic circulation, A., ii, 1051.

Scagliarini, G. See Maurice Padoa. Scala, Alberto, the probable chemical constitution of rennet, A., i, 236. certain volatile and non-volatile com-

pounds formed in rancid fats, A., i, 387. Scalinci, Noè.

See Filippo Bottazzi.

Scandola, E. See Giuseppe Oddo. Scarpa, Oscarre, does Beer's law hold for colloidal solutions? A., ii, 244.

theory of solutions, A., ii, 473.

Scelsi, Giuseppe. See Francesco Carlo Palazzo.

Schaal, Richard, acids of high melting point in Japanese wax, in particular, nonadecamethylenedicarboxylic acid, A., i, 3.

Schade, Heinrich, the phenomena of fermentation from the catalytic point

of view, A., i, 136. Schaefer, Konrad. See Edward Charles Cyril Baly.

Schæffer, Georges. See André Mayer. Schaer, Eduard, use of chloral hydrate, chloral alcoholate, and bromal hydrate solutions in chemical, microscopic, and microchemical investigations, A., ii,

Schall, [Joh. Friederich] Carl, formation of dyes in ultra-violet light, A., i,

organic and fused salts (conductivity), A., i, 736.

detection of ultra-violet rays, A., ii,

Schaller, Waldemar Theodore. See A. Knopf.

See E. Schür-Scharfenberg, Wilhelm. mann and Alfred Stock.

Scharff, Ernst, glowing of phosphorus and some of its compounds, A., ii,

Scharwin, Wassili, and Kaljanoff, position of entrance of the diazo-group in the formation of azo-dyes, A., i, 704.

Schaub, Fritz. See Carl Bülow. Schaumann, H., estimation of sugar by Allihn's and Meissl's methods, A., ii, 437.

Scheel, Karl, and Wilhelm Heuse, apparent deviations from Mariotte's law and their influence on the measure-

ment of small pressures, A., ii, 1016. Scheel, Karl, and Rudolf Schmidt, refractive power of helium, A., ii, 333.

Scheen, O., electrolytic estimation of antimony, A., ii, 636.

Scheiber, Johannes, N-alkylketoximes, A., i, 763.

Scheiber, Johannes, [and, in part, Ernst Beckmann], N-α-naphthylhydroxylamine, A., i, 725.

Scheiber, Johannes, and Paul Brandt, N-a-naphthylhydroxylamines. III., A., i, 725.

derivatives of 1-amino-\beta-naphthol, A., i, 726.

N-alkylketoximes, A., i, 764.

Scheiber, Johannes, [with R. Flebbe], constitution of copper acetylide, A., i, 933.

Scheibler, Helmuth. See Emil Fischer. Scheitlin, Emil, preparation of 4-sulphonamino-1-phenyl-2:3-dimethyl-5-

pyrazolone, A., i, 688. eparation of 4-dimethylamino-1preparation of phenyl-2:3-dimethyl-5-pyrazolone, A., i. 1019.

Scheitz, W. See Balthasar Pfyl. Schellhaass, H. W. Hugo, anomalous anodic polarisation by nitric acid, A., ii, 249.

Schemtschuschny, S. F., and S. W. Belynsky, cobalt-tin alloys, A., ii, 855. Schemtschuschny, S. F. See also Nicolai

S. Kurnakoff. Schenck, [Friedrich] Rudolf, and V. Falcke, hydrogen persulphide, A., ii,

Schenck, Rudolf, and W. Rassbach, equilibrium in the reaction between lead sulphide and its oxidation pro-ÎII., A., ii, 947. ducts.

Schenke, Vincent, estimation of potassium by the perchloric acid method in manures, dung, soils, and vegetable substances, &c., A., ii, 321.

Schenkel, Julius. See Hans Theodor Bucherer.

See Chemische Fabrik auf Schering, E. Aktien vorm. E. Schering.

Schermbeck, A. J. van, Süchting's method for estimating acidity of soils, A., ii, 743.

humic acid, A., ii, 994.

Schernay, N. A., temperatures of maximum density of aqueous hydrogen chloride solutions and the expansion of the latter on heating, A., ii, 479.

See Alexis A. Schestakoff, Peter J. Shukoff.

Scheuer, Otto, apparatus for determining the freezing point of mixtures, A., ii, 928.

See Hartwig Scheuermann, Rudolf. Franzen.

Schidlof, Arthur. See Charles Eugène Guye.

Schieffelin, William Jay, and Thomas W. Cappon, manufacture of lithia from lepidolite, A., ii, 690.

Schimmel & Co., ethereal oils, A., i,

Schincaglia, $I_{\cdot, \cdot}$ invisible radiations from the explosive discharge in air, A., ii, 796.

Schindelmeiser, Iwan [Robert], Russian turpentine oil and Russian pine tar oil, A., i, 95.

sesquiterpene from Olcum cadinum, Ā., i, 353.

Schindler, Alfred. See Robert Gnehm. Schindler, Erich. See Otto Fischer.

Schippers, J. C., the reactions for bile pigments in urine, A., ii, 443.

Schirmer, W. F. See Erwin Rupp.

Schittenhelm, Alfred,ferments of nuclein metabolism, A., ii, 960.

Schittenhelm, Alfred. See also Theodor Brugsch.

Schivkovitch, Petar, new method of formation of ethers of glycerol with

phenols, A., i, 978. Schkateloff, W., resins from conifers, and treatment of the resinous sap from Pinus maritima, P. sylvestris, and other species, A., i, 816.

a dextrorotatory resin acid, A., i, 890. Schlenk, Oskar, reduction of phenylhydrazones in alkaline solution, A., î. 737.

Schlesinger, Hermann I., catalysis. VI. Catalysis of imino-esters, A., ii, 680.

Schlesinger, N. See Nicolai D. Zelin-

Schlett, Wilhelm, change of density and specific heat of platinum and nickel after treatment, and the dependence of the specific heat on the temperature, A., ii, 563.

Schluederberg, Carl G. See Frank Curry Mathers.

Schlundt, Herman, and Richard B. Moore, anomalous behaviour in the radioactivity of certain uranium compounds, A., ii, 144.

Schmachtenberg, Hermann. See Carl Bülow.

Schmidlin, Julius, preparation of triphenylmethyl, A., i, 150.

structural formula of triphenylmethyl, A., i, 150.

colourless and coloured triphenyl-methyl, A., i, 623.

Schmidlin, Julius, and Robert von Escher, hexahydrotriphenylcarbinol [cyclohexyldiphenylcarbinol], A.,

Schmidlin, Julius, and Herbert Henry Hodgson, triphenylacetic and tritolylacetic acids, A., i, 170.

isomeric organic magnesium compounds, A., i, 239.

Schmidt, C. L. A., and C. P. Finger, potential of a hydrogen electrode in acid and alkaline solutions, A., ii, 802.

Schmidt, C. L. A. See also T. Brailsford Robertson.

Schmidt, Ernst [Albert], xanthine bases, A., i, 45.

rhamnosides, A., i, 437.

ephedrine and ψ -ephedrine, A., i, 452. Schmidt, Ernst, and A. Kircher, tropine, A., i, 675.

Schmidt, Ernst, [with L. Krauss], white precipitate, A., i, 139.

Schmidt, Ernst, and Willmar Schwabe, jun., ψ-theobromine, A., i, 45.

Schmidt, Gerhard Carl, law of transformation in stages and radioactivity, A., ii, 550.

Schmidt, Hans, anisylidene chloride, A., i, 654.

Schmidt, Heinrich Willy, decay of radium -B and -C at high tempera-

tures, A., ii, 141. distribution of the radiation from

radioactive substances, A., ii, 791.

Schmidt, Julius, and Robert Mezger,
phenanthrene series. XXII. 2:7Dibromophenanthrene and 2:7-dibromophenanthraquinone, A., i, 16. hydrogenation of fluorene, A., i, 16.

Schmidt, Julius, and Julius Söll, phenauthrene series. XXIV. Morpholquinone from phenanthrene, A., i,

phenanthrene series. XXIII. 3-Nitrophenanthraquinone and its derivatives, A., i, 996.

Schmidt, Julius, and Hermann Stützel, 9-aminofluorene, A., i, 415.

Schmidt, Julius, and Karl Th. Widmann, new synthesis of iso-oxazoles, A., i, 456.

Schmidt, M. R., basicity of acids as determined by their conductivities, A., ii, 1011.

Schmidt, Paul, lead poisoning and its detection, A., ii, 412.

Schmidt, Rudolf. See Karl Scheel.

Schmidt, Theodor. See Gustav Ulrich. Schmidt, W. A., fatty acids from mummies, A., ii, 878.

Schmidt, Werner, radiation from drying oils, A., ii, 796.

Schmiedeberg, [Johann Ernst] Oswald, nucleic acid in animals, A., i. 70.

Schmiedt, F., electrolytic oxidation of copper, A., ii, 946.

Schneider, Wilhelm. See Paul Rabe. Schneidewind, Wilhelm, Diedrich Meyer, and F. Münter, enzymes [diastase], A., ii, 879.

Schoeller, Walter. See Walter Schrauth. Schön, Franz, abnormal dispersion of metallic vapours, A., ii, 334.

Schoen, P., quartz protecting tubes in

thermal analysis, A., ii, 1015.

Schoen, P. See also K. Friedrich.

Schön, P. See Leopold Rügheimer.

Schöndorff, Bernhard, excretion of sugar in healthy men and the estimation of small quantities of sugar in urine, A., ii, 311.

Schönholzer, Albert. See Robert Gnehm. Scholl, A., preparation of alcoholic potassium hydroxide solution and apparatus for storing the same, A., ii, 425.

Scholl, Emil, preparation of pure chitin

from Boletus edulis, A., ii, 1065. Scholl, Emil. See also Leopold von Portheim.

Scholl, Roland, preparation of anthracene derivatives from a-dianthraquinonyl, A., i, 428.

Scholl, Roland, [with Karl Holdermann], indanthren and flavanthren. X. Products of reduction of flavanthren and the relation between their colour

and constitution, A., i, 696. Scholl, Roland, and W. Neovius, indanthren and flavanthren. Reduction products of flavanthren, A., i, 740.

Scholtz, Max [Erwin], double salts of alkaloids and iron, A., i, 202.

stereoisomerism of compounds containing asymmetric carbon asymmetric quinquevalent nitrogen

atoms, A., i, 678.
Scholtze, Karl. See Arthur Hantzsch. Scholz, A., ferrous and ferric double salts of polybasic acids, A., i, 603.

Scholz, Herman A. See James H. Walton, jun.

Schoorl, Nicolaas, microchemical analysis; the silver group, A., ii,

microchemical analysis. III. Arsenic, antimony, tin, A., ii, 777.

Schorigin, Paul, syntheses by means of sodium and alkyl halides, A., i, 866.

sodium-alkyl compounds and syntheses made therewith, A., i, 881.

new synthesis of aromatic carboxylic acids from the hydrocarbons, A., i,

Schorr, Karl, changes in internal friction due to protein degradation, A., ii, 931.

Schott, E. See Erich Ebler.

Schottky, Hermann, thermodynamics of salts containing water of crystallisation, A., ii, 1016,

Schrauth, Walter, and Walter Schoeller. synthesis of α-hydroxymercuri-fatty I. Methyl mercuridimalonate and its product of hydrolysis, hydroxymercuriacetic anhydride, A., i, 617.

Schrefeld, O., influence of clarification with lead acetate on the estimation of

invert sugar, A., ii, 1076.

Schreinemakers, Frans Antoon Hubert, equilibria in quaternary systems, Λ ., ii, 571, 935.

Schreinemakers, Frans Antoon Hubert, and W. C. de Baat, the system, water, and sodium, barium, and copper chlorides, A., ii, 1020.

Schreiner, Oswald, and Howard Sprague Reed, power of sodium nitrate and calcium carbonate to decrease toxicity in conjunction with plants growing in

solution cultures, A., ii, 420.

Schreiner, Oswald, and Edmund C.

Shorey, isolation and toxic properties of an organic soil constituent, A., ii, 421.

isolation of picolinecarboxylic acid from soils and its relation to soil fertility, A., ii, 889.

isolation of dihydroxystearic acid from soils, A., ii, 1067.

Schreiner, Oswald, and Michael Xavier Sullivan, toxic substances arising during plant metabolism, A., ii, 422.

Wilhelm.See Schreiner, LudwigWolff.

Schroeder, G., influence of potassium cyanide on the respiration of Aspergillus niger, with remarks on the mechanism of the action of hydrocyanic acid, A., ii, 413.

Schröder, Heinrich, the utilisation of native iron-aluminium phosphates,

A., ii, 500.

Schroeder, Johannes, formation of a double compound of mercuric cyanide and pyridine, A., i, 252.

demonstration of the formation of ammonium amalgam by electrolysis of ammonium chloride, A., ii, 270. solubility of potassium chloride in aqueous pyridine at 10°, A., ii, 277.

Schroeder, Paul von. See Richard

Abegg.

Schroeter, Georg, [with Otto Buchholz], B-alkylcinnamic acids. III., A., i, 169. Schroeter, Georg, and Walter Sondag, new method for the preparation of

diamyl ether and ethers of the higher

alcohols, A., i, 497.

Schrötter, Hugo, and Richard Weitzenböck, connexion of cholesterol and cholic acid with camphor and turpentine oil, A., i, 636.

Schrötter, Hugo, and Richard Weitzenbock, nature and constitution of rhizocholic acid, A., i, 900.

Schrötter, Hugo, Richard Weitzenböck, and Reinhold Witt, cholesterol, cholic acid, and a common degradation product of the same, A., i, 532.

Schryver, Samuel Barnett, apparatus for continuous dialysis, A., ii, 465.

Schubert, Friedrich, rapid measuring vessel and rapid pipette, A., ii, 424.

Schück, Bernhard. See Hermann Gross-

Schükareff, A. N., internal energy of dissolved substances, A., ii, 462.

Schülke, Kurt. See Gustav Heller.

Schurmann, E., and H. Arnold, analysis of bronzes, brass, and similar alloys, A., ii, 898.

Schurmann, E., and Wilhelm Scharfenberg, analysis of white metal and similar alloys, A., ii, 537. Schütze, Albert. See Martin Jacoby.

Schugowitsch, A. See Rudolf Wegscheider.

Schuloff, R. See Paul Friedländer.

Schultz, Gustav [Theodor August Otto]. and Ernst Ichenhaeuser, bisazo-dyes

from phenol and cresols, A., i, 229. Schultze, Willi, resin oil, A., i, 356.

Schulz, Hugo, estimation of total sulphur in urine, A., ii, 129. Schulz, W. See Carl Gustav Schwalbe.

Schulze, Ernst [August], methods for the preparation of lecithin and other phosphatides from plant seeds, A., i, 385.

nutritive value of plant amides, A., ii,

vegetable phosphatides, A., ii, 977. Günther, electrolytic valve Schulze,

action of columbium and a classification of the behaviour of electrolytic anodes, A., ii, 350.

electrolytic valve action of zinc, cadmium, silver, and copper, A., ii,

electrolytic rectification of alternating currents, A., ii, 658.

Schulze, Heinrich, oxidation products of aconine, A., i, 560.

Schumacher, Willy. See Ernst von Meyer.

Schumann, Theodor. See Rudolf Friedrich Weinland.

Schuyten, M. C., activity of the halogens, chlorine, bromine, and iodine in relation to mercury, A., ii, 31.

activity of the halogens, chlorine, bromine, and iodine in relation to the metals in general, A., ii, 683.

Schwabe, Franz. See Theodor Zincke.

Schwabe, Willmar, jun., some alkyl derivatives of theophylline, A., i, 45.

Schwabe, Willmar, jun. See also Ernst Schmidt.

Schwalbe, Carl Gustav, hydrocelluloses, A., i, 9.

the chemistry of the bleaching of sulphite-cellulose, A., i, 138.

cellulose and its derivatives, A., i, 321.

estimation of water of hydration in cellulose materials, A., ii, 627.

Schwalbe, Carl Gustav, and Hermann Jochheim, halogen indigotins, A., i, 1019.

halogen indigotinsulphonic acids, A., i, 1019.

Schwalbe, Carl Gustav, W. Schulz, and Hermann Jochheim, ω-chloroacetanilide and some halogenphenylglycines, A., i, 974.

Schwarz, Adolf. See Arthur Kötz.

Schwarz, Carl, and R. Lederer, the occurrence of choline in thymus, spleen, and lymph glands, A., ii, 968.

Schwarz, Carl. See also Otto von Fürth. Schwarzenbach, R. See Friedrich Kehrmann.

Schwedhelm, H. See A. Künkler. Schwedoff, D. See Nicolai D. Zelinsky. Schweidler, Egon von, and V. F. Hess, the heat developed by radium, A., ii,

the heat developed by radium, A., ii, 919.

Schweitzer, Hugo. See Alfred Wohl.

Scott, Frederick Hughes, regulation of respiration, A., ii, 865.
 Scott, Frederick Hughes. See also

Robert Henry Aders Plimmer.

Scott, I. D. See Edward Henry Kraus. Scott, Silas F. See William Maurice Dehn.

Scriba, F., low ignition temperature of carbon disulphide, A., ii, 376.

apparatus for producing flame colorations and other changes of a non-luminous flame, A., ii, 647.

luminous flame, A., ii, 647.

Scurti, Francesco, and S. Caldieri, biological succession of mineral substances in marine alga, A., ii, 57.

Scurti, Francesco, and A. Parrozzani, chemical processes accompanying the germination of seeds, A., ii, 417.

Sebauer, Robert. See Hans Aron.
Sebelien, John, manurial experiments with different kinds of nitrates, A., ii, 61.

Seegers, K. See Erwin Rupp.
Seelhorst, Conrad von, persistence of the nitrogen of green manure in a light sandy soil, A., ii, 727.

XCIV. ii.

Seidler, L., and Albert Stutzer, assimilation and elimination of nutrients by oats at different periods of vegetation, A., ii, 1065.

Seidler, L. See also Albert Stutzer.

Sell, William James, the chlorination of methyl derivatives of pyridine. Part II. 2-Methylpyridine, T., 1993; P., 225.

the chlorine derivatives of pyridine. Part 1X. Preparation and orientation of 3:5-dichloropyridine, T., 1997; P., 225.

the chlorine derivatives of pyridine. Part X. Orientation of 2:3:5-trichloropyridine, T., 2001; P., 225.

Selvatici, Ettore, new method of qualitative analysis of the metals of the second group without using hydrogen sulphide or ammonium sulphide, A., ii, 322.

Semmler, Friedrich Wilhelm, constituents of essential oils. I. Separation of camplor from fenchone containing camphor. II. Santene, A., i, 37.

components of essential oils; constitution of umbellulone, C₁₀H₁₄O, A., i, 92.

constituents of essential oils; composition of ayapana oil, A., i, 279.

components of essential oils; santalols, $C_{15}H_{24}O$, and their derivatives, A., i, 433.

constituents of essential oils; elemicin, a high-boiling constituent of elemi oil, and the displacement of alkyloxy-groups in the benzene nucleus by hydrogen, A., i, 557.

constituents of essential oils; elemicin and isoelemicin, A., i, 558.

components of essential oils; establishment of the constitutional formulæ of elemicin and isoelemicin, A., i, 664.

components of essential oils; elimination of methoxy-groups in the paraposition with respect to allyl or propenyl radicles, A., i, 734.

Semmler, Friedrich Withelm, and Konrad Bartelt, constituents of essential oils; further derivatives of santalene and the formation of a new dicyclic saturated system, dicyclo-2:2:2-octane, A., i, 38.

constitution of essential oils; derivatives and constitution of santene, A., i, 194.

constituents of essential oils; elucidation of the constitution of santene, C₉H₁₄, A., i, 195.

FriedrichWilhelm. and Konrad Bartelt, constituents of essential oils; derivatives of santene. santene glycol, and the unsaturated ketone, C9H12O, derived from the diketone, $C_9H_{14}O_2$, A., i, 355.

constituents of essential oils; homopiperonal and its derivatives, A., i,

901.

Semper, Leopold. See Heinrich Wieland. Senderens, Jean Baptiste, catalytic dehydration of organic compounds, A., i, 494.

catalytic dehydration of alcohols by calcium sulphate and by aluminium silicate, A., i, 495.

catalytic power of silica and alumina,

A., ii, 166.

Senier, Alfred, and Percy Corlett Austin, β -N- β

attempted synthesis of -diβ--ĊHβ

naphthacridines; condensation of methylene dichloride and 1-substituted-2-naphthylamines, T., 63.

Senter, George, rate of hydrolysis of chloroacetates, bromoacetates, and a-chlorohydrin by water and by alkali, and the influence of neutral salts on the reaction velocities; preliminary note, P., 89; discussion, P., 90.

guaiacum reaction of blood, A., ii, 305. Seo, Y., the compound of uric acid with

nucleic acid, A., i, 70. the scission of hippuric acid by bacteria; the detection of benzoic acid and glycine in urine, A., ii, 518.

the influence of muscular work on the excretion of sugar in pancreas diabetes, A., ii, 1058.

Seregenkoff, Busile. See Eugen Kho-

Serra, Aurelio, tourmaline from Asinara (Sardinia), A., ii, 116.

Seubert, Karl, and J. Carstens, chromic acid as au oxidising agent. II., A., ii, 196.

Seyde, Franz.See Hans TheodorBucherer.

Seyewetz, Alphonse, and Noel, action of sodium hyposulphite on nitro-derivatives. II., A., i, 408.

Seyewetz, Alphonse. See also Auguste Lumière and Louis Meunier.

Shadinger, G. H. See Salomon Farby Acree.

Shafer, George D., kidney secretion of indigo-carmin, methylene-blue, sodium carminate, A., ii, 769.

Shaffer, Philip A., muscular activity and protein metabolism, A., ii, 961.

Shaffer, Philip A., excretion of creatine and creatinine in health and disease, A., ii, 971.

estimation of β -hydroxybutyric acid in urine, A., ii, 992.

Shaffer, Philip A. See also Charles George Lewis Wolf.

Shattock, Samuel G., and Leonard Stanley **Dudgeon**, fatty degeneration in the blood, A., ii, 958.

Shaw, George Wright, the polariscopic method for the estimation of gliadin,

A., ii, 240. Shdanovitsch, M. L., synthesis of methyl-

ethylmalic acid, A., i, 77. Shearer, G. W. See Howard Turner

Barnes. Sheppard, Samuel Edward, the optical

and sensitising properties of the isocyanine dyes, P., 134.

Sherman, Henry Clapp, phosphorus metabolism in man, A., ii, 405.

Sherman, Henry Clapp. See also Rachel H. Colwell, F. C. Hinkel, E. C. Kendall, and W. G. Whitman.

Sherrill, Miles S., [with F. Malcolm Eaton, Alden Merrill, and Donald E. Russ], equilibrium relations of chromates in solution, A., ii, 92.

Shetterly, F. F. See Arthur Wesley Browne.

Shimidzu, Yoshitaka, estimation of lactose by ammoniacal copper salt solutions, A., ii, 991.

Shinn, Owen Lewis, electrolytic estima-

tion of nitric acid, A., ii, 893. corey, Edmund C. See See Oswald Shorey, Schreiner.

Shreder, Ivan, changes of specific heat of ethyl alcohol dissolved in liquid hydrocarbons, A., ii, 460.

Shukoff, Alexis A., and Peter J. Schesta**koff**, formation of γ -lactones, A., i, 755.

Shukoff, Iwan I., metallic nitrides and their magnetic properties. I., A., ii,

magnetic oxides of chromium, A., ii, 699.

Shukoff, Iwan I., and W. J. Kurbatoff, a new method of determining the melting point of metals, A., ii, 153.

Shumakoff, S., electrical conductivity in systems containing zinc sulphate, ammonia, and water, A., ii, 457. Shutt, Frank Thomas, fertilising value

of snow, A., ii, 422.

Shutt, Frank Thomas, and A. T.
Charron, the Dyer method for the determination of plant food in soils, A., ii, 733.

Sidersky, D., estimation of fat in milk, A., ii, 238.

Sidgwick, Nevil Vincent, and Henry Thomas Tizard, the colour of cupric salts in aqueous solution, T., 187. the initial change of the radium emanation, P., 64.

Siebeck, A. See Leopold Rosenthaler.

Sieber, (Madame) Nadine, decomposition of fat by lung-tissue, A., ii, 406.

Siedenkopf, H., artificial dichroism of blue rock salt, A., ii, 4.

Siegfried, Max [A.], isolation of glycine, albumoses, or peptones from dilute aqueous solutions, A., i, 234.

Siegfried, Max, and Hans Liebermann, union of carbon dioxide with amphoteric amino-compounds. IV., A., i, 379.

Siegfried, Max, and C. Neumann, union of carbon dioxide with amphoteric amino-compounds. III., A., i, 379.

Siemiradzki, B. von. See Augustin Bistrzycki.

Siewert, A. von, hæmin, A., i, 486.

Sikorsky, S. See D. A. Chardin.

Silber, Paul G. See Giacomo Luigi Ciamician.

Silbermann, T. See Adriano Ostrogo-

Silberrad, Oswald, constitution of the phthaleins of mellitic and pyromellitic acids, P., 209.

Silberrad, Oswald, and Henry Ablett
Phillips, the metallic picrates, T., 474;
P., 22.

Silberrad, Oswald, and Charles Smart Roy, the relationship of colour and fluorescence to constitution. Part II. Rhodamines of mellitic acid, P., 204; discussion, P., 205.

Simon, Karl, coloration of minerals, A., ii, 954.

Simon, Louis Jacques, the mechanism of the synthesis of cyclic nitrogen compounds [quinoline derivatives], A., i, 687.

mechanism of the synthesis of cyclic nitrogen compounds; action of ethyl pyruvate on p-toluidine, A., i, 738.

Simon, Lonis Jacques, and Charles Mauguin, action of ethyl oxalacetate on benzylidene-β-naphthylamine; syntheses in the naphthaquinoline group, A., i, 296.

Simon, Theodor. See Bernhard Flürscheim.

Simonis, Hugo. See Eric Mermod, F. Nelken, F. Peters, and M. Rindl.

Simonsen, John Lionel, ethyl 6-methyl-2-pyrone-3:5-dicarboxylate and its derivatives, T., 1022; P., 136. Simonsen, John Lionel, syntheses with the aid of monochloromethyl ether. Part I. The action of monochloromethyl ether on the sodium derivatives of ethyl malonate and ethyl isopropylmalonate, T., 1777; P., 212.

Sirk, Heinrich, slow combination of chlorine and hydrogen under the influence of heat, A., ii, 172.

Sirks, H. A., the six dinitrobenz ic acids, A., i, 532.
Sisley, Paul. See Philippe Barbier.

Sisley, Paul. See Philippe Barbier. Sissoeff, (Frl.) C. See (Frl.) Irma Gold-

berg.
Sisson, H. A. See Henry John Horstman Fenton.

Sjögren, Hjalmar, and (Miss) Naima Sahlbom, radioactivity of Swedish spring waters, A., ii, 749.

Sjollema, Bouwe, microchemical detection of traces of arsenic, antimony, and phosphorus, A., ii, 224.

Sjöllema, Bouwe, and C. K. van Daalen, experiments with different varieties and on the storage of mangolds, A., ii, 618.

Sjollema, Bouwe, and J. C. de Ruyter de Wildt, action of "Kalkstickstoff," "Stickstoffkalk," and calcium nitrate, A., ii, 623.

Skinder, Vladimir A., physico-chemical investigation of old bronzes from the excavations in Lalajants, on the S.W. shore of Lake Gontscher, in the summer of 1966, A., ii, 381. synthesis of atacamite, A., ii, 381.

Skita, Aludar, A. Ardan, and M. Krauss, reduction of αβ-unsaturated ketones, A., i, 855.

Skita, Aladar, and R. Levi, hydrocyclic α-amino-acids, A., i, 884.

Skraup Zdenko Hanns, deaminoproteins, A., i, 584.

products of hydrolysis of casein, A., i, 930.

Skraup, Zdenko Hanns, and Emil (Ritter) von Hardt-Stremayr, the so-called amidic nitrogen of the proteins, A., i, 584.

Skraup, Zdenko Hanns, and F. Hummelberger, gelatoses, A., i, 711.

Slade, Roland Edgar, the reducibility of magnesium oxide by carbon, T., 327; P., 29.

Slagle, E. A. See Salomon Farby Acree.
Slator, Arthur, studies in fermentation.
Part II. The mechanism of alcoholic fermentation, T., 217; P., 11.
Slator, Arthur, and Douglas Frank

Slator, Arthur, and Douglas Frank Twiss, the chemical dynamics of the reactions between sodium thiosulphate and organic halogen compounds. Part III., P., 286. Slavu, Gr., effect of amyl nitrite on red blood corpuscles, A., ii, 767.

Slyke, Donald D. van. See Phochus A.

Levene. Slyke, Lucius L. van, and Donald D. van Slyke, adsorption of acids by casein, A., i, 375.

Smedley, (Miss) Ida, the refractive power of diphenylhexatriene and allied hydrocarbons, T., 372.

Smet, Willem de. See Georges de Voldere.

Smiles, Samuel, dinitrodiphenylamine-osulphonic acids; preliminary note, P., 147.

Smiles, Samuel, and Thomas Percy Hilditch, derivatives of S-phenylphenazothionium. Parts I. and II., T., 145, 1687; P., 199.

Smiles, Samuel, and Robert Le Rossignol, the sulphination of phenolic ethers and the influence of substituents, T., 745; P., 61.

Smiles, Samuel. See also Edward de Barry Barnett, (Miss) Maud Gazdar, and Thomas Percy Hilditch.

Smillie, R. See Isaac King Phelps. Smirnoff, J. See Oswald Miller. Smirnoff, Wladimir, hydration of d-pin-

ene, A., i, 278. Smissen, Heinrich van der. See Hugo Erdmann.

Smith, Alexander, and Charles Mac-donald Carson, amorphous sulphur. V. The system, sulphur—iodine, A., ii, 32.

Smith, (Miss) Alice Emily, and Kennedy Joseph Previté Orton, the bromination of p-hydroxydiphenylamine, T., 314; P., 27.

acids as accelerators in the acetylation of amino-groups, T., 1242; P., 132.

Smith, Clarence, [and, in part, Alec Duncan Mitchell], constitution of hydroxyazo-compounds; action diazomethane and of mercuric acetate, T., 842; P., 70; discussion, P., 71.

Smith, E. K. See Harry Ward Foote. Smith, Edgar Fahs. See Clarence W. Balke and Jacob S. Goldbaum.

George McPhail, ammonium amalgam, A., ii, 38.

amalgams; the hydrargyrides of the alkali and alkaline earth metals, A., ii, 38.

[diffusion of metals in mercury], A., ii,

Henry George, occurrence of calcium oxalate in the barks of the Eucalyptus, A., ii, 885.

Smith, Henry George, aluminium, the chief inorganic element in a proteaceous tree, and the occurrence of aluminium succinate in trees of this species, A., ii, 885.

absence of gum and presence of a new diglicoside in the kinos of the

Eucalyptus, A., ii, 886.

Smith, Howard D. See Arthur Michael. Smith, James Lorrain, William Mair, and Jocelyn Field Thorpe, Weigert's method of staining medullated nerve fibres, A., ii, 966.

Smith, Samuel Walter Johnson, and H. Moss, contact potential differences determined by means of null solutions, A., ii, 343.

Smith, Watson, jun. See Ernst Berl. Smits, Andreas, and J. P. Wibaut, the dynamic theory of a reversible chemical reaction, A., ii, 824,

Smythe John Armstrong, benzyl sulphoxide; a possible example of dynamic isomerism, P., 285.

Snyder, Charles D., temperature-coefficient of the velocity of nerve conduction, A., ii, 608.

temperature-coefficients of velocities of various physiological actions, A., ii, 768.

Snyder, Harry, influence of manures on the composition of wheat, A., ii,

Sobbe, O. von, bornyl palmitate, A., i,

Société Anonyme des Plaques et Papiers Photographiques A. Lumière et ses Fils, preparation of compounds of p-aminophenol, p-methylaminophenol, and p-phenylenediamine with sulphurous acid, A., i, 977.

Société Anonyme des Produits chimiques de Fontaines in Lyon-Monplaisir, preparation of methyl sulphate, A., i, 597.

Soddy, Frederick, Wehnelt cathode in high vacua, A., ii, 81.

relation between uranium and radium. III., A., ii, 919.

attempts to detect the production of helium from the primary radioelements, A., ii, 921.

Soddy, Frederick, and Thomas D. Mackenzie, electric discharge in monatomic gases, A., ii, 151.

Soddy, Frederick. See also Rudolf von Hirsch.

Söderbaum, Henrik Gustav, manurial trials with precipitated calcium phosphate, A., ii, 423.

Söderbaum, Henrik Gustav, factors which influence the manurial action of sparingly soluble phosphates, A., ii, 729.

manurial experiments with nitrogen in 1907, A., ii, 980.

Söll, Julius. See Julius Schmidt.

Sölling, Julius. See Gustav Heller. Sörensen, Sören Peter Lauritz, studies enzymes. I. Quantitative measurement of protein hydrolysis by "formaldehyde titration," A., i, 115.

allylhippuric acid; a convenient material for the preparation of γδdisubstituted a-amino-n-valeric

acids, A., i, 981.

Sörensen, Sören Peter Lauritz, and A. C. Andersen, synthesis of amino-acids. VIII. Diaminodicarboxylic acids and hydroxyamino-acids, A., i, 649. nthesis of amino-acids. VII. Prolsynthesis of amino-acids. ine (pyrrolidine-2-carboxylic acid), A., i, 675.

volumetric estimation of alkali hydroxides containing carbonates by Winkler's method, A., ii, 534.

Sörensen, Sören Peter Lauritz, and H. Jessen-Hansen, measurement of protein hydrolysis by "formaldehyde titration" in highly coloured solutions, A., ii, 234.

Solberg, Erik, manurial experiments on

pasture land, A., ii, 422.
Sollmann, Torald, and Robert Anthony Hatcher, perfusion of excised kidneys. IX. Effects of poisons, A., ii, 210.

Sommer, Rudolf. See Ferdinand Ulzer. Sommerfeld, Paul, chemical composition of gastric juice in children, A., ii,

Sommerfeldt, Ernst,examination of liquid crystals in convergent polarised light, A., ii, 338.

rotatory polarisation in crystals which are not enantiomorphous; methyl mesityloxidoxalate, A., ii, 339.

Somogyi, Michael. See Charles George Lewis Wolf.

Sondag, Walter. See Georg Schroeter. Sonn, Adolf, a-amino-a-benzylacetone, A., i, 55.

Sonn, Adolf. See also Siegmund Gabriel. Sonntag, G. See Fr. Franz.

Sourlis, Apostolos. See Gustav Heller. Spady, Johann, action of acid esters on quinoline bases, A., i, 915.

Spangenberg, Albert. See Gustav Keppeler.

Spear, Ellwood B., catalytic decomposition of hydrogen peroxide under high pressures of oxygen, A., ii, 370.

Spear, Ellwood B. See also Arthur Amos Noyes.

Spence, David, oxydases in india-rubber, A., ii, 616.

oxydase in the latex of Hevea brasiliensis, A., ii, 774.

Spence, David. See also Paul Rabe. Spencer, James Frederick, lecture experiments on the preparation of hydrocarbons, A., i, 620.

Spencer, James Frederick, and (Miss) Mary S. Crewdson, the direct interaction of magnesium and alkyl halides, T., 1821; P., 194.

Spencer, James Frederick, and (Miss) Margaret Le Pla, quantitative separation of thallium from silver, T., 858; P., 75.

Spencer, James Frederick, and (Miss) Eleanor Marguerite Stokes, the direct interaction of aryl halides and magnesium, T., 302.

Spencer, James Frederick, and (Miss) Marion Love Wallace, the interaction of metals of the aluminium group and organic halogen derivatives, T., 1827; P., 194.

Spencer, Leonard James, hopeite and other zinc phosphates from Rhodesia, A., ii, 397.

Spencer, Leonard James. See also Henry J. Johnston-Lavis.

Spezia, Giorgio, action of potassium chlorate on pyrites and on hauerite, A., ii, 861.

Spiegel, Leopold, fluorene perhydride, A.,

action of hydrazine hydrate on dinitrophenylpiperidine, 363.

Spiegel, Leopold, and H. Kauffmann, reduction of dinitrophenylpiperidine. II., A., i, 293.

Spielmann, Percy E., origin of jet, A., ii, 505.

Spindler, O. von, apparatus for testing burettes and pipettes; also mercury measuring tubes, A., ii, 625.

Spiro, Karl, the relationship of dysoxidisable carbon and nitrogen on different diets, A., ii, 118.

action of intestinal astringents on metabolism, A., ii, 1050.

Spiro, Karl, and Lawrence Joseph Henderson, migration of ions in heterogeneous systems, A., ii, 804.

Spiro, Luser. See $Leo\ A$. Tschugaeff. Spitta, W., morphine diabetes, A., ii, 972.

Splawa Neymann, Hans von. See Carl Dietrich Harries.

Spreng, A. See Wilhelm Meigen.

Spriggs, Edmund Ivens. See Arthur Philip **B**eddard.

Spring, Walthère [Victor], colour of ethylene glycol and of glycerol, A., i, 118.

origin of the green colours of natural waters, A., ii, 369.

Spröngerts, Eduard. See Alfred Einhorn.

Sproesser, Theodor. See Carl Bülow.

Spurge, Edward Charles, preparation of aldehydes from aromatic compounds containing the group, C3H5, by oxidation with ozone, A., i, 423.

Stadeler, A., manganese and its alloys with carbon, A., ii, 592.

Stadnikoff, George L., synthesis of imino and nitrilo acids, A., i, 251. attempt to synthesise propionyliminocycloheptanecarboxylic acid, A., i, 265.

Stadnikoff, Georg L. See also Nicolai D. Zelinsky.

Stähli, F., regularities in the structure of spectra, A., ii, 445.

Stäuber, Kurt. See Otto Ruff.

Staiger, Fritz. See Herbert Gorke and Arthur Hantzsch.

Staněk, Vladimir, Staněk's method for estimating choline, A., ii, 239.

the reduction of cuprous oxide in the estimation of reducing sugars, A.,

Staněk, Vladimir, and Oldrich Miskovský, can betaine be regarded as a source of nitrogen for yeast ? A., ii, 416. Staněk, Vladimir. See also Jaroslav

Milbauer. Stangassinger, R., relation of creatine to

autolysis, A., ii, 515.

Stangassinger, R. See also Rudolf Gottlieb.

Stansbie, John Henry, reactions of bismuth, and silver with copper, nitric acid, A., ii, 497.

Stark, Johannes, energetics and chemistry of bauded spectra, A., ii, 138, 545. the spectra of oxygen (Doppler effect

with canal rays), A., ii, 545. valency on an atomistic electrical

basis, A., ii, 574. volatilisation produced by canal rays,

A., ii, 1007.

Stark, Johannes, and Walter Steubing, the distribution of intensity in the spectra of the canal rays in hydrogen, A., ii, 546.

fluorescence and photo-electric sensitiveness of organic substances, A., ii,

fluorescence of organic substances, A., ii, 911.

Starke, Hermann, experiments on the secondary rays of radium, A., ii, 341.

Staudinger, Hermann, ketens. Preparation of quinonoid hydrocarbons from diphenylketen, A., i, 410.

IX. Coloured hydrocarbons from diphenylketen, A., i, 411.

transformation of carboxylic acids into their aldehydes, Λ ., i, 654.

oxalyl chloride, A., i, 938.

Staudinger, Hermann, and Helmut W. Klever, ketens. VI. Keten, A., i, 246, 394.

ketens. VII. Classification, A., i, 318.

Staudinger, Hermann, and E. Ott, ketens. X. Malonic semichloride, malonic anhydride, and its transformation into keten, A., i, 602.

diethylmalonic anhydride, A., i, 939. Steel, Matthew, influence of magnesium sulphate on metabolism, A., ii, 767.

Steel, Matthew, and William John Gies. Folin's method of estimating ammonia in urine, A., ii, 776.

Steele, Bertram Dillon, the oxidation of phosphorous acid by iodine, T., 2203;

Steensma, F. A., detection of free hydrochloric acid in the stomach contents, A., ii, 318.

colour reactions in biochemistry. I., A., ii, 442.

detection of the bile pigments, A., ii,

Steiger, George, estimation of small amounts of fluorine, A., ii, 426.

Wilhelm,preparation of Steinkopf, halogen-substituted acetonitriles, A.,

steam distillation under reduced pressure, A., ii, 575.

apparatus for fractional distillation under reduced pressure, A., ii, 663.

Steinkopf, Wilhelm, and Czeslau Benedek, o-bromophenyl- and α-bromophenyl-acetamides, A., i, 981.

negative substituted amino-oximes. II. Phenylnitroethenylamino-oxime, A., i, 1012.

Steinkopf, Wilhelm, [with Czeslau Benedek, H. Grünupp, and G. Kirchhoff], action of phosphorus pentachloride on halogenated acid amides, A., i, 961.

Steinkopf, Wilhelm, and Ludwig Bohrmann, nitroacetonitrile. III., A., i, 327.

Steinkopf, Wilhelm, and H. Grünupp, negative substituted amino-oximes. III. Brominated amino-oximes, A., i, 966.

See Josef Hanus. Stekl, Lad. Stenger, E. See Louis Lewin. See Heinrich Wieland. Stenzl, Hans. Stern, E., micrography of cement, A., ii, 589.

Stern, K. L. See Friedrich Kehrmann. Stern, (Mlle.) Lina. See Fr. Battelli.

Stern, Richard. See Paul Pfeiffer. Steubing, Walter, optical properties of

colloidal gold solutions, A., ii, 600. Steubing, Walter. See also Johannes Stark.

Steudel, Hermann, formation of pyrimidine derivatives from purine bases, A., i, 66.

guanylic acid from the pancreas, A., i,

the carbohydrate group in the nucleic acid, A., i, 487, 710.

cleavage products of nucleic acid, A., i, 931.

Stevanović, S., covellite and enargite from Servia, A., ii, 396.

Stevenson, Reston. See John Livingston

Rutgers Morgan. Stewart, Alfred Walter, the relation between dielectric constant and chemical constitution. Part I. Stereoisomeric compounds, 1059; P., 124.

an apparatus for determining the specific inductive capacity of organic liquids; T., 1062; P., 124.

AlfredWalter.See also Norman Thomas Mortimer Wilsmore.

Stiegler, A. See August Michaelis. Stieglitz, Julius, theory of indicators, A., i, 652.

syn- and anti-stereoisomerism of nitrogen compounds, A., i, 726.

catalysis, A., ii, 29.

catalysis. I. Catalysis of esters and of imino-esters by acids, A., ii, 167.

catalysis, II. Catalysis of iminoesters, A., ii, 168.

fication and saponification, A., ii, 472.

the solubility product, A., ii, 673.

Stieldorf, Peter. See Hartwig Franzen. Stine, Charles M. See Harry Clary Jones.

Stobbe, Hans, colour reactions during the hydrolysis of acid anhydrides, A., i, 985.

phototropy of the fulgides and other substances, A., ii, 339.

Stock, Alfred, porous materials as substitutes for stopcocks in the manipulation of gases, A., ii, 99.

Hittorf's phosphorus, A., ii, 176, 274.

Stock, Alfred, and Heinrich von Bezold, sulphides of phosphorus. III. Vapour densities of the compounds, P₄S₃, P₄S₇, and P₂S₅, A., ii, 274.

Stock, Alfred, Eusebio Echeandia, and Paul R. Voigt, decomposition of arsenic hydride, A., ii, 488. decomposition of antimony hydride,

A., ii, 503.

Stock, Alfred, and Walter Holle, preparation of boron nitride and calcium boride, A., ii, 687.

Stock, Alfred, and Otto Johannsen, action of ammonia on phosphorus; observations on the modifications of phosphorus, A., ii, 583.

Stock, Alfred, and Wilhelm Scharfen-

berg, sulphides of phosphorus. II. Phosphorus pentasulphide, A., 274.

Stock, Alfred, and Franz Wrede, heat of formation of antimony hydride, A.,

Stockton, Edith, and C. G. Eldredge, fruits of Caulophyllum thalictroides and Cornus sericea, A., ii, 978.

Stöhr, Vrat., the effect of the new nitrogenous fertilisers on hemp, A., ii. 421.

Stöhrer. See Wilhelm Will.

Stocklin, E. de. See Jules Wolff.

Stoeltzner, Helene, influence of strontium on the growth and composition of bone, Λ., ii, 769.

Stoermer, Richard, and E. Friderici, stereoisomeric β -arylcinnamic acids, A., i, 179.

Stoermer, Richard, [and, in part, E. Friderici and H. Altgelt], hydrolysis of phenolic ethers, A., i, 190.

Stokes, (Miss) Eleanor Marguerite. James Frederick Spencer.

Stoklasa, Julius, physiological function of potassium in vegetable organs, A., ii, 417.

the chemical changes involved in the assimilation of free nitrogen by azotobacter and radiobacter, A., ii,

Stoklasa, Julius, V. Brdlik, and J. Just, phosphorus, an essential con-

stituent of chlorophyll, A., i, 279.

Stoklasa, Julius, [with Adolf Ernest, Franz Stranak, and Eugen Vitek], the chemical changes involved in the assimilation of free nitrogen by azotobacter and radiobacter, A., ii, 975.

Stollé, Robert, action of magnesium on ethyl bromoacetate, A., i, 310. formation of carbodiphenylimide from phenylcarbimide, A., i, 415.

Stollé, Robert, action of nitrous esters on hydrazine, phenylhydrazine, and benzylhydrazine in alkaline solution,

A., i, 917. Stollé, Robert, and P. E. Bowles, thiocarbohydrazide, A., i, 474.

Stolte, Karl, the degradation of levulosazine (ditetrahydroxybutylpyrazine) in the animal body, A., i, 833.

behaviour of glucosamine, and of the first product of its transformation, in the animal body, A., ii, 50.

Stoltzenberg, H., steam inlet-tube, A., ii, 828.

new safety valve, A., ii, 828.

new forms of condenser, A., ii, 938. new form of test-tube holder, A., ii,

1027.

circulating pump, A., ii, 1028. a boat funnel, A., ii, 1071.

Stone, George Cameron, volumetric estimation of zine, A., ii, 632.

Stookey, Lyman Brumbaugh, glycine as a product of uricolysis, A., i,

Storey, Walter F. See Treat Baldwin Johnson.

Stortenbeker, Willem, rubidium dichromate, A., ii, 494.

Strachan, James, a new primary voltaic cell of the Daniell type, A., ii, 801.

Strakosch, Siegfried, carbohydrate metabolism of the sugar-beet (Beta vulgaris), A., ii, 125.

Strañák, Franz. See Julius Stoklasa. Stránsky, J., rapid estimation of carbon

dioxide in mineral waters, A., ii, 225. Strauch, Hugo. See Rudolf Wegscheider.

Straus, Heinrich. See Otto Fischer. Strecker, Wilhelm, action of methyl sulphate on alkali polysulphides,

A., i, 386. precipitation of iron by ammonia in presence of tartaric acid, A., ii,

71. Stremme, H., precipitation of gelatinous mixtures of alumina and silica, and their relation to allophane, halloysite, and montmorillonite, A., ii, 1041.

Strengers, Th. See Ernst Cohen. Stritar, Milan Josef, and Richard Fanto, saponification of glycerides during ester exchanges in homogeneous system, A., ii, 677, 1021.

Stritar, Milan Josef. See also Richard Fanto.

Strohmer, Friedrich, the storage and transportation of sucrose in the beet (Beta vulgaris), A., ii, 726.

Strong, W. W., penetrating radiation, A., ii, 142.

Struthers, Robert de Jersey Fleming, some reactions of phenylhydrazine with metallic cyanides and other salts, P., 179.

Struthers, Robert de Jersey Fleming. See also James Ernest Marsh.

Strutt, Robert John, association of helium and thorium in minerals, A., ii,

helium and radioactivity in rare and common minerals, A., ii, 649.

accumulation of helium in geological time, A., ii, 922. helium in saline minerals, and its

probable connexion with potassium, A., ii, 923.

Struve, Heinrich, detection of arsenic by means of the Marsh apparatus, A., ii.

Struve, Karl, molecular weight of hexacontane, A., i, 749.

Stubbs, James Arthur. See Albert Ernest Dunstan.

Stützel, Hermann. See Julius Schmidt. Stutzer, Albert, the organic compounds of nitrogen, phosphorus, and sulphur in vegetables, A., ii, 124.

manurial experiments with calcium cyanamide, A., ii, 623.

manuring experiments with calcium cyanamide for potatoes, A., ii, 726.

Stutzer, Albert, and E. Merres, action of the enzymes of gastric and pancreatic juices on vegetable proteins. II., A., ii, 404.

Stutzer, Albert, E. Merres, and L. Seidler, estimation of nitrogenous metabolism products in fæces, A., ii,

Stutzer, Albert. See also L. Seidler.

Sudborough, John Joseph, and James Mylam Gittins, the esterification constants of the normal fatty acids, T., 210; P., 14.

Süchting, H., improved method for estimating the acidity of soils, A., ii, 231.

Süchting, H. See also Bruno Tacke. Suida, Wilhelm, pierates, A., i, 523.

Suida, Wilhelm. See also Fritz Glassner.

Sulima, Th. See E. S. London.

Sullivan, Michael Xavier. See Oswald Schreiner.

Sulzberger, Nathanael, [azo-colouring matters from the aminoanilides of the higher fatty acids], A., i, 226.

[interaction of diazo-salts and aromatic amides of the higher fatty acids], A., i, 483.

preparation of additive compounds of chloral with amides, A., i, 961.

Sundell, Ivar. See Gustav Keppeler.

Sundvik, Ernst Edvard, psylla wax. IV. Psyllic acid and its salts, A., i, 123.

analysis of organic mixtures with the aid of the refractometer, A., ii, 990. Surveyor, Nusservanji Fakirji, excretion

of urobilin in disease, A., ii, 1057.

Sutherland, William, another method of measuring large molecular masses, A., i, 930.

Sutherst, Walter Frederick, manganese compounds as fertilisers for maize, A., ii, 528.

Suto, Kenzo. See Muneo Kumagawa.

Sutton, Harvey, high temperatures and heat stroke, A., ii, 972.

Suzuki, Shigehiro, humus formation, A., ii, 127, 421.

continuous growth of peas on the same

soil, A., ii, 617.
Suzuki, Tsuneo, oximes and imides of benzenedisulphonic acids, A., i, 871.

Suzuki, Umetaro, and K. Yoshimura, occurrence of salts of anhydro-oxymethylenediphosphoric acid or phytin in plants, A., ii, 124.

Suzuki, Umetaro, K. Yoshimura, and M. Takaishi, an enzyme phytase which decomposes anhydro-oxymethylenediphosphoric acid, A., i, 235.

Svedberg, Theodor, colloidal solutions, A., ii, 23.

quantitative investigations on the electrical synthesis of colloids. A., ii, 255.

stability of colloidal solutions.
A., ii, 364. ΙΙ.,

Swarts, Frédéric, preparation of difluoro-ethyl alcohol, A., i, 752.

heat of formation of organo-fluoro-com-

pounds. II., A., ii, 354. Sweet, J. E., and Phoebus A. Levene, nuclein metabolism in a dog with an Eck's fistula, A., ii, 119.

Swinton, Alan Archibald Campbell. See (the Hon.) Charles Algernon Parsons.

Sy, Albert P., apparatus for polarising at 87°, A., ii, 1076.

Symes, William Legge. See John Percy Lockhart Mummery.

Szilárd, Béla, action of thorium nitrate and of uranyl nitrate on albumins,

colloidal hydroxides of thorium, zirconium, and uranium, A., ii, 45.

radio-lead, A., ii, 141.

heterogeneous colloidal hydroxides of uranyl, thorium, zirconium, lead, yttrium, iron, and copper, A., ii, 197.

Szwejkowska, (Frl.) M. See Felicia Zwayer.

Szyszkowski, Bohdan von, experimental and thermodynamic researches on neutral salt action, A., ii, 761.

new method for calibrating capillary tubes, A., ii, 827.

capillary properties of aqueous solutions of fatty acids, A., ii, 1018.

T.

Taber, Walter C. See James M. Bell. Taboury, Felix. See F. Bodroux.

Tacconi, Emilio, taramellite, a new silicate of iron and barium, A., ii, 863.

Tacke, Bruno, and H. Süchting, Süchting's method for estimating acidity of soils, A., ii, 994.

Tänzler, Paul, magnetic behaviour of air, argon, and helium in relation to oxygen, A., ii, 152.

Tafel, Julius, reduction of hydroxylamine at copper cathodes, A., ii, 582.

Tafel, Julius, and Hans Hahl, electrolytic reduction of hydroxylamine at copper cathodes, A., ii, 174.

Tafel, Julius, and Rudolf Mayer, hydrolysis of xanthines and deoxyxanthines, A., i, 742.

Julius, and Herbert Bryan Tafel. Thompson, electrolytic reduction of ethylbarbituric acid, A., i, 58.

Tafel, Victor E., alloys of zinc and nickel, A., ii, 105.

constitution of the copper-zinc-nickel alloys, and of the binary systems, copper—nickel, copper—zinc, and nickel—zinc, A., ii, 846. Tait, John, and James Andrew Gunn,

physiological action of yohimbine on medullated nerve, A., ii, 412. Takaishi, M. See Umetaro Suzuki.

Takaki, Kenji, the lysinogen of the blood-disks, A., ii, 512.

the material in the brain which unites

with tetanus toxin, A., ii, 521.

Takeuchi, T., behaviour of algæ to salts at certain concentrations, A., ii, 613.

composition of rice straw, A., ii, 617. gypsum as a manure, A., ii, 624.

absorption of varying amounts of lime and magnesia by plants, A., ii,

Tallarico, Giuseppe, the hydrolytic and catalytic ferments acting during the process of ripening of fruit, A., ii, 724.

Tambor, Josef, [and, in part, Aronstamm, St. Baranowski, St. Cukier, and W. Tomi], the flavone St. Baranowski, group, A., i, 358.

Tambor, Josef, [and, in part, St. Baranowski, A. Comtesse, and W. Tomi], iso-orcacetophenone dimethyl ether, A., i, 349.

Tammann, Gustav [Heinrich Johann Apollon], the heat-contents of binary systems, Λ., ii, 660.

Tammann, Guslav. See also L. Lauer and Rudolf Vogel.

Tanaka, Yoshio, hydrolytic enzyme in the resting seeds of some Graminee, A., i, 489.

Tananaeff, N., preparation of chemicallyactive silver by electrolysis, A., ii, 377.

Tanatar, Sebastian M., double compounds of hydrogen peroxide with organic compounds, A., i, 399.

reciprocal transformation of isomerides under the influence of chemical induction, A., i, 750.

Tanatar, Sebastian M., and E. K. Kurovski, glucinum and zirconium benzoates, A., i, 166.

acetylacetone compounds of metals of group. II., A., i, 502.

structure of glucinum salts, A., i, 758.

Tangl, Franz, and J. Csókás, elementary composition of different caseinogeus, A., i, 302.

Tangl, Karl, dielectric constants of gases at high pressures, A., ii, 558.

Tank, Ludwig. See Carl Dietrich Harries.

Tannhäuser, Felix, methyl hydrogen d-tartrate, A., i, 713.
analyses of gabbronitic rocks from

Neurode, Silesia, A., ii, 1047. Tanret, Charles, ergosterol and fongist-

erol, A., i, 637.

Tanret, Georges, inosites of mistletoe,
A., ii, 58.

Tappeiner, [Anton Josef Franz] Hermann von, action of fluorescent substances on red corpuscles, A., ii, 867.

Tappeiner, Hermann von, M. Kurzmann, and Fr. Locher, sensitising action of fluorescent substances in yeast and yeast press juice, Λ., i, 239.

Tappeiner, Hermann von, [with F. Osthelder and E. Erhardt], the point of attack of photodynamic substances in Paramœcia, A., ii, 867.

Tarnowski, Paul T. See Richard Sydney Curtiss.

Taschenberg, Ernst W. See Ernst J. Lesser.

Tasker, Hubert Sanderson. See Humphrey Owen Jones.

Tassilly Eugène, and J. Leroide, constitution of iodoguaiaeol, A., i, 161.

Tassilly, Eugène. See also E. Perrot.
 Tassin, Wirt, calcium sulphide (old-hamite) in the Allegan meteorite,
 A., ii, 956.

meteorie chromites, A., ii, 956.

Tavanti, G. See Frederico Giolitti.

Taverne, Herman Johan, compounds of antimony, sulphur, and chlorine, A., ii, 198.

Taylor, John. See Augustus Edward Dixon.

Taylor, *T. Smith*, retardation of α -rays by metal foils, and its variation with the speed of the α -particles, A., ii, 793.

Taylor, William White, and T. W. Moore, the "negative" viscosity of aqueous solutions, A., ii, 818.

Taylor, William White. See also Clerk Ranken.

Tcheichvili, P. See T. Warynski.

Teague, Oscar, and Bertram Henry Buxton, mutual flocculation of colloids, A., ii, 365.

Teague, Oscar. See also Cyrus IV. Field.

Tebb, M. Christinc. See Otto Rosenheim. Teeple, John Edgar, long leaf pine oil, A., i, 355.

Teisserenc de Bort, L., presence of rare gases in the atmosphere at different heights, A., ii, 763.

Teletoff, I. S., velocities of catalytic reactions in heterogeneous systems; decomposition of hydrogen peroxide by means of platinum foil compared with catalysis by colloidal platinum, A., ii, 95.

Telle, Fernand, practical modification of the method for determining the hardness of water, A., ii, 535.

Telle, Hans, compounds of bismuth with aliphatic hydroxy-acids, A., i, 851.

Tempany, Harold Augustine. See Francis Watts.

Ter-Gazarian, G., orthobaric densities of homologous liquids, A., ii, 666.

Terni, A. See Roberto Ciusa.

Terroine, E. F. See André Mayer. Terroine, Émile. See (Mllc.) L. Kala-

boukoff.
Terry, Oliver P. See Charles Hugh

Neilson.
Tezner, Ernst, analysis of the lowering of the freezing point in physiological fluids, A., ii, 16.

Tezner, Ernst, and Johann Roska, analysis of the lowering of the freezing point in physiological fluids. II. Lowering of the freezing point of suspensions, A., ii, 810.

RoscoeWilfred,reaction Thatcher. between lime and sulphur, A., ii, 380.

Theodor Hermann, Volhard's copper titration, A., ii, 898.

Thiel, Alfred, strength of the second stage [of the dissociation] of phenolcarboxylic and phenolsulphonic acids, A., i, 791.

electrolytic estimation of nickel in nitrate solutions and its separation

from copper, A., ii, 539.

simple arrangement for filling glass tubes with liquid earbon dioxide, A., ii, 943.

Thiel, Alfred, and Hermann Römer, comparative experiments on the basicity and strength of acids and phenols, A., i, 787.

Thiele, Francis Hugo, cystinuria with diamines, A., ii, 971.

Thiele, Hermann, reactions in ultra-violet light, A., ii, 79.

Thiele, *Johannes*, aromatic and aliphatic (isoazotates) isodiazo-compounds from hydrazines, A., i, 927.

preparation of azoimide, A., ii, 940.

Thieme, B. W. van Eldik, action of concentrated sulphuric acid on glycerol esters of saturated monobasic fatty acids, A., i, 498.

Thiesen, Max, equation of condition for

metals, A., ii, 659, 808.

Thörner, Wilhelm, rapid estimation of water in articles of food, &c., A.,

simple gas burner contrivance for showing various flame reactions, combustion phenomena, and flame colorations, A., ii, 341.

apparatus for estimating the expansion of oils and other liquids which boil above 100°, A., ii, 907.

Thole, Ferdinand Bernard. See Albert Ernest Dunstan.

Thomae, Carl, action of ammonia on methyl ethyl ketone, A., i, 762.

Thomann, E. See Alfred Werner.

Thomas, F. See R. Gaunt.

Thomas, Nocl Garrod. See Harold Hartley.

Thomas, Victor, some derivatives of thiophen, A., i, 360.

Thomas, W. See Ferdinand Heinrich. **Thomlinson**, John C., constitution of the carbon molecule, A., ii, 763.

thermochemical equivalence, and the thermochemistry of nitrogen, A., ii, 1016.

See Julius Thompson, Herbert Bryan. Tafel.

Thompson, Kenworthy J. See Arthur Hantzsch.

Thompson, Maurice de Kay, and M. W. Sage, free energy of nickel chloride, A., ii, 468.

Thoms, Hermann, essential oil of French parsley and the contained ether, 2:3:4:5-tetramethoxy-1-allylbenzene, A., i, 902.

Thoms, Hermann, and J. Vogelsang, agaricic acid, A., i, 4.

Thomsen, J. E., estimation of sodium and potassium in silicates, A., ii, 431.

Thomson, David. See Thomas Stewart Patterson.

Thomson, Joseph John, nature of the γ-rays, A., ii, 751.
 velocity of secondary cathode rays

from gases, A., ii, 751.

Thornewell, A. R., estimation of zinc,

A., ii, 68.

Thorpe, Jocelyn Field. See Stanley Robert Best, Norman Allen Creeth, See Stanley Charles Watson Moore, and James Lorrain Smith.

Thorpe, Thomas Edward, atomic weight of radium, A., ii, 448.

Threlfall, Richard, apparatus for experiments at high temperatures and pressures, and its application to the study of carbon, T., 1333; P., 131.

. Tian, A., ready means of comparing sodium carbonate and oxalic acid

solutions, A., ii, 985.

Tichomiroff, N. P., action of alkalis in the protein-ferment of the gastric juice, A., ii, 404. Tiedtke, H. See Walther Borsche.

Tiffeneau, Marc, iodohydrins and alkyliodohydrins derived from styrene, A., i, 19.

mechanism of chemical reactions; intermediate products and intermediate structures, A., i, 117.

mechanism of transposition of phenyl in aromatic iodohydrins, A., i, 165. mechanism of the transposition of

phenyl in iodohydrins and aromatic glycols, A., i, 166.

supposed molecular transposition in azo-o-carboxylic acids, A., i, 227.

structural changes in organic chemistry, A., i, 305.

mechanism of the ring formations in the geranic series; synthesis and structure of dihydromyrcene, A., i, 500.

Tiffeneau, Marc, and Daudel, transposition of phenyl; migration of the naphthyl group in iodohydrins of the naphthalene series, A., i, 972.

Tiffeneau, Marc, and Ernest Fourneau, styrene oxide, A., i, 337.

See also Auguste Tiffeneau, Marc. Béhal and Ernest Fourneau.

Tigerstedt, Carl, action of digitalis and strophanthus on the circulation, A., ii, 612.

Tilden, William Augustus, the rusting of iron, T., 1356; P., 169; discussion, P., 169.

Tilgner, M. See Paul Pfeiffer.

Tillotson, E. IV., jun. See Isaac King Phelps.

Timby, T. George, separation of silica and alumina in iron ores, A., ii, 533.

Timmermans, J., density of liquids below zero, A., ii, 85.

Tingle, John Bishop, and Fred C. Blanck, studies in nitration. Nitration of aniline and of certain of its N-alkyl, N-aryl, and N-acyl derivatives, A., i, 778.

IV. Nitration studies in nitration. of N-acyl compounds of aniline derived from certain polybasic aliphatic and aromatic acids, A., i,

Tingle, John Bishop, and Ernest E. Gorsline, the Claisen condensation. II. Mechanism of the reaction, A., i,

Tingle, John Bishop, and H. F. Rolker, studies in nitration. II. Melting point curves of binary mixtures of o_{\cdot} , m_{\cdot} , and p_{\cdot} nitroanilines; a new method for determining the composition of such mixtures, A., i, 408.

studies in nitration. V. Meltingpoints of mixtures of o- and p-

nitroanilines, A., i, 974.

Tingle, John Bishop, and Leon Franklin Williams, camphoroxalic acid derivatives. XI. Action of certain secondary amines on camphoroxalic acid, A., i, 125.

camphoroxalic acid derivatives. XII. Action of primary and tertiary amines on camphoroxalic acid, A.,

i, 126.

Tinkler, Charles Kenneth, studies of the perhalogen salts. Part II., T., 1611; P., 191.

Tisza, Eduard. See Otto A. Oesterle. Titherley, Arthur Walsh, labile isomerism among acylsalicylamides and acylhydroxyamines, P., 78.

Titherley, Arthur Walsh, and Morris Edgar Marples, the condensation of salicylaldehyde and benzamide, T., 1933; P., 229.

Titsingh, J. Campher. See Walther Borsche.

See Nevil Tizard, Henry Thomas. Vincent Sidgwick.

Toborffy, Zoltán, crystallography of the fulgides, A., i, 735.Todtenhaupt, F., new reaction of form-

aldehyde, A., i, 940.

Togami, K., influence of certain foodadjuncts on the action of the digestive enzymes, A., ii, 513.

influence of bromine on gastric secre-

tion, A., ii, 872.

Tollens, Bernhard [Christian Gottfried], simple method of detecting glycuronic acid and its derivatives in presence of pentoses and in urine, A., ii, 639.

Tollens, Bernhard, and F. Rorive, colour and spectral reactions of sugars with naphtharesorcinol and hydrochloric acid, A., ii, 638.

Tollens, Bernhard. See also K. U. Lefèvre.

Tollens, Karl, detection of glycuronic acid by B. Tollens' method in human urine, A., ii, 740.

Tomi, W. See Josef Tambor.

Tompkins, Harry K., preparation of acetylene di- and tetra-chlorides from acetylene and antimony pentachloride, A., i, 750.

Tonegutti, Mario, is arsenious anhydrintroduced into the animal organism, eliminated unchanged or as

arsenic acid? A., ii, 214.

Torrey, Henry Augustus, and C. M. Brewster, action of phthalic anhydride on resacetophenone, A., i, 427.

Torrey, Henry Augustus, and H. B. Kipper, hydrazones of aromatic hydroxy-ketones; alkali-insoluble phenols. II., A., i, 460.

Torrey, Henry Augustus, and Joaquin E. Zanetti, ethyl pyromucylacetate [furfuroylacetate]. II. 3-Furvl-5pyrazolone, A., i, 840.

Tóth, Eduard, modification of the platinum vessel of the Berthelot-

Mahler bomb, A., ii, 664.

Toth, Julius, estimation of non-volatile organic acids in tobacco, A., ii, 238. estimation of volatile organic acids in tobacco, A., ii, 330.

Touplain. See Fréd. Bordas.

Tower, Olin Freeman, determination of vapour pressures of solutions with the Morley gauge, A., ii, 811.

Traube, Isidor, osmotic pressure, A., ii,

the action of lipoid-soluble substances on red blood-corpuscles, A., ii, 708.

Traube, Wilhelm, the reduction of ethyl oxalate, A., i, 75.

Traube, Wilhelm, preparation of basic compounds from methyl ethyl ketone,

A., i, 362, 1010.

Traubenberg, Heinrich Rausch von, certain phenomena in gases subjected to the action of spark discharge or arc light, A., ii, 1012.

Trautz, Max, photochemistry, A., ii, 339. Trautz, Max, E. Baisch, and Alfred von thermodynamics of the Dechend, sulphuryl chloride equilibrium, $SO_2 + Cl_2$, SO_2Cl_2 , A., ii, 569.

Trautz, Max, and Karl Theodor Volk-

mann, temperature-coefficient of the velocity of chemical reactions. I.,

A., ii, 824.

Travers, Morris William, adsorption and occlusion; nature of the so-called solid phase, A., ii, 18.

Traxl, Walter, deaminoedestin, A., i, 231. Treadwell, W., jun. See Fritz Foerster. Trechmann, Charles Otto. See Heinrich Baumhauer.

Trephilieff, Hypolyt, position of bromine atoms in derivatives of methronic acid, A., i, 735.

constitution of methronic acid, A., i, 735.

Treves, Zaccaria, and Giovanni Salomone, action of nitrous acid on proteins, A., i, 114.

Trevor, Joseph Ellis, osmotic pressure,

A., ii, 359.

Trillat, [J.] Auguste, formation of acetaldehyde in alcoholic fermentation, A., i, 317.

Trillat, Auguste, and Benjamin Sauton, formation and disappearance of acetaldehyde under the influence of yeasts, A., ii, 615.

part played by yeasts in the aldehydification of alcohol, A., ii, 722.

See also Achille Trillat, Auguste. Müntz.

Trivelli, A. P. H., silver sub-halides, A., ii, 1036.

Tröger, [Karl] Julius [Ludwig], and Bernhard Lindner, arylsulphonated acetonitriles; action of alkyl haloids arylsulphon-ethenylamidoximes and thioacetamides, A., i, 633.

Tröger, Julius, and O. Müller, azobenzene-p-hydrazinesulphonic resulting from the action of sulphur dioxide on diazobenzene sulphate and its condensation with aldehydes and ketones, A., i, 1025.

Tröger, Julius, and Adolf Prochnow, arylsulphonated acetonitriles. II. Condensation of the nitriles with aromatic aldehydes and with amyl nitrite and sodium ethoxide, A., i, 798.

Tropp, Willi. See Theodor Zincke. Trowbridge, John, phosphorescence produced by canal rays, A., ii, 246.

Trumbull, Robert S. See Frederick Jacob Alway.

Trummer, Josef, estimation of lactic acid; comparison of methods, A., ii, 905.

Trutzer, Emil. See Julius Meyer.

Tsakalotos, Demetrius E., the passage of hydrogen through a palladium septum, and the pressure which it produces, P., 208.

hydrates of the fatty acids, according to measurements of the viscosity of

their solutions, A., i, 498.

hydrates of the fatty acids, A., i, 598.

viscosities of binary mixtures of organic compounds; formation of molecular compounds in the liquid state. I. Mixtures of (a) acetone and chloroform, and (b) m-cresol with (1) aniline and (2) o-toluidine. II. Mixtures of pyridine with (1) acetic acid and (2) butyric acid, A., ii, 260.

Tsalapatini, L., detection of methylamines in the presence of ammonia, A., ii, 440.

Tschaplowitz, F., a shortened burette, A., ii, 981.

Wladimir, Tschelinzeff, reciprocal transformations of magnesium ammonium and magnesium oxonium compounds, A., i, 254.

Tschermak, Gustav, preparation of silicic acids, A., ii, 490.

Tscherne, Rudolf. See Josef Herzig.

Tscherniack, Jacob. See Alexis Bach. Tschernik, G. P., chemical constitution of a North American monazite sand, A., ii, 302.

chemical constitution of a specimen of aeschynite, A., ii, 399.

composition of parisite and malacone, A., ii, 862.

Tschirch, [Wilhelm Oswald] Alexander, and S. Gauchmann, glycrrhizic acid, A., i, 898.

Tschirch, Alexander, and Carl Leuchtenberger, a false euphorbium resin, A., i, 196.

resin of Pinus Jeffreyi, A., i, 196.

Tschirch, Alexander, and Johan F. A. Pool, barks of Rhamnus Frangula

and Rhamnus Purshiana, A., ii, 886. Tschirch, Alexander, and H. Rackwitz, West African copals, especially Angola and Cameroon copals, A., i, 96.

Tschitschibabin, Alexci E., p-benzhydryltetraphenylmethane, A., i, 624.

Tschitschibabin, Alexei E., preparation of hydrocarbons of the quinodimethane series and their derivatives, A., i, 872.

Tschugaeff, Leo A., investigations in the terpene and camphor series, A., i,

method for the determination of the configuration of a-dioximes, A., i,

complex compounds of organic disulphides, A., i, 615.

cobalt dioximines. III. New complex acid, A., i, 615. theory of mordant dyes, A., i,

669.

Tschugaeff, Leo A., and Luser Spiro, isomeric modifications of p-tolildioxime and their behaviour as to formation of complexes, A., i, 686.

Tsujimoto, Mitsumaru, composition of chrysalis oil (from silk-worms), A., ii,

Tsurasaki, H., the complex hemolysins. II., A., ii, 708.

Tsvett, M., pigment of yellow autumn leaves, A., i, 279.

is phosphorus an essential constituent of chlorophyllin ? A., i, 440.

acid derivatives of chlorophyllin, A.,

phæophytin and chlorophyllan with some concluding remarks on phylloxanthin, A., i, 668.

the nature of the so-called crystallisable chlorophyll ("metachlorophyllin"), A., i, 669.

a new system of the so-called chlorophyll derivatives, A., i, 669.

Tuck, William Bradshaw. See Edward Charles Cyril Baly.

Tucker, P. A. See Walter Rosenhain. Turnau, Richard, action of methyl iodide on 2:6-substituted pyridinecarboxylic acids, A., i, 912.

Turner, Maurice Russell. See William

Henry Perkin, jun. Turner, Thomas, transparent silver and other metallic films, A., ii, 1034. Turner, William Ernest Stephen.

Andrew Norman Meldrum.

Turrentine, J. W., action of ammonium persulphate on metals, A., ii, 104.

reversed electrolysis, A., ii, 804.

Tutin, Frank, the constitution of umbellulone. Part III., T., 252; P., 23.

Tutin, Frank. See also Frederick Belding Power.

Twiss, Douglas Frank. See Thomas Slater Price and Arthur Slator.

Tymstra, S., intramolecular rearrangement effected by fusion with potassium hydroxide; behaviour of chloro- $\mathbf{a}\mathbf{n}\mathbf{d}$ phenols bromophenols potassium hydroxide, zine chloride, zinc bromide, sulphuric acid, potassium carbonate, and potassium acetate, A., i, 262.

Tyndall, A. M. See A. P. Chattock.

U.

Uchiyama, S., influence of stimulating compounds on crops under different conditions, A., ii, 126.

manurial effect of calcium cyanamide under different conditions, A., ii, 128. manuring with bone dust, A., ii, 128.

Ulffers, Fritz, aluminium silicates, A., ii, 592.

Ullmann, Fritz, preparation of p-nitrodiphenylamine and its derivatives, A., i, 457.

preparation of p-aminodiphenylamine and its derivatives, A., i, 457.

preparation of aromatic o-nitroaminoderivatives, A., i, 626.

Ullmann, Fritz, Walter Bader, and Hans Labhardt, conversion of acridone into phenylacridine derivatives, A., i, 52.

Ullmann, Fritz, and Reiner Dahmen, diphenylamine derivatives, A., i, 975.

Ullmann, Fritz, and Matsuo Fukui, oamino-p-hydroxydiphenylamine, Λ ., i,

Ullmann, Fritz, and Meinrad Gschwind, the stilbene series, A., i, 622.

Ullmann, Fritz, and Géza Nádai, preparation of o-nitroamines from the corresponding phenol derivatives, A., i, 525.

Ulpiani, Celso, supposed ammoniacal fermentation of cyanamide, A., i, 859.

Ulrich, Gustav, [and, in part, Theodor Schmidt], reducing action of animal fibres, A., i, 377.

Ulrich, Karl. See Ludwig Haitinger. Ulzer, Ferdinand, and J. Batik, pre-paration of phosphoric esters from

phosphoric oxide and the diglycerides of fatty acids and their bromo- and iodo-derivatives, A., i, 599.

Ulzer, Ferdinand, J. Batik, and Rudolf Sommer, preparation of diacyl glycerides of the higher fatty acids, A., i, 310.

Underhill, Frank Pell, and Israel S. Kleiner, the influence of hydrazine on the intermediary metabolism of the dog, A., ii, 214.

mechanism of salt glycosuria, A., ii, 409.

Underhill, Frank Pell, and Tadasu Saiki, influence of thyroidectomy and thyroid feeding on intermediary meta-

bolism, A., ii, 962.
Upson, Fred W. See Samuel Avery.
Upton, George B., the iron-earbon equi-

librium, A., ii, 1042.

Urazoff, G. G., alloys of copper and magnesium, A., ii, 186.

Urbain, Georges, the nature of the phosphorescent elements and metaelements of Sir W. Crookes, A., ii,

lutecium and neo-ytterbium, A., ii,

ultra-violet spark spectrum of dysprosium and some remarkable magnetic properties of this element, A., ii, 446.

resolution of ytterbium into its components, A., ii, 849.

Urbain, Georges, and Gustav Jantsch, some compounds of terbium and of dysprosium, A., ii, 189.

Urbain, Georges. See also G. Griner. Urban, Josef. See Karl Andrlík.

Usher, Francis Lawry, solubility of nitric oxide in aqueous solutions of ferrous sulphate, nickel sulphate, cobalt sulphate, and manganese chloride, A., ii, 487.

Ustjanzeff, W., and G. Bogajewsky, the utilisation of the energy of provender as influenced by the temperature of the surroundings, and the nutritional condition of rabbits, A., ii, 962.

Utz, Franz, evaluation of pieric acid, A., ii, 233.

٧.

Vaillant, *Pierre*, evaporation of water and solutions of sulphuric acid, A., ii, 460.

Valente, E. See Giacomo Ponzio.

Valeur, Amand, sparteine; transformation of isosparteine into α-methylsparteine, A., i, 736.

sparteine; new method of ring-formation of a-methylsparteine by the action of iodine, A., i, 1006.

Valeur, Amand. See also Charles Moureu.

Vallée, Cyrille, phenyl-, naphthyl-, and menthyl-carbinides, A., i, 976.

Vandam, L., detection of fluorine compounds in wines, A., ii, 63, 775.

Vandevelde, Albert Jacques Joseph, the chemical haemolysins. III. and IV., A., ii, 49, 512.

Vandevelde, Albert Jacques Joseph, the protein hydrolysis of cows' milk, A., ii, 211.

constitution of aqueous solutions, and the influence of salts on alcoholic fermentation, A., ii, 216.

reactions in solutions of different salts, but with the same ions, A., ii, 571.

the ferment which destroys lactose in milk, A., ii, 714.

Vandevelde, Albert Jacques Joseph.

also II. de Waele. Vanino, Ludwig, formation aldehydes, A., i, 318.

action of sugars on gold chloride solutions, Λ ., ii, 504.

Vanzetti, Bartolo Lino, electrolytic decomposition of dicarboxylic organic acids; pimelie acid, A., i, 939.

diffusion of electrolytes in aqueous solutions and in gelatin, A., ii, 20, 88.

hydrolysis of salts in solution; lecture experiment, A., ii, 805.

catalytic reactions and photochemical equilibria, A., ii, 915.

Varanini, Mario, therapeutic value of methyl benzoylsalicylate (benzosalin), A., ii, 520.

Varrier-Jones, P. C., effect of strychnine on muscular work, A., ii, 313.

Vasiliu, Haralamb, parent substance of the hippuric acid produced in animals, A., ii, 211.

W, R. See Harry Clary Veazey, Jones.

Veit, Theo. See Edgar Wedekind.

Veley, Victor Herbert, the affinity constants of bases as determined by the aid of methyl-orange, T., 652, 2122; P., 50, 238.

the affinity of certain alkaloids for hydrochloric acid, T., 2114; P., 234; discussion, P., 235. the affinity values of tropine and its

derivatives, P., 280.

hydrolysis as illustrated by heats of neutralisation, A., ii, 813.

Velich, K. See Karl Andrlík.

Venditori, Domenico, behaviour of chlorates and perchlorates during reduction, A., ii, 63.

Venditori, Domenico. See also Ugo Alvisi.

Verein Chemischer Fabriken in Mannheim, preparation of anhydrous sodium thiosulphate and hydrosulphide, A., ii, 689.

Vereinigte Chininfabriken Zimmer & Co., preparation of bornyl borate, A., i, $\bar{3}51.$

Vernadsky, Wladimir I., vorobyevite and the chemical structure of beryls, A., ii, 955.

Vernon, Horace Middleton, tissue respiration in perfused kidneys, A., ii, 53.

Verploegh, H. See C. J. C. van Hoogen-

Vèzes, Maurice, the preparation of alkali iridiochlorides, A., ii, 703.

Vidal, Raymond, quinone formation, A., i, 902.

Vieweg, Walther, action of cold aqueous sodium hydroxide on cellulose. A., i, 857.

Vignon, Léo, trisbenzeneazophenol, A., i, 1025.

relation between the composition of coal and the amounts of carbon monoxide and dioxide contained in gas distilled from it, A., ii, 177.

heat of Vignon, Léo, and Evieux, neutralisation of acetic and benzoic acids by aniline in benzene solution, A., ii, 664.

heat of neutralisation of picric acid by different aromatic bases in benzene

solution, A., ii, 664.
Vigouroux, Emile, action of arsenic trichloride on nickel and the arseniconickels, A., ii, 855.

Vigreux, Henri, receiver for fractional distillation under reduced pressure, A., ii, 462.

a new aspirating reflux condenser, A.,

a new aspirating condenser and recuperator for rapid evaporations, A., ii, 938. Viguier. See Robert Lespieau.

Vila, Antony. See Alexandre Etard. Ville, Jules, and W. Mestrezat, the nitrites of the saliva and their origin, A., ii, 310.

Vinson, Albert E., endo- and ekto-invertase of the date, A., ii, 418, 724.

Vintilesco, J. See Emile Bourquelot. Virgin, Erik J., Pringsheim's method for estimating chlorine, bromine, and iodine in organic compounds, A., ii, 1070.

Visser, H. L. See Eduard August Klobbie.

Vitali, Dioscoride, abrastol, A., ii, 642. Vitek, Eugen. See Julius Stoklasa.

Vivck, Paul. See Otto Wallach.

Voelcker, John Augustus, pot culture experiments, 1906-7, A., ii, 622. Völtz, W., and G. Yakuwa, the value

of amides in Carnivora, A., ii, 207. Vogel, Rudolf, and Gustav Tammann, vanadium-iron alloys, A., ii, 502.

Vogelsang, J. See Hermann Thoms.

Vogt, P. See Fritz Haber.

Vogt, Wilhelm. See Adolf Windaus.

Voigt, Paul R. See Alfred Stock.

Voigt, Waldemar, and K. Honda, natural and magnetic rotation of the plane of polarisation in crystals, A., ii, 912.

Volchonsky, E. D., equilibrium of two substances in a mixed binary solvent, A., ii, 934.

Volcy-Boucher, new differential reactions of the naphthols, A., ii, 990.

Voldere, Georges de, improvements in Hempel's gas-analysis apparatus, A., . ii, 61.

Voldere, Georges de, and Willem de Smet, gas analyses, A., ii, 425.

Volkmann, Karl Theodor. See Max Trautz.

Volschin, V., conditions of equilibrium in the systems, ferric chloride-potassium ferrocyanide—water, A., ii, 468.

Vondrasek, Jos., the quantitative relations of the thalleoquinine reactions, A., ii, 997.

Vongerichten, Eduard, and C. Höfchen, constitution of cyanine dyes, A., i, 914.

Voorhees, Edward Burnett, Jacob G. Lipman, and Percy E. Brown, chemical and bacteriological effects of liming, A., ii, 317.

Vorländer, Daniel, polymorphism of liquids, A., ii, 22.

crystal-systems and optical interference-figures of liquid crystals, A.,

Vorländer, Daniel, [with W. Kasten], clear, transparent, crystalline liquids, A., i, 641.

Vorster, W. See Paul Pfeiffer.

Voss, G., alloys of nickel with tin, lead, thallium, bismuth, chromium, magnesium, zinc, and cadmium, A., ii, 194.

Vries, Henri Johan Frederik de, estimation of potassium by the platinichloride method, A., ii, 430, 534.

Vries, O. de, deduction of the stoicheiometric laws, A., ii, 366.

Vuilleumier, V. See Heinrich Brunner.

Wachsmuth, Johannes, thermal conductivity of mixtures of argon and helium, A., ii, 351.

Wacker, Leonhard, colorimetric method of determining the molecular size of carbohydrates (qualitative demonstration of aldehydes, alcohols, and carbohydrates), A., i, 135.

[physiological] action of substances of the saponin group, A., ii, 771.

Wacker, Leonhard. See also Emil Abderhalden.

Waele, H. de, and Albert Jacques Joseph Vandevelde, can the existence of an anticatalase be demonstrated? A., i, 491.

Wagner. See Determeyer.

Wagner, H. See Karl A. Hofmann.

Wagner, Max, influence of different manurial conditions on the assimilation of nutrients and the structure of plants, A., ii, 1066.

Wagner, Paul, G. Hamann, and A. Munzinger, manurial experiments with sodium nitrate, ammonium salts, and calcium cyanamide, A., ii, 622.

Wagner, Ph., cheiroline, an alkaloid containing sulphur, A., i, 202.

Wahl, André [R.], ethyl dioximinosuccinate; action of nitric acid on ethyl dioximinosuccinate, A., i, 140.

Wahl, André, and André Meyer, some derivatives of phenyliso-oxazolone, A., i, 368.

esters of hexahydrobenzoylacetic acid, A., i, 890.

Wahl, André, [with Yoshisaka], preparation of benzoylacetic esters, A., i, 647.

Wake, Ernest, and Harry Ingle, the iodine value of the phenols, A., i, 416.

Wakeman, Alfred J., [amount of] arginine, lysine, and histidine in the hydrolytic products of various animal tissues, A., ii, 209.

Wald, Franz, are the stoicheiometrical laws intelligible without the atomic hypothesis? A., ii, 367.

new views on chemical processes, A., ii, 478.

deduction of stoicheiometric laws, A., ii, 681.

Walden, den, Paul, organic solvent and ionising media. X. Solvent power and dielectric constant, A., ii, 159.

heat of fusion, specific cohesion, and molecular weight at the melting

point, A., ii, 1014.

Walden, Percy T., dissociation pressures of ferric oxide, A., ii, 852.

Walder, Emil. See Robert Gnehm.

Waldmüller, Martin. See Wilhelm Wislicenus.

Walker, C. E., and Alice L. Embleton, nucleoli of Hydra fusca, A., ii, 868.

Walker, Thomas Leonard, tungstite and meymacite, A., ii, 507.

Wallace, George Barclay. See Alfred Newton Richards.

Wallace, (Miss) Marion Love. See James Frederick Spencer.

XCIV. 11.

Wallach, Otto, terpenes and ethereal oils. XCI., A., i, 425.

terpenes and ethereal oils. XCIII. Resolution of linkings by addition of water to terpene compounds, A., i, 429.

terpenes and ethereal oils. XCVI. Terpinene and its modifications, A., i, 813.

terpenes and ethereal oils. XCVII. Synthesis of fenchene β -pinene, camphene, and camphor from nopinone, A., i, 997.

Wallach, Otto, [with Edgar Evans, Paul Mendelssohn-Bartholdy, Churchill, Mahlon Rentschler, and Heinrich Mallison], terpenes ethereal oils. XCII. Preparation of cyclic hydrocarbons with semicyclic linkings and their use in new syntheses, A., i, 402.

Wallach, Otto, [with Richard Heyer], terpenes and ethereal oils. XC., A., i, 424.

Wallach, Otto, Heinrich Mallison, and K. Martius, condensation products of cyclic ketones with aromatic aldehydes, A., i, 424.

Wallach, Otto, [with Fritz Meister and Richard Heyer], terpenes and ethereal XCV. Alcohols of the terpinene series (terpinenols), A., i, 811.

Wallach, Otto, [with Paul Vivck], terpenes and ethereal oils. XCIV. The fenchone series, A., i, 809.

Waller, Augustus Désiré, action of aconitine on nerve fibres, A., ii, 55.. chloroform balance, A., ii, 541.

Walter, Bernhard [LudwigJohannHeinrich], band spectrum of calcium fluoride, A., ii, 336.

volatilisation of cathodes in attenuated gases, A., ii, 925.

Walter, Paul. See Richard Anschütz. Walton, James H., jun., and Herman A. Scholz, decomposition of certain minerals and industrial products by means of sodium peroxide and metallic sulphides, A., ii, 732.

Warburg, Emil [Gabriel], and G. Leithäuser, analysis of the oxides of nitrogen by means of their ultra-red absorption spectra, A., ii, 175.

Warburg, Otto, oxidation processes in echinoderm eggs, A., ii, 963.

Warington, Robert, obituary notice of, T., 2258.

Warren, C. M. See W. Elborne.

Warren, Charles Hyde. See Benjamin L. Johnson and Charles Palache.

Wartenberg, H. von, calculation of hydrocarbon equilibria, A., ii, 26, 676.

Wartenberg, H. von, vapour density determinations at very high temperatures, A., ii, 86.

Warynski, T., and B. Mdivani, stannometric estimation of alkali vanadates, A., ii, 636.

simultaneous volumetric estimation of iron and vanadium [in ferro-vanadium], A., ii, 736.

reduction of vanadic acid by potassium

iodide, A., ii, 953. Warynski, T., and P. Tcheichvili, reduction of solutions of potassium permanganate acidified with sulphuric acid in the presence of mineral salts, A., ii, 936.

Waschata, R. See Franz Wilhelm Dafert.

Washburn, Edward W., theory and practice of the iodometric estimation of arsenious acid, A., ii, 363.

improved apparatus for the measure-ment of transference numbers in solutions of the halogen acids and their salts, A., ii, 805. determination of the hydration of ions

by transference; experiments in the presence of a non-electrolyte, A., ii,

Washington, Henry S., and Fred. Eugene Wright, kaersutite from Linosa and Greenland, A., ii, 863.

Wassilieff, N., protein formation in ripening seeds, A., ii, 976.

Watson, Herbert Edmeston, spectrum of the lighter constituents of air, A., ii, 786. variation of the rate of disinfection

with change in the concentration of the disinfectant, A., ii, 976.

Watson, Herbert Edmeston. See also Edward Charles Cyril Baly.

Watt, Henry Edgar, estimation of orcinol in Orchella "weed," A., ii, 739.

Watteville, Charles de. See Antoine de Gramont and Gustave Adolphe Hemsalech.

Watts, Francis, and Harold Augustine Tempany, the polarimetric determination of sucrose; the effect of clarification with basic lead acetate on the optical activity and copper reducing power of sugar solutions, A., ii, 236.

the keeping power of Fehling's solu-tion, and the volumetric process of estimating reducing sugars with it,

A., ii, 437.

Weber, H. C. P., preparation of chloroplatinic acid by electrolysis of platinum black, A., ii, 391.

Weber, H. C. P.See also William Albert Noyes.

Weber, J., polymorphous substances, A., ii, 302.

Weber, Rudolf H. See Friedrich Kohlrausch.

Webster, T. A. See Maximilian Nierenstein.

Webster, W., physiological action of atropine and allied alkaloids, A., ii, 412.

Wechsler, Elkan. See Reginald William Lane Clarke.

Wedekind, Edgar [Leon Waldemar Otto], quaternary phenacylammonium salts, A., i, 878.

natural zirconium oxide free from iron, A., ii, 1046.

Wedekind, Edgar, and Johannes Haeussermann, pyronone syntheses by means of the "tertiary bases reaction." I., A., i, 671.

Wedekind, Edgar, and Samuel Judd Lewis, studies on zirconium, P., 170.

colloidal zirconium, A., ii, 501.

Wedekind, Edgar, and F. Paschke,
mechanism of the autoracemisation of optically active ammonium salts and the state of quaternary ammonium salts in solution, A., i, 722.

Wedekind, Edgar, [with Martin Rödiger], santonin. X. Bromination of santonin,

A., i, 183.

Wedekind, Edgar, and Theo. Veit, ferromagnetic nitrogen compounds of man-

ganese, A., ii, 1041.

Wedekind, Edgar, and Otto Wedekind, asymmetric nitrogen. XXXI. Stereoisomerism resulting from the combination of asymmetric nitrogen with asymmetric carbon and the problem of the asymmetric synthesis of ammonium bases, A., i, 258.

Wedekind, Edgar, Otto Wedekind, and F. Paschke, asymmetric nitrogen. XXXII. Dependence of the velocity of racemisation of optically active ammonium salts on the nature of the

anion, A., i, 334.

Wedekind, Otto. See Edgar Wedekind. Wedekind & Co., R., preparation of dichloroanthraflavic acid, A., i, 192. preparation of as-dihydroxyanthraquinones and as-hydroxyanthraquinonesulphonic acids, A., i, 661.

Weed, L. H. See Frank Austin Gooch and Isaac King Phelps.

Weehuizen, F., indole in flowers, A., ii, 1065.

Weerman, R. A., action of potassium hypochlorite on cinnamamide. A., i, 22.

Wegelius, Henrik, effect of concentration on the temperature of maximum electrolytic conductivity of weak electrolytes with negative heat of dissociation, A., ii, 801.

Wegscheider, Rudolf [Franz Johann], theory of the saponification of the glycerides, A., i, 499; ii,

165.

esterification of unsymmetrical diand poly-basic acids. XIX. Esterification of phthalonic acid, A., i,

esterification of unsymmetrical diand poly-basic acids. XX. Methyl esters of 3-nitrophalic acid, A., i,

reactivity of undissociated electrolytes, A., ii, 265.

ionisation constants of the secondary hydrogen ion of dibasic acids, A., ii, 1009.

Wegscheider, Rudolf, and Heinrich Gehringer, esterification of unsymmetrical di- and poly-basic acids. XVIII. Esterification of dibasic acids by diazomethane, A., i, 792.

Wegscheider, Rudolf, Noe L. Müller, and Eduard Chiari, nitration of opianic esters and derivatives of nitro-opianic

acid, A., i, 896.

Wegscheider, Rudolf, and Peter von Rušnov, [with Leo Kusy von Dubrav], esterification of unsymmetrical di- and poly-basic acids. XXI. Nitrohemipinic acid, A., i, 793.

Wegscheider, Rudolf, [with A. Schugowitsch], change of colour of phenol-

phthalein, A., ii, 806.

Wegscheider, Rudolf, and Hugo Strauch, esterification of unsymmetrical di- and poly-basic acids. XXII. Isomerism of methyl nitrohemipinates, A., i, 794.

Wehnelt, Arthur [Rudolph Berthold], Wehnelt cathode in high vacua, A., ii,

Weichhold, Oskar. See Emil Fischer.

Weigert, Fritz, protochemical reactions. II. Gaseous reactions which are photochemically sensitised; a theory of the catalytic influence of light, A., ii, 5.

thermodynamic treatment of photochemical processes, A., ii, 748.

photochemical reactions. III. Decomposition of ozone by light, A., ii, 914.

Weil, Hugo, preparation of aromatic ohydroxyaldehydes, A., i, 800.

Weil, Lotte, p-dimethylaminocinnamic acid, A., i, 982.

Weimarn, P. P. von, colloidal, amorphous, and crystalline states, A., ii, 90.

the crystalline state as a general pro-

perty of matter, A., ii, 263. modification of Wolfgang Ostwald's system of colloids, A., ii, 820.

preparation of colloidal amorphous forms of crystalline and soluble salts of the alkaline-earth metals, A., ii,

liquid-crystalline state as a general property of matter, A., ii, 1023.

Weingarten, Fred S., and Burrill B. Crohn, influence of internal hæmorrhage on protein metabolism, A., ii, 710.

Weiniger, E. See Georg Lockemann. Weinland, Rudolf Friedrich, salts of an

acetatochromo-base, A., i, 847. Weinland, Rudolf Friedrich, and F.

Reischle, hydrofluorides of some, in part very weak, organic bases, A., i, 974.

Weinland, Rudolf Friedrich, and Theodor Schumann, chromium chlorosulphate, A., ii, 595.

Weinschenk, Arthur, behaviour of gelatin solutions towards naphthols or mixtures of naphthols with formaldehyde, A., i, 377.

Weisberg, Julius, a lævorotatory substance found in altered beetroot, A., i, 505.

Weiss, Eugen. See Fritz Fichter.

Weiss, Pierre, and Paul N. Beck, specific heat and molecular magnetic field of ferromagnetic substances, A., ii, 659.

Weiss, Pierre. See also A. Cotton.

Weissgerber, Rudolf, sodium derivative of fluorene, A., i, 873.

Weisweiller, Gustave. See Gabriel Bertrand.

Weitzenböck. Richard. See HugoSchrötter.

Weitzner, Emil, dimethylglycoluril and β-methylhydantoin, A., i, 841.

Weizmann, Charles. See William Henry Bentlev.

Welker, William H., influence of potassium cyanide on nitrogen excretion in dogs, A., ii, 411.

Welker, William H. See also Louis

Hussakof.

Weller, Arnold. See Emil Fromm.

Wellmann, O., metabolism of calcium, magnesium, and phosphorus during inanition, A., ii, 306.

Wells, A. A., and Grant S. Reeder, fruit of Celastrus scandens and Solanum dulcamarum, A., ii, 58.

Wells, Harry Gideon, fats and lipoids of malignant hypernephromas, A., ii,

the liver in chloroform necrosis (delayed chloroform poisoning), A., ii, 974.

Wells, Horace Lemuel. See George Samuel Jamieson.

Welsbach, Carl Auer von, resolution of ytterbium into its elements, A., ii, 591.

Welsch, A. See Adolf Windaus.

Wendel, Adolf. See Felix Ehrlich. Wenzel, Franz. See Franz Haiser.

Werner, Alfred, theory of mordant dyes, A., i, 669.

1:2-dichlorotetramminecobalt salts; ammoniovioleo-salts, A., ii, 42.

complex metal ammonia derivatives. $\begin{array}{ll} \hline {\bf VI.} & {\bf Octammine}\text{-}\mu\text{-}annino\text{-}ol\text{-}dicobalt} \\ {\bf salts} & {\bf \left[(NH_3)_4CO..._{OH_2}^{NH_2}.CO(NH_3)_4\right]}X_4, \end{array}$ A., ii, 42.

iodopentamminecobalt salts, A., ii, 950.

Werner, Alfred, [and, in part, Emil Bindschedler and Adolf Grun], complex metal ammonia compounds. VII. Hexamminetrioldicobalt salts, A., ii,

Werner, Alfred, [with Johann Jovanovits, Gabriel Aschkinasy, and Josef Posselt], metallic salts of organic acids. I. Formates and acetates of

chromium, A., i, 935.
Werner, Alfred, [with Ernst Thomann],

theory of mordant dyes, A., i, 440. Wersilowa, M. A. See E. S. London. Wesch, Alfred. See Ernst Hermann Riesenfeld.

Wesendonk, Karl von, the Swan spectrum, A., ii, 241.

Westenryk, N. van, reaction of the blood after intravenous injection of acid and alkali, A., ii, 1048.

Weston, Frank Edwin, explosive crystallisation, A., ii, 759.

Weston, Frank Edwin, and Henry Russel Ellis, action of aluminium powder on silica and boric anhydride, A., ii, 385.

interaction of aluminium powder and carbon, A., ii, 849.

Weston, Frank Edwin, and C. Jeffreys, detection of sodium sulphite in the presence of sulphate and thiosulphate, A., ii, 320.

Weyberg, Zygmunt, the alumino-silicate, $K_2AI_2SiO_6$, A., ii, 697.

potassium alumino-silicate. K₂Al₂Si₂O₈, A., ii, 697. sodium chromisilicates, A., ii, 857.

Wheeler, Alvin Sawyer, [with C. W. Miller, W. S. Dickson, and Strowd Jordan, condensation of chloral with primary aromatic amines. II., A., i, 332.

Wheeler, Edward. See Henry Edward Armstrong.

Wheeler, Henry Lord, and Samuel Hopkins Clapp, halogen amino-acids; 3:5-dibromophenylalanine, A., i, 897. halogen amino-acids; p-iodophenylalanine, A., i, 981.

Wheeler, Henry Lord, and George Samuel Jamieson, picrolonates. VII.

Guanidines, A., i, 253.

Wheeler, Henry Lord, and Carl Oscar Johns, pyrimidines. XXXVI. Synthesis of cytosine-5-carboxylamide, A., i, 838.

Wheeler, Henry Lord, and Leonard M. Liddle, pyrimidines. XXXI. Synthesis of uracil-3-acetic acid, A., i,

pyrimidines. XXXII. Synthesis

uracil-4-acetic acid, A., i, 693. Wheeler, Homer Jay. See Burt Laws Hartwell.

Wheeler, Richard Vernon. See William Arthur Bone.

Whetham, W. C. Dampier, and H. H. Paine, electrolytic properties of dilute solutions of sulphuric acid, A., ii,

White, Charles Powell, so-called fatty degeneration of the suprarenal, A., ii, 968.

erystals in tumours, A., ii, 972.

Whiteley, (Miss) Martha Annie, liberation of iodine from hydriodic acid by certain halogenated malonyl deriva-

tives, P., 288.
Whitman, W. G., and Henry Clapp Sherman, effect of pasteurisation on the development of ammonia in milk, A., ii, 881.

Whitney, James Lyman. See Wilhelm Falta.

Whittaker, E. T., theory of capillarity, A., ii, 817.

Whymper, Robert. See Robert John Caldwell.

Wibaut, J. P. See Andreas Smits. Wichern, G. See Wilhelm Meigen.

Wichern, Heinrich, estimation of the reducing power of bacteria and animal organs, A., ii, 1063.

Widdows, (Miss) Sibyl T. See William Hobson Mills.

Widemann, Max, apparatus for the estimation of carbon in iron, A., ii,

Widmann, Karl Th. See Julius Schmidt.

Wiechowski, Wilhelm, the importance of allantoin in uric acid metabolism, A., ii, 119.

Wiegand, Otto, and M. Lehmann, estimation of cineol (eucalyptol) in eucalyptus oils, A., ii, 233.

Wiegner, G. See Arthur Hantzsch. Wieland, Heinrich, decomposition of tetra-arylhydrazines. IV., A., i, 1014.

aromatic tetrazens. V., A., i, 1026. Wieland, Heinrich, and Erwin Gmelin, indigotin group, A., i, 1013.

Wieland, Heinrich, and Leopold Semper, constitution of the glyoxime peroxides, A., i, 108.

Wieland, Heinrich, and Hans Stenzl, phenylisocrotophenone, A., i, 35.

addition of the higher oxides to doubly unsaturated hydrocarbons; a new case of addition in the 1:4-position, A., i, 517.

Wieler, Arwed, the action of sulphur dioxide on plants, A., ii, 887.

Wien, Wilhelm, nature of the positive rays, A., ii, 1006.

Wiener, Joseph. See Karl Bernhard Lehmann

Wigand, Albert, Dulong and Petit's law, A., ii, 13.

statics and kinetics of the transition which occurs in liquid sulphur; heat of fusion of monoclinic sulphur, A., ii, 677.

electrical conductivity of liquid sulphur. A., ii, 800.

Wilcox, Burton B. See William Maurice Dehn.

Wilcox, W. G. See Ebenezer Henry Archibald.

Wild, A. See Louis Pelet-Jolivet.

Wilde, Henry, the atomic weight of radium, A., ii, 141.

atomic weight of radium and other elementary substances, A., ii, 1027.

Wildt, Edwin. See Gustav Frerichs. Wildt, J. C. de Ruyter de. See Bouwe Sjollema.

Wilk, Leopold. See Viktor Zailer. Wilke, Ernst. See Georg Bredig.

Wilkinson, W. Percy, and Ernest R. C. Peters, a new reaction for distinguishing between heated and unheated milk, and for the detection of hydrogen peroxide in milk, A., ii, 907.

detection of hydrogen peroxide in milk, A., ii, 1069.

Will, [Carl] Wilhelm, [with Haanen and Stöhrer], glyceryl nitrates, A., i, 384. Willcock, (Miss) Edith Gertrude, crystalline egg-albumin, A., i, 485.

W., decomposition Willcox, Oswincurves of some nitrocelluloses of American manufacture, A., i, 606.

Willert, Walter. See August Michaelis. Willgerodt, [Heinrich] Conrad [Christoph], three lecture experiments on the preparation of iodochlorides and iodoxy- and iodonium-compounds, A., i. 408.

Willgerodt, Conrad, and Rudolf Gartner, derivatives of 2 iodo-p toluidine and 2-iodo-4-nitrobenzoic acid containing uni- and ter-valent iodine, A., i, 876.

Willgerodt, Conrad, and B. R. Kok, derivatives of 2-iodo-4-nitrotoluene with polyvalent iodine, A., i, 620.

Williams, Elrick. See William Maurice Dehn.

Williams, Leon Franklin. Bishop Tingle. See John

Williams, Owen Thomas, microchemical changes occurring in appendicitis, A., ii, 1057.

Willke, Johannes. See Karl Bernhard Lehmann.

Willner, Kurt. See Kurt Arndt.

Willstätter, Richard [Martin], and Max VI. Crystalline Benz, chlorophyll. chlorophyll, A., i, 199.

Willstätter, Richard, and James Bruce, constitution of cyclobutene, A., i, 402. illstätter, Richard, and Tokuhei

Willstätter, Kametaka, cyclo-octane and cyclo-heptane, A., i, 401. illstätter Richard, and Heinrich

Willstätter Kubli, reduction of nitro-compounds by Zinin's method, A., i, 522.

Willstätter, Richard, and Erwin W. Mayer, reduction with platinum and hydrogen at the ordinary temperature. I., A., i, 383.

reduction with platinum and hydrogen. II. Dihydrocholesterol, A., i, 636.

Willstätter, Richard, and Fritz Müller, quinonoid compounds. XVI. Two forms of o-quinones, A., i, 731.

Willstätter, Richard, \mathbf{and} AdolfPfannenstiel, chlorophyll. V. Rhodophyllin, A., i. 198.

Willstätter, Richard, and Jean Piccard, quinonoid compounds. XV. Wurster's dye salts, A., i, 475.

quinonoid compounds. XVII. meri-Quinoneimines. II., A., i, 915. Wilsmore, Norman Thomas Mortimer, and Alfred Walter Stewart, keten, A., i, 318.

Wilsmore, Norman Thomas Mortimer. See also (Miss) Frances Chick and Frederick Murray Godschall Johnson.

Wilson, F. B. See Frederick Hutton Getman.

Wilson, John Hunt. See Gregory Paul Baxter.

Wilson, R. A. See Wilhelm Cramer. Wilson, Robert William. See Albert Ernest Dunstan.

Winans, Paul, preparation of nitrogen peroxide, A., ii, 487.

Windaus, Adolf, cholesterol. XI., A., i, 264, 728. X. and

Windaus, Adolf, and Wilhelm Vogt, achloro-\(\beta\)-iminazolylpropionic acid, A.,

i, 694. Windaus, Adolf, and A. Welsch, resin of Antiaris toxicaria, A., i,

Windisch, Wilhelm, phosphoric acid in barley, A., ii, 528.

Winiwarter, E. von. See Lucien Louis de Koninck.

Winogradoff, N. See Alex. Bogojawlensky.

Winterberg, Heinrich, influence of certain poisons in the fibrillary contraction of the heart, A., ii, $_{
m the}$ fibrillary

Winterfeld, G. See David Holde.

Winterstein, Ernst [Heinrich], and O. Hiestand, vegetable phosphatides. II., A., ii, 218.

Winterstein, Hans, respiratory meta-bolism of the isolated spinal cord of

the frog, A., ii, 509. Winzheimer, Erich, identity of methysticol and piperonyleneacetone, A., i, 656.

kawa root [of Piper methysticum], A.,

Wirth, Fritz, transition concentrations. I. Conversion of lanthanum oxalate into sulphate by sulphuric acid, A., ii,

Wirth, Fritz. See also Hugo Erdmann and Otto Hauser.

Wislicenus, Hans, fibre-like developed alumina (fibre-alumina) and its surface actions (adsorption), A., ii,

filtration apparatus, A., ii, 576.

Wislicenus, Wilhelm, and Paul Berg, desmotropy and fluorescence of ethyl oxalosuccinonitrile, A., i, 965.

Wislicenus, Wilhelm, andMartin Waldmüller, condensation of fluorene with alkyl nitrites and nitrates by means of potassium ethoxide, A., i, 973.

Withrow, James R., influence of temperature on the electrolytic precipitation of copper from nitric acid, A., ii, 432.

Witt. Otto Nikolaus, and Erhard Witte. nitration of aniline and its derivatives, A., i, 874.

Witt, Reinhold. See Hugo Schrötter.

Witte, A. See Walther Borsche.

See Otto Nikolaus Witte, Erhard. Witt.

Witte, Karl. See Richard Meyer.

Wittmann, J. See Emil Fromm. Witzmann, W. See Lothar Wöhler.

Wöhler, Lothar, and W. Becker, colour

and composition of Guignet's green, A., ii, 765. Wöhler, Lothar, and C. Condrea,

different colours of ferric oxide, an effect of the size of the grains, A., ii,

Wöhler, Lothar, and Friedrich Martin, new stage of oxidation of palladium, A., ii, 392.

Wöhler, Lothar, W. Plüddemann, and Paul Wöhler, new method for determining the tension of sulphates, A., ii, 290.

sulphuric acid contact process, A., ii, 581.

Wöhler, Lothar, and W. Witzmann, oxides of iridium, A., ii, 300. solid solutions in the dissociation of iridium oxides, A., ii, 301.

Wöhler, Lothar, and Paul Wöhler, dissociation of chromium oxides and of the double oxides of chromium and copper, A., ii, 387.

Wöhler, Paul. See Lothar Wöhler. Wölbling, Hans, nitrogen sulphide, A., ii, 272

Woelfel, Albert, distribution of the salts in hæmolysins, A., ii, 402.

Wörner, Emil, bismuth cholate, A., i,

estimation of phosphorus in phosphorised oils, A., ii, 629.

simple arrangement for continuous extraction with a solvent of inconstant boiling point, A., ii, 681.

estimation of phosphoric acid in foods, A., ii, 732.

Wogau, Max von, calculation of the diffusion constants of non-electrolytes in solution, A., ii, 817.

Wohl, Alfred, aminoacetals and aminoaldehydes, A., i, 46.

Wohl, Alfred, and E. Grosse, a tertiary triacetal base and arecaidinealdehyde, A., i, 49.

Wohl, Alfred, and A. Johnson, arecaid-

ine and arecoline, A., i, 49.

Wohl, Alfred, and M. Lange, anilinoacetal, A., i, 17. synthesis of lactaldehyde, A., i, 943.

Wohl, Alfred, and M. S. Losanitsch, tetrahydropyridine-3-aldehyde and piperidine-3-aldehyde, A., i, 46.

synthesis of the racemic cincholeuponic acids, A., i, 47.

1-ethylnipecotinic acid and ω-amino-1-ethyl-\$-pipecoline, A., i, 50.

 α -methylallyl alcohol ($\Delta \alpha$ -buten- γ -ol),

A., i, 934.

Wohl, Alfred, [with Hugo Schweitzer, A. Köppen, Heinrich Roth, and M. Lange], the tricarbon series, A., i, 941. Wohlers, Hans Emil, adsorption pheno-

mena of inorganic salts, A., ii, 819. Wohlgemuth, Julius, investigation of diastases, A., ii, 403.

a new method for estimating diastatic

ferments, A., ii, 444.

Wohlgemuth, Julius. See also Ernst Fuld.

Woithe, improved pipette, A., ii, 827. Wolf, Charles George Lewis, and Philip A. Shaffer, [with Emil Österberg and Michael Somogyi], protein metabolism

in cystinuria, A., ii, 717.

Wolf, Charles George Lewis. See also Adolf Loewy, W. McKim Marriott,

and Emil Osterberg.

Wolff, A. See Richard Wolffenstein. Wolff, Jules, some mineral salts which play the part of peroxydases, A., i, 137.

some artificial peroxydiastases; the important rôle of iron in their

action, A., i, 490. detection of methyl alcohol in fermented liquids, A., ii, 72.

artificial peroxydiastases, A., ii, 573. some oxydasic phenomena produced by colloidal ferrous ferrocyanide, A., ii, 1022.

Wolff, Jules, and E. de Stoeklin, influence of certain iron compounds and of peroxydases on the catalysis of hydriodic acid by hydrogen peroxide, A., i, 746.

Wolff, Jules. See also C. Gessard.

Wolff, Ludwig, and Wilhelm Schreiner, lactones of the pyrazole series, A., i, 291.

Wolffenstein, Richard, preparation of perhydroxide bases and their salts, Ā., ii, 830.

Wolffenstein, Richard, and O. Böters, preparation of aromatic hydroxylated

nitro-compounds, A., i, 629. Wolffenstein, Richard, and Mamlock, atropine, A., i, 281. Leonard

Wolffenstein, Richard, and Erich Peltner, percarbonates, A., ii, 180. barium percarbonate [barium dioxide carbonate], A., ii, 183.

Wolffenstein, Richard, and Johannes Rolle, halogen-substituted tropeines, A., i, 282.

Wolffenstein, Richard, and A. Wolff, pseudomorphism of organic persulphates, A., i, 283.

Wolffenstein, Richard. See also T. Kumagai.

Wolgast, Karl. See Max Bodenstein. Wologdine, S. See Henri Le Chatelier.

Wolter, Ludwig, preparation and properties of zirconium tetrafluoride, A.,

generation of oxygen in a Kipp's ap-

paratus, A., ii, 1028.

Wolter, Ludwig. See also Friedrich Willy Hinrichsen.

Woltereck, Herman Charles, synthesis of ammonia and of hydrogen cyanide, A., i, 400.

synthesis of ammonia, A., ii, 174.

temperature of dissociation of ammonia and of carbon monoxide, A., ii, 820.

C., modification of Wood. HoratioSoxhlet $_{
m the}$ extractor, A.,

Wood, John Kerfoot, amphoteric metallic Part I., T., 411; P., hydroxides. 15.

Wood, Robert Williams, the existence of positive electrons in the sodium atom, A., ii, 150.

anomalous magnetic rotary dispersion of neodymium, A., ii, 244.

the resonance spectra of sodium vapour, A., ii, 546.

Woodbridge, R. G., jun. See Forris J.

Woodhams, Edwin LeGrand. ward DeMille Campbell.

Woodhouse, John Obins. See William Robert Lang.

Woodiwiss, $\bar{G}eorge$, chemical elements; periodicity, weight, and valency, A., ii, 368.

non-metallic elements in connexion with valency and specific gravity, A., ii, 574.

Woodman, Alpheus Grant, and A. L. Burwell, detection of formic acid in foods, A., ii, 639.

Woodman, Alpheus Grant, and E. F. colorimetric estimation of benzaldehyde in almond extracts, A., ii, 1079.

Woog, Paul. See Léon Brunel. Woolley, W. J., temperature-coefficient of rate of conduction and latent period in muscle, A., ii, 711. ootton, Fred. See

See John Kenneth Wootton. Harold Inglis.

Woudstra, H. W., action of some electrolytes on colloidal solutions; the process of coagulation, A., ii, 160.

the internal friction of colloidal solutions, A., ii, 464.

accuracy of the colorimetric estimation of lead, A., ii, 633.

viscosity of colloidal silver solutions, A., ii<u>,</u> 818.

Wrede, Franz. See Emil Fischer, William Richards, and TheodoreAlfred Stock.

Wren, Henry. See Alexander McKenzie. Wright, Fred. Eugene. See Henry S. Washington.

Wroczynski, Adam, mutual action of dissolved substances as deduced from their vapour pressures, A., ii, 662.

Wülfing, Johann A., preparation of an anhydrous crystalline compound of dextrose and sodium iodide, A., i, 765.

Wüst, Friedrich, the decarburisation of iron, A., ii, 286. influence of phosphorus on the system,

iron-carbon, A., ii, 287.

Wist, Friedrich, and L. Laval, the
Thomas steel process, A., ii, 851.

Wuite, J. P., gas analysis, A., ii, 891. Wunderlich, Aemilius, viola-rutin (violaquercitrin), A., i, 438.

fagopyrum-rutin, A., i, 559.

rhamnosides from Capparis spinosa and Globularia Alypum, A., i, 559. Wurzelmann, M. See Stanislaus von

Kostanecki.

Wyrouboff, Gregoire N., rubidium dichromate, A., ii, 181.

theory of valency and constitution of salts, A., ii, 368.

double nitrates of alkali and cerium metals, A., ii, 385.

silicotungstates of indium, A., ii, 386. Wyss, H. von, the behaviour of bromides in the human and in animal organisms. III., A., ii, 875.

Y.

Yakimoff, W. L., stability of atoxyl, A., i, 492.

Yakuwa, G. See W. Völtz.

Yamada, Jiro. See Karl Bernhard Lehmann.

Yamamoto, T., the fusion curves of the system, naphthalene—phenol, A., ii,

Yates, Joseph. See Robert Howson Pickard.

Yégounoff, Michel, apparatus for [the study of diffusion in solid media, A., ii, 465.

Yokoyama, H., why are poor sandy soils often easily injured by liming? A., ii,

Yoshimoto, S., the precipitation of sugars by cupric hydroxide, A., i, 766.

Yoshimura, K. See Umetaro Suzuki.

Yoshisaka. See André Wahl.

Young, F. A., and J. E. Lehmann, the blood issuing from the dog's suprarenal, A., ii, 767.

Young, George, and Albert Ernest Dunstan, contributions to the chemistry of the amidines. Part II. Anilinobenzoxazole and the supposed anilino-dihydrobenzoxazole, T., 1052; P., 136.

Young, Sydney, orthobaric volumes in relation to pressure and temperature, A., ii, 813.

Young, William John. See Arthur Harden.

Youtz, Lewis A., purity and volatility of precipitated antimony sulphide, A., ii, 780.

Z.

Zailer, Viktor, and Leopold Wilk, influence of plant constituents on the physical and chemical properties of soils, A., ii, 60.

Zaleski, Jean, Dennstedt's method of elementary analysis applied to the hæmoglobin derivatives, A., ii, 132. Zaleski, Jean. See also J. Merunowicz.

Zaloziecki, Roman, and H. Klarfeld, optical activity of mineral oils in connexion with the question of their origin, A., ii, 48.

Zambonini, Ferruccio, delorenzite, a new mineral, A., ii, 604.

Zambonini, Ferruccio. See also George Thurland Prior.

Zanetti, Joaquin E. See Henry Augustus Torrey.

Zawidzki, Jan von, simple apparatus for demonstrating the dissociation pressure of solid and liquid substances, A., ii,

Zdarek, Emil, contents of a cystic tumour of the breast, A., ii, 1059.

Zebrikoff, (Mme.) Lydic. See Charles Eugène Guye.

Zedner, Julian, nickel oxide electrode in the Jungner-Edison accumulator, A., ii, 12.

Zedner, Julian. See also Otto Ruff. Zeh, W. See Joh. D'Ans. Zeisel, Simon, and Béla von Bitté,

condensation products of acetaldehyde containing six and ten atoms of carbon, A., i, 761.

Zelinsky, Nicolai D., scission of the trimethylene ring by catalytic reduction, A., i, 15.

cyclohexanylethyl alcohol and cyclopentanylcarbinol, A., i, 727. and

cyclopentanecarboxylic chlorocyclopentane, A., i, 729.

Zelinsky, Nicolai D., and A. Gorsky, isomeric dihydrobenzenes and optically active dihydrotoluene, A., i, 619.

cyclohexadienes. II., A., i, 722.

Zelinsky, Nicolai D., and Johannes Gutt, constitution of cyclobutene, A., i, 14.

ethylcyclobutane, A., i, 617. abnormal products of the fission of cyclohexanecarboxylic acid, A., i, 638.

Zelinsky, Nicolai D., and E. S. Prschevalsky, studies in the hexene and

heptene series, A., i, 845.

Zelinsky, Nicolai D., and N. Schlesinger, behaviour of trimethylene dibromide towards zinc dust and acetic acid, A., i, 594.

Zelinsky, Nicolai D., [with D. Schwedoff], saturated compounds of the cyclohexane group, A., i, 864.

Zelinsky, Nicolai D., and Georg L. Stadnikoff, synthesis of alanine and a-aminobutyric acid, A., i,

synthesis of a-amino-nitriles, A., i,

Zeller, M., and Alb. Jodlbauer, sensitisation of catalase, A., i, 239.

Zellner, Julius, chemistry of the higher fungi. I. Trametes suaveolens, A., ii, 216.

Zeltner, Josef, action of magnesium on esters of brominated fatty acids; new synthesis of B-ketonic esters, A., i, 243, 759.

synthesis by means of organo-metallic compounds, A., i, 401.

Zerban, Fritz, and W. P. Naquin, estimation of reducing sugars, A., ii,

Zerewitinoff, Th., estimation of active hydrogen in organic compounds, A., i, 593.

Zerewitinoff, Th., crystalline compound of magnesium methiodide and amyl ether, A., i, 616.

Zernik, F. See Carl Mannich.

Zickendraht, Hans, fluorescence sodium vapour, A., ii, 910.

Zimmer & Co. See Vereinigte Chininfabriken Zimmer & Co.

Zimmermann, Friedrich. See Wilhelm Biltz.

Zincke, [Ernst Carl] Theodor, and Edmund Birschel, action of bromine and chlorine on phenols; substitution products, ψ -bromides, and ψ -chlorides. XXIV. Tetrachloro- and tetrabromodihydroxybenzhydrol and their trans-

formation products, A., i, 781. Zincke, Theodor, and Rudolf Brune, quinonoid sulpho-derivatives, A., i, 336.

Zincke, Theodor, and Max Buff, hydroxytoluic acids. II. 4-Hydroxy-otoluic acid, A., i, 643.

Zincke, Theodor, and Johannes Golde-mann, action of bromine and chlorine on phenols; substitution products, ψ -bromides, and ψ -chlorides. XXIII. Action of bromine on di-p-hydroxyphenylmethylethylmethane; ψ-bromides and quinones of p-sec. -butylphenol, A., i, 780.

Zincke, Theodor, and Franz Schwabe, 4-hydroxy-1:4-dimethyl-1-trichloromethyldihydrobenzene, A., i, 337. Zincke, Theodor, and Willi Tropp,

ditertiary alcohols from phenanthra-

quinone, A., i, 786.

Zirker, J. N., top-dressing with magnesium sulphate, A., ii, 625.

Zitowitsch, the effect of alcohol on digestion, A., ii, 404.

Złobicki, Ladislas, the influence of radium on the electrolytic conductivity

of colloidal solutions, A., ii, 451. Zopf, Wilhelm, chemical monograph of the Cladoniaceæ, A., ii, 526.

Zuntz, Nathan, specific dynamic action

of proteins, A., ii, 606.

Zwayer, Felicia, and Stanislaus von Kostanecki, [with (Frl.) M. Szwej-kowska], function of the double chromophore, CO.C:C, A., i, 443.